

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification 7 :</b> C12N 15/12, C07K 14/47, C12Q 1/68, A61K 39/395, G01N 33/68, 33/574, C07K 16/30, C12N 15/62, 5/02 // A61P 35/00	<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 00/04149</b> <b>(43) International Publication Date:</b> 27 January 2000 (27.01.00)																					
<b>(21) International Application Number:</b> PCT/US99/15838 <b>(22) International Filing Date:</b> 14 July 1999 (14.07.99)  <b>(30) Priority Data:</b> <table border="0" style="width: 100%;"><tr><td style="width: 30%;">09/115,453</td><td style="width: 40%;">14 July 1998 (14.07.98)</td><td style="width: 30%;">US</td></tr><tr><td>09/116,134</td><td>14 July 1998 (14.07.98)</td><td>US</td></tr><tr><td>09/159,822</td><td>23 September 1998 (23.09.98)</td><td>US</td></tr><tr><td>09/159,812</td><td>23 September 1998 (23.09.98)</td><td>US</td></tr><tr><td>09/232,880</td><td>15 January 1999 (15.01.99)</td><td>US</td></tr><tr><td>09/232,149</td><td>15 January 1999 (15.01.99)</td><td>US</td></tr><tr><td>09/288,946</td><td>9 April 1999 (09.04.99)</td><td>US</td></tr></table> <b>(71) Applicant:</b> CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US).  <b>(72) Inventors:</b> DILLON, Davin, Clifford; 21607 N.E. 24th Street, Redmond, WA 98053 (US). HARLOCKER, Susan, Louise; 6203 20th Avenue N.W., Seattle, WA 98107 (US). YUQUIU, Jiang; 5001 South 232nd Street, Kent, WA 98032 (US). XU, Jiangchun; 15805 S.E. 43rd Place, Bellevue, WA 98006 (US). MITCHAM, Jennifer, Lynn; 16677 Northeast 88th Street, Redmond, WA 98052 (US).		09/115,453	14 July 1998 (14.07.98)	US	09/116,134	14 July 1998 (14.07.98)	US	09/159,822	23 September 1998 (23.09.98)	US	09/159,812	23 September 1998 (23.09.98)	US	09/232,880	15 January 1999 (15.01.99)	US	09/232,149	15 January 1999 (15.01.99)	US	09/288,946	9 April 1999 (09.04.99)	US	<b>(74) Agents:</b> MAKI, David, J. et al.; Seed and Berry LLP, 6300 Columbia, 701 Fifth Avenue, Seattle, WA 98104-7092 (US).  <b>(81) Designated States:</b> AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>
09/115,453	14 July 1998 (14.07.98)	US																					
09/116,134	14 July 1998 (14.07.98)	US																					
09/159,822	23 September 1998 (23.09.98)	US																					
09/159,812	23 September 1998 (23.09.98)	US																					
09/232,880	15 January 1999 (15.01.99)	US																					
09/232,149	15 January 1999 (15.01.99)	US																					
09/288,946	9 April 1999 (09.04.99)	US																					
<b>(54) Title:</b> COMPOSITIONS AND METHODS FOR THERAPY AND DIAGNOSIS OF PROSTATE CANCER  <b>(57) Abstract</b>  Compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer, are disclosed. Compositions may comprise one or more prostate tumor proteins, immunogenic portions thereof, or polynucleotides that encode such portions. Alternatively, a therapeutic composition may comprise an antigen presenting cell that expresses a prostate tumor protein, or a T cell that is specific for cells expressing such a protein. Such compositions may be used, for example, for the prevention and treatment of diseases such as prostate cancer. Diagnostic methods based on detecting a prostate tumor protein, or mRNA encoding such a protein, in a sample are also provided.																							

BG

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## COMPOSITIONS AND METHODS FOR THERAPY AND DIAGNOSIS OF PROSTATE CANCER

### TECHNICAL FIELD

The present invention relates generally to therapy and diagnosis of cancer, such as prostate cancer. The invention is more specifically related to polypeptides comprising at least a portion of a prostate tumor protein, and to polynucleotides encoding such polypeptides. Such polypeptides and polynucleotides may be used in vaccines and pharmaceutical compositions for prevention and treatment of prostate cancer, and for the diagnosis and monitoring of such cancers.

### BACKGROUND OF THE INVENTION

Prostate cancer is the most common form of cancer among males, with an estimated incidence of 30% in men over the age of 50. Overwhelming clinical evidence shows that human prostate cancer has the propensity to metastasize to bone, and the disease appears to progress inevitably from androgen dependent to androgen refractory status, leading to increased patient mortality. This prevalent disease is currently the second leading cause of cancer death among men in the U.S.

In spite of considerable research into therapies for the disease, prostate cancer remains difficult to treat. Commonly, treatment is based on surgery and/or radiation therapy, but these methods are ineffective in a significant percentage of cases. Two previously identified prostate specific proteins - prostate specific antigen (PSA) and prostatic acid phosphatase (PAP) - have limited therapeutic and diagnostic potential. For example, PSA levels do not always correlate well with the presence of prostate cancer, being positive in a percentage of non-prostate cancer cases, including benign prostatic hyperplasia (BPH). Furthermore, PSA measurements correlate with prostate volume, and do not indicate the level of metastasis.

In spite of considerable research into therapies for these and other cancers, prostate cancer remains difficult to diagnose and treat effectively. Accordingly, there is a need in the art for improved methods for detecting and treating such cancers. The present invention fulfills these needs and further provides other related advantages.

### SUMMARY OF THE INVENTION

Briefly stated, the present invention provides compositions and methods for the diagnosis and therapy of cancer, such as prostate cancer. In one aspect, the present

invention provides polypeptides comprising at least a portion of a prostate tumor protein, or a variant thereof. Certain portions and other variants are immunogenic, such that the ability of the variant to react with antigen-specific antisera is not substantially diminished. Within certain embodiments, the polypeptide comprises at least an immunogenic portion of a prostate tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of: (a) sequences recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472; (b) sequences that hybridize to any of the foregoing sequences under moderately stringent conditions; and (c) complements of any of the sequence of (a) or (b). In certain specific embodiments, such a polypeptide comprises at least a portion, or variant thereof, of a tumor protein that includes an amino acid sequence selected from the group consisting of sequences recited in any one of SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380 and 383.

The present invention further provides polynucleotides that encode a polypeptide as described above, or a portion thereof (such as a portion encoding at least 15 amino acid residues of a prostate tumor protein), expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

Within other aspects, the present invention provides pharmaceutical compositions comprising a polypeptide or polynucleotide as described above and a physiologically acceptable carrier.

Within a related aspect of the present invention, vaccines are provided. Such vaccines comprise a polypeptide or polynucleotide as described above and a non-specific immune response enhancer.

The present invention further provides pharmaceutical compositions that comprise: (a) an antibody or antigen-binding fragment thereof that specifically binds to a prostate tumor protein; and (b) a physiologically acceptable carrier.

Within further aspects, the present invention provides pharmaceutical compositions comprising: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a pharmaceutically acceptable carrier or excipient. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B cells.

Within related aspects, vaccines are provided that comprise: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a non-specific immune response enhancer.

The present invention further provides, in other aspects, fusion proteins that comprise at least one polypeptide as described above, as well as polynucleotides encoding such fusion proteins.



Within related aspects, pharmaceutical compositions comprising a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a physiologically acceptable carrier are provided.

Vaccines are further provided, within other aspects, that comprise a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a non-specific immune response enhancer.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient a pharmaceutical composition or vaccine as recited above.

The present invention further provides, within other aspects, methods for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a prostate tumor protein, wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the protein from the sample.

Within related aspects, methods are provided for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated as described above.

Methods are further provided, within other aspects, for stimulating and/or expanding T cells specific for a prostate tumor protein, comprising contacting T cells with one or more of: (i) a polypeptide as described above; (ii) a polynucleotide encoding such a polypeptide; and/or (iii) an antigen presenting cell that expresses such a polypeptide; under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells. Isolated T cell populations comprising T cells prepared as described above are also provided.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population as described above.

The present invention further provides methods for inhibiting the development of a cancer in a patient, comprising the steps of: (a) incubating CD4<sup>+</sup> and/or CD8<sup>+</sup> T cells isolated from a patient with one or more of: (i) a polypeptide comprising at least an immunogenic portion of a prostate tumor protein; (ii) a polynucleotide encoding such a polypeptide; and (iii) an antigen-presenting cell that expressed such a polypeptide; and (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient. Proliferated cells may, but need not, be cloned prior to administration to the patient.

Within further aspects, the present invention provides methods for determining the presence or absence of a cancer in a patient, comprising: (a) contacting a biological sample obtained from a patient with a binding agent that binds to a polypeptide as recited

above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and (c) comparing the amount of polypeptide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within preferred embodiments, the binding agent is an antibody, more preferably a monoclonal antibody. The cancer may be prostate cancer.

The present invention also provides, within other aspects, methods for monitoring the progression of a cancer in a patient. Such methods comprise the steps of: (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polypeptide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

The present invention further provides, within other aspects, methods for determining the presence or absence of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein; (b) detecting in the sample a level of a polynucleotide, preferably mRNA, that hybridizes to the oligonucleotide; and (c) comparing the level of polynucleotide that hybridizes to the oligonucleotide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within certain embodiments, the amount of mRNA is detected via polymerase chain reaction using, for example, at least one oligonucleotide primer that hybridizes to a polynucleotide encoding a polypeptide as recited above, or a complement of such a polynucleotide. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing an oligonucleotide probe that hybridizes to a polynucleotide that encodes a polypeptide as recited above, or a complement of such a polynucleotide.

In related aspects, methods are provided for monitoring the progression of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein; (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polynucleotide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

Within further aspects, the present invention provides antibodies, such as monoclonal antibodies, that bind to a polypeptide as described above, as well as diagnostic

kits comprising such antibodies. Diagnostic kits comprising one or more oligonucleotide probes or primers as described above are also provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

#### BRIEF DESCRIPTION OF THE DRAWINGS AND SEQUENCE IDENTIFIERS

Figure 1 illustrates the ability of T cells to kill fibroblasts expressing the representative prostate tumor polypeptide P502S, as compared to control fibroblasts. The percentage lysis is shown as a series of effector:target ratios, as indicated.

Figures 2A and 2B illustrate the ability of T cells to recognize cells expressing the representative prostate tumor polypeptide P502S. In each case, the number of  $\gamma$ -interferon spots is shown for different numbers of responders. In Figure 2A, data is presented for fibroblasts pulsed with the P2S-12 peptide, as compared to fibroblasts pulsed with a control E75 peptide. In Figure 2B, data is presented for fibroblasts expressing P502S, as compared to fibroblasts expressing HER-2/*neu*.

Figure 3 represents a peptide competition binding assay showing that the P1S#10 peptide, derived from P501S, binds HLA-A2. Peptide P1S#10 inhibits HLA-A2 restricted presentation of fluM58 peptide to CTL clone D150M58 in TNF release bioassay. D150M58 CTL is specific for the HLA-A2 binding influenza matrix peptide fluM58.

Figure 4 illustrates the ability of T cell lines generated from P1S#10 immunized mice to specifically lyse P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat A2Kb targets, as compared to EGFP-transduced Jurkat A2Kb. The percent lysis is shown as a series of effector to target ratios, as indicated.

Figure 5 illustrates the ability of a T cell clone to recognize and specifically lyse Jurkat A2Kb cells expressing the representative prostate tumor polypeptide P501S, thereby demonstrating that the P1S#10 peptide may be a naturally processed epitope of the P501S polypeptide.

Figures 6A and 6B are graphs illustrating the specificity of a CD8<sup>+</sup> cell line (3A-1) for a representative prostate tumor antigen (P501S). Figure 6A shows the results of a <sup>51</sup>Cr release assay. The percent specific lysis is shown as a series of effector:target ratios, as indicated. Figure 6B shows the production of interferon-gamma by 3A-1 cells stimulated with autologous B-LCL transduced with P501S, at varying effector:target ratios as indicated.

SEQ ID NO: 1 is the determined cDNA sequence for F1-13

SEQ ID NO: 2 is the determined 3' cDNA sequence for F1-12

SEQ ID NO: 3 is the determined 5' cDNA sequence for F1-12  
SEQ ID NO: 4 is the determined 3' cDNA sequence for F1-16  
SEQ ID NO: 5 is the determined 3' cDNA sequence for H1-1  
SEQ ID NO: 6 is the determined 3' cDNA sequence for H1-9  
SEQ ID NO: 7 is the determined 3' cDNA sequence for H1-4  
SEQ ID NO: 8 is the determined 3' cDNA sequence for J1-17  
SEQ ID NO: 9 is the determined 5' cDNA sequence for J1-17  
SEQ ID NO: 10 is the determined 3' cDNA sequence for L1-12  
SEQ ID NO: 11 is the determined 5' cDNA sequence for L1-12  
SEQ ID NO: 12 is the determined 3' cDNA sequence for N1-1862  
SEQ ID NO: 13 is the determined 5' cDNA sequence for N1-1862  
SEQ ID NO: 14 is the determined 3' cDNA sequence for J1-13  
SEQ ID NO: 15 is the determined 5' cDNA sequence for J1-13  
SEQ ID NO: 16 is the determined 3' cDNA sequence for J1-19  
SEQ ID NO: 17 is the determined 5' cDNA sequence for J1-19  
SEQ ID NO: 18 is the determined 3' cDNA sequence for J1-25  
SEQ ID NO: 19 is the determined 5' cDNA sequence for J1-25  
SEQ ID NO: 20 is the determined 5' cDNA sequence for J1-24  
SEQ ID NO: 21 is the determined 3' cDNA sequence for J1-24  
SEQ ID NO: 22 is the determined 5' cDNA sequence for K1-58  
SEQ ID NO: 23 is the determined 3' cDNA sequence for K1-58  
SEQ ID NO: 24 is the determined 5' cDNA sequence for K1-63  
SEQ ID NO: 25 is the determined 3' cDNA sequence for K1-63  
SEQ ID NO: 26 is the determined 5' cDNA sequence for L1-4  
SEQ ID NO: 27 is the determined 3' cDNA sequence for L1-4  
SEQ ID NO: 28 is the determined 5' cDNA sequence for L1-14  
SEQ ID NO: 29 is the determined 3' cDNA sequence for L1-14  
SEQ ID NO: 30 is the determined 3' cDNA sequence for J1-12  
SEQ ID NO: 31 is the determined 3' cDNA sequence for J1-16  
SEQ ID NO: 32 is the determined 3' cDNA sequence for J1-21  
SEQ ID NO: 33 is the determined 3' cDNA sequence for K1-48  
SEQ ID NO: 34 is the determined 3' cDNA sequence for K1-55  
SEQ ID NO: 35 is the determined 3' cDNA sequence for L1-2  
SEQ ID NO: 36 is the determined 3' cDNA sequence for L1-6  
SEQ ID NO: 37 is the determined 3' cDNA sequence for N1-1858  
SEQ ID NO: 38 is the determined 3' cDNA sequence for N1-1860  
SEQ ID NO: 39 is the determined 3' cDNA sequence for N1-1861

SEQ ID NO: 40 is the determined 3' cDNA sequence for N1-1864  
SEQ ID NO: 41 is the determined cDNA sequence for P5  
SEQ ID NO: 42 is the determined cDNA sequence for P8  
SEQ ID NO: 43 is the determined cDNA sequence for P9  
SEQ ID NO: 44 is the determined cDNA sequence for P18  
SEQ ID NO: 45 is the determined cDNA sequence for P20  
SEQ ID NO: 46 is the determined cDNA sequence for P29  
SEQ ID NO: 47 is the determined cDNA sequence for P30  
SEQ ID NO: 48 is the determined cDNA sequence for P34  
SEQ ID NO: 49 is the determined cDNA sequence for P36  
SEQ ID NO: 50 is the determined cDNA sequence for P38  
SEQ ID NO: 51 is the determined cDNA sequence for P39  
SEQ ID NO: 52 is the determined cDNA sequence for P42  
SEQ ID NO: 53 is the determined cDNA sequence for P47  
SEQ ID NO: 54 is the determined cDNA sequence for P49  
SEQ ID NO: 55 is the determined cDNA sequence for P50  
SEQ ID NO: 56 is the determined cDNA sequence for P53  
SEQ ID NO: 57 is the determined cDNA sequence for P55  
SEQ ID NO: 58 is the determined cDNA sequence for P60  
SEQ ID NO: 59 is the determined cDNA sequence for P64  
SEQ ID NO: 60 is the determined cDNA sequence for P65  
SEQ ID NO: 61 is the determined cDNA sequence for P73  
SEQ ID NO: 62 is the determined cDNA sequence for P75  
SEQ ID NO: 63 is the determined cDNA sequence for P76  
SEQ ID NO: 64 is the determined cDNA sequence for P79  
SEQ ID NO: 65 is the determined cDNA sequence for P84  
SEQ ID NO: 66 is the determined cDNA sequence for P68  
SEQ ID NO: 67 is the determined cDNA sequence for P80  
SEQ ID NO: 68 is the determined cDNA sequence for P82  
SEQ ID NO: 69 is the determined cDNA sequence for U1-3064  
SEQ ID NO: 70 is the determined cDNA sequence for U1-3065  
SEQ ID NO: 71 is the determined cDNA sequence for V1-3692  
SEQ ID NO: 72 is the determined cDNA sequence for 1A-3905  
SEQ ID NO: 73 is the determined cDNA sequence for V1-3686  
SEQ ID NO: 74 is the determined cDNA sequence for R1-2330  
SEQ ID NO: 75 is the determined cDNA sequence for 1B-3976  
SEQ ID NO: 76 is the determined cDNA sequence for V1-3679

SEQ ID NO: 77 is the determined cDNA sequence for 1G-4736  
SEQ ID NO: 78 is the determined cDNA sequence for 1G-4738  
SEQ ID NO: 79 is the determined cDNA sequence for 1G-4741  
SEQ ID NO: 80 is the determined cDNA sequence for 1G-4744  
SEQ ID NO: 81 is the determined cDNA sequence for 1G-4734  
SEQ ID NO: 82 is the determined cDNA sequence for 1H-4774  
SEQ ID NO: 83 is the determined cDNA sequence for 1H-4781  
SEQ ID NO: 84 is the determined cDNA sequence for 1H-4785  
SEQ ID NO: 85 is the determined cDNA sequence for 1H-4787  
SEQ ID NO: 86 is the determined cDNA sequence for 1H-4796  
SEQ ID NO: 87 is the determined cDNA sequence for 1I-4807  
SEQ ID NO: 88 is the determined cDNA sequence for 1I-4810  
SEQ ID NO: 89 is the determined cDNA sequence for 1I-4811  
SEQ ID NO: 90 is the determined cDNA sequence for 1J-4876  
SEQ ID NO: 91 is the determined cDNA sequence for 1K-4884  
SEQ ID NO: 92 is the determined cDNA sequence for 1K-4896  
SEQ ID NO: 93 is the determined cDNA sequence for 1G-4761  
SEQ ID NO: 94 is the determined cDNA sequence for 1G-4762  
SEQ ID NO: 95 is the determined cDNA sequence for 1H-4766  
SEQ ID NO: 96 is the determined cDNA sequence for 1H-4770  
SEQ ID NO: 97 is the determined cDNA sequence for 1H-4771  
SEQ ID NO: 98 is the determined cDNA sequence for 1H-4772  
SEQ ID NO: 99 is the determined cDNA sequence for 1D-4297  
SEQ ID NO: 100 is the determined cDNA sequence for 1D-4309  
SEQ ID NO: 101 is the determined cDNA sequence for 1D.1-4278  
SEQ ID NO: 102 is the determined cDNA sequence for 1D-4288  
SEQ ID NO: 103 is the determined cDNA sequence for 1D-4283  
SEQ ID NO: 104 is the determined cDNA sequence for 1D-4304  
SEQ ID NO: 105 is the determined cDNA sequence for 1D-4296  
SEQ ID NO: 106 is the determined cDNA sequence for 1D-4280  
SEQ ID NO: 107 is the determined full length cDNA sequence for F1-12 (also referred to as P504S)  
SEQ ID NO: 108 is the predicted amino acid sequence for F1-12  
SEQ ID NO: 109 is the determined full length cDNA sequence for J1-17  
SEQ ID NO: 110 is the determined full length cDNA sequence for L1-12  
SEQ ID NO: 111 is the determined full length cDNA sequence for N1-1862  
SEQ ID NO: 112 is the predicted amino acid sequence for J1-17

SEQ ID NO: 113 is the predicted amino acid sequence for L1-12  
SEQ ID NO: 114 is the predicted amino acid sequence for N1-1862  
SEQ ID NO: 115 is the determined cDNA sequence for P89  
SEQ ID NO: 116 is the determined cDNA sequence for P90  
SEQ ID NO: 117 is the determined cDNA sequence for P92  
SEQ ID NO: 118 is the determined cDNA sequence for P95  
SEQ ID NO: 119 is the determined cDNA sequence for P98  
SEQ ID NO: 120 is the determined cDNA sequence for P102  
SEQ ID NO: 121 is the determined cDNA sequence for P110  
SEQ ID NO: 122 is the determined cDNA sequence for P111  
SEQ ID NO: 123 is the determined cDNA sequence for P114  
SEQ ID NO: 124 is the determined cDNA sequence for P115  
SEQ ID NO: 125 is the determined cDNA sequence for P116  
SEQ ID NO: 126 is the determined cDNA sequence for P124  
SEQ ID NO: 127 is the determined cDNA sequence for P126  
SEQ ID NO: 128 is the determined cDNA sequence for P130  
SEQ ID NO: 129 is the determined cDNA sequence for P133  
SEQ ID NO: 130 is the determined cDNA sequence for P138  
SEQ ID NO: 131 is the determined cDNA sequence for P143  
SEQ ID NO: 132 is the determined cDNA sequence for P151  
SEQ ID NO: 133 is the determined cDNA sequence for P156  
SEQ ID NO: 134 is the determined cDNA sequence for P157  
SEQ ID NO: 135 is the determined cDNA sequence for P166  
SEQ ID NO: 136 is the determined cDNA sequence for P176  
SEQ ID NO: 137 is the determined cDNA sequence for P178  
SEQ ID NO: 138 is the determined cDNA sequence for P179  
SEQ ID NO: 139 is the determined cDNA sequence for P185  
SEQ ID NO: 140 is the determined cDNA sequence for P192  
SEQ ID NO: 141 is the determined cDNA sequence for P201  
SEQ ID NO: 142 is the determined cDNA sequence for P204  
SEQ ID NO: 143 is the determined cDNA sequence for P208  
SEQ ID NO: 144 is the determined cDNA sequence for P211  
SEQ ID NO: 145 is the determined cDNA sequence for P213  
SEQ ID NO: 146 is the determined cDNA sequence for P219  
SEQ ID NO: 147 is the determined cDNA sequence for P237  
SEQ ID NO: 148 is the determined cDNA sequence for P239  
SEQ ID NO: 149 is the determined cDNA sequence for P248

SEQ ID NO: 150 is the determined cDNA sequence for P251  
SEQ ID NO: 151 is the determined cDNA sequence for P255  
SEQ ID NO: 152 is the determined cDNA sequence for P256  
SEQ ID NO: 153 is the determined cDNA sequence for P259  
SEQ ID NO: 154 is the determined cDNA sequence for P260  
SEQ ID NO: 155 is the determined cDNA sequence for P263  
SEQ ID NO: 156 is the determined cDNA sequence for P264  
SEQ ID NO: 157 is the determined cDNA sequence for P266  
SEQ ID NO: 158 is the determined cDNA sequence for P270  
SEQ ID NO: 159 is the determined cDNA sequence for P272  
SEQ ID NO: 160 is the determined cDNA sequence for P278  
SEQ ID NO: 161 is the determined cDNA sequence for P105  
SEQ ID NO: 162 is the determined cDNA sequence for P107  
SEQ ID NO: 163 is the determined cDNA sequence for P137  
SEQ ID NO: 164 is the determined cDNA sequence for P194  
SEQ ID NO: 165 is the determined cDNA sequence for P195  
SEQ ID NO: 166 is the determined cDNA sequence for P196  
SEQ ID NO: 167 is the determined cDNA sequence for P220  
SEQ ID NO: 168 is the determined cDNA sequence for P234  
SEQ ID NO: 169 is the determined cDNA sequence for P235  
SEQ ID NO: 170 is the determined cDNA sequence for P243  
SEQ ID NO: 171 is the determined cDNA sequence for P703P-DE1  
SEQ ID NO: 172 is the predicted amino acid sequence for P703P-DE1  
SEQ ID NO: 173 is the determined cDNA sequence for P703P-DE2  
SEQ ID NO: 174 is the determined cDNA sequence for P703P-DE6  
SEQ ID NO: 175 is the determined cDNA sequence for P703P-DE13  
SEQ ID NO: 176 is the predicted amino acid sequence for P703P-DE13  
SEQ ID NO: 177 is the determined cDNA sequence for P703P-DE14  
SEQ ID NO: 178 is the predicted amino acid sequence for P703P-DE14  
SEQ ID NO: 179 is the determined extended cDNA sequence for 1G-4736  
SEQ ID NO: 180 is the determined extended cDNA sequence for 1G-4738  
SEQ ID NO: 181 is the determined extended cDNA sequence for 1G-4741  
SEQ ID NO: 182 is the determined extended cDNA sequence for 1G-4744  
SEQ ID NO: 183 is the determined extended cDNA sequence for 1H-4774  
SEQ ID NO: 184 is the determined extended cDNA sequence for 1H-4781  
SEQ ID NO: 185 is the determined extended cDNA sequence for 1H-4785  
SEQ ID NO: 186 is the determined extended cDNA sequence for 1H-4787



SEQ ID NO: 187 is the determined extended cDNA sequence for 1H-4796  
SEQ ID NO: 188 is the determined extended cDNA sequence for 1I-4807  
SEQ ID NO: 189 is the determined 3' cDNA sequence for 1I-4810  
SEQ ID NO: 190 is the determined 3' cDNA sequence for 1I-4811  
SEQ ID NO: 191 is the determined extended cDNA sequence for 1J-4876  
SEQ ID NO: 192 is the determined extended cDNA sequence for 1K-4884  
SEQ ID NO: 193 is the determined extended cDNA sequence for 1K-4896  
SEQ ID NO: 194 is the determined extended cDNA sequence for 1G-4761  
SEQ ID NO: 195 is the determined extended cDNA sequence for 1G-4762  
SEQ ID NO: 196 is the determined extended cDNA sequence for 1H-4766  
SEQ ID NO: 197 is the determined 3' cDNA sequence for 1H-4770  
SEQ ID NO: 198 is the determined 3' cDNA sequence for 1H-4771  
SEQ ID NO: 199 is the determined extended cDNA sequence for 1H-4772  
SEQ ID NO: 200 is the determined extended cDNA sequence for 1D-4309  
SEQ ID NO: 201 is the determined extended cDNA sequence for 1D.1-4278  
SEQ ID NO: 202 is the determined extended cDNA sequence for 1D-4288  
SEQ ID NO: 203 is the determined extended cDNA sequence for 1D-4283  
SEQ ID NO: 204 is the determined extended cDNA sequence for 1D-4304  
SEQ ID NO: 205 is the determined extended cDNA sequence for 1D-4296  
SEQ ID NO: 206 is the determined extended cDNA sequence for 1D-4280  
SEQ ID NO: 207 is the determined cDNA sequence for 10-d8fwd  
SEQ ID NO: 208 is the determined cDNA sequence for 10-H10con  
SEQ ID NO: 209 is the determined cDNA sequence for 11-C8rev  
SEQ ID NO: 210 is the determined cDNA sequence for 7.g6fwd  
SEQ ID NO: 211 is the determined cDNA sequence for 7.g6rev  
SEQ ID NO: 212 is the determined cDNA sequence for 8-b5fwd  
SEQ ID NO: 213 is the determined cDNA sequence for 8-b5rev  
SEQ ID NO: 214 is the determined cDNA sequence for 8-b6fwd  
SEQ ID NO: 215 is the determined cDNA sequence for 8-b6 rev  
SEQ ID NO: 216 is the determined cDNA sequence for 8-d4fwd  
SEQ ID NO: 217 is the determined cDNA sequence for 8-d9rev  
SEQ ID NO: 218 is the determined cDNA sequence for 8-g3fwd  
SEQ ID NO: 219 is the determined cDNA sequence for 8-g3rev  
SEQ ID NO: 220 is the determined cDNA sequence for 8-h11rev  
SEQ ID NO: 221 is the determined cDNA sequence for g-f12fwd  
SEQ ID NO: 222 is the determined cDNA sequence for g-f3rev  
SEQ ID NO: 223 is the determined cDNA sequence for P509S

SEQ ID NO: 224 is the determined cDNA sequence for P510S  
SEQ ID NO: 225 is the determined cDNA sequence for P703DES  
SEQ ID NO: 226 is the determined cDNA sequence for 9-A11  
SEQ ID NO: 227 is the determined cDNA sequence for 8-C6  
SEQ ID NO: 228 is the determined cDNA sequence for 8-H7  
SEQ ID NO: 229 is the determined cDNA sequence for JPTPN13  
SEQ ID NO: 230 is the determined cDNA sequence for JPTPN14  
SEQ ID NO: 231 is the determined cDNA sequence for JPTPN23  
SEQ ID NO: 232 is the determined cDNA sequence for JPTPN24  
SEQ ID NO: 233 is the determined cDNA sequence for JPTPN25  
SEQ ID NO: 234 is the determined cDNA sequence for JPTPN30  
SEQ ID NO: 235 is the determined cDNA sequence for JPTPN34  
SEQ ID NO: 236 is the determined cDNA sequence for PTPN35  
SEQ ID NO: 237 is the determined cDNA sequence for JPTPN36  
SEQ ID NO: 238 is the determined cDNA sequence for JPTPN38  
SEQ ID NO: 239 is the determined cDNA sequence for JPTPN39  
SEQ ID NO: 240 is the determined cDNA sequence for JPTPN40  
SEQ ID NO: 241 is the determined cDNA sequence for JPTPN41  
SEQ ID NO: 242 is the determined cDNA sequence for JPTPN42  
SEQ ID NO: 243 is the determined cDNA sequence for JPTPN45  
SEQ ID NO: 244 is the determined cDNA sequence for JPTPN46  
SEQ ID NO: 245 is the determined cDNA sequence for JPTPN51  
SEQ ID NO: 246 is the determined cDNA sequence for JPTPN56  
SEQ ID NO: 247 is the determined cDNA sequence for PTPN64  
SEQ ID NO: 248 is the determined cDNA sequence for JPTPN65  
SEQ ID NO: 249 is the determined cDNA sequence for JPTPN67  
SEQ ID NO: 250 is the determined cDNA sequence for JPTPN76  
SEQ ID NO: 251 is the determined cDNA sequence for JPTPN84  
SEQ ID NO: 252 is the determined cDNA sequence for JPTPN85  
SEQ ID NO: 253 is the determined cDNA sequence for JPTPN86  
SEQ ID NO: 254 is the determined cDNA sequence for JPTPN87  
SEQ ID NO: 255 is the determined cDNA sequence for JPTPN88  
SEQ ID NO: 256 is the determined cDNA sequence for JP1F1  
SEQ ID NO: 257 is the determined cDNA sequence for JP1F2  
SEQ ID NO: 258 is the determined cDNA sequence for JP1C2  
SEQ ID NO: 259 is the determined cDNA sequence for JP1B1  
SEQ ID NO: 260 is the determined cDNA sequence for JP1B2

SEQ ID NO: 261 is the determined cDNA sequence for JP1D3  
SEQ ID NO: 262 is the determined cDNA sequence for JP1A4  
SEQ ID NO: 263 is the determined cDNA sequence for JP1F5  
SEQ ID NO: 264 is the determined cDNA sequence for JP1E6  
SEQ ID NO: 265 is the determined cDNA sequence for JP1D6  
SEQ ID NO: 266 is the determined cDNA sequence for JP1B5  
SEQ ID NO: 267 is the determined cDNA sequence for JP1A6  
SEQ ID NO: 268 is the determined cDNA sequence for JP1E8  
SEQ ID NO: 269 is the determined cDNA sequence for JP1D7  
SEQ ID NO: 270 is the determined cDNA sequence for JP1D9  
SEQ ID NO: 271 is the determined cDNA sequence for JP1C10  
SEQ ID NO: 272 is the determined cDNA sequence for JP1A9  
SEQ ID NO: 273 is the determined cDNA sequence for JP1F12  
SEQ ID NO: 274 is the determined cDNA sequence for JP1E12  
SEQ ID NO: 275 is the determined cDNA sequence for JP1D11  
SEQ ID NO: 276 is the determined cDNA sequence for JP1C11  
SEQ ID NO: 277 is the determined cDNA sequence for JP1C12  
SEQ ID NO: 278 is the determined cDNA sequence for JP1B12  
SEQ ID NO: 279 is the determined cDNA sequence for JP1A12  
SEQ ID NO: 280 is the determined cDNA sequence for JP8G2  
SEQ ID NO: 281 is the determined cDNA sequence for JP8H1  
SEQ ID NO: 282 is the determined cDNA sequence for JP8H2  
SEQ ID NO: 283 is the determined cDNA sequence for JP8A3  
SEQ ID NO: 284 is the determined cDNA sequence for JP8A4  
SEQ ID NO: 285 is the determined cDNA sequence for JP8C3  
SEQ ID NO: 286 is the determined cDNA sequence for JP8G4  
SEQ ID NO: 287 is the determined cDNA sequence for JP8B6  
SEQ ID NO: 288 is the determined cDNA sequence for JP8D6  
SEQ ID NO: 289 is the determined cDNA sequence for JP8F5  
SEQ ID NO: 290 is the determined cDNA sequence for JP8A8  
SEQ ID NO: 291 is the determined cDNA sequence for JP8C7  
SEQ ID NO: 292 is the determined cDNA sequence for JP8D7  
SEQ ID NO: 293 is the determined cDNA sequence for P8D8  
SEQ ID NO: 294 is the determined cDNA sequence for JP8E7  
SEQ ID NO: 295 is the determined cDNA sequence for JP8F8  
SEQ ID NO: 296 is the determined cDNA sequence for JP8G8  
SEQ ID NO: 297 is the determined cDNA sequence for JP8B10

SEQ ID NO: 298 is the determined cDNA sequence for JP8C10  
SEQ ID NO: 299 is the determined cDNA sequence for JP8E9  
SEQ ID NO: 300 is the determined cDNA sequence for JP8E10  
SEQ ID NO: 301 is the determined cDNA sequence for JP8F9  
SEQ ID NO: 302 is the determined cDNA sequence for JP8H9  
SEQ ID NO: 303 is the determined cDNA sequence for JP8C12  
SEQ ID NO: 304 is the determined cDNA sequence for JP8E11  
SEQ ID NO: 305 is the determined cDNA sequence for JP8E12  
SEQ ID NO: 306 is the amino acid sequence for the peptide PS2#12  
SEQ ID NO: 307 is the determined cDNA sequence for P711P  
SEQ ID NO: 308 is the determined cDNA sequence for P712P  
SEQ ID NO: 309 is the determined cDNA sequence for CLONE23  
SEQ ID NO: 310 is the determined cDNA sequence for P774P  
SEQ ID NO: 311 is the determined cDNA sequence for P775P  
SEQ ID NO: 312 is the determined cDNA sequence for P715P  
SEQ ID NO: 313 is the determined cDNA sequence for P710P  
SEQ ID NO: 314 is the determined cDNA sequence for P767P  
SEQ ID NO: 315 is the determined cDNA sequence for P768P  
SEQ ID NO: 316-325 are the determined cDNA sequences of previously isolated genes  
SEQ ID NO: 326 is the determined cDNA sequence for P703PDE5  
SEQ ID NO: 327 is the predicted amino acid sequence for P703PDE5  
SEQ ID NO: 328 is the determined cDNA sequence for P703P6.26  
SEQ ID NO: 329 is the predicted amino acid sequence for P703P6.26  
SEQ ID NO: 330 is the determined cDNA sequence for P703PX-23  
SEQ ID NO: 331 is the predicted amino acid sequence for P703PX-23  
SEQ ID NO: 332 is the determined full length cDNA sequence for P509S  
SEQ ID NO: 333 is the determined extended cDNA sequence for P707P (also referred to as 11-C9)  
SEQ ID NO: 334 is the determined cDNA sequence for P714P  
SEQ ID NO: 335 is the determined cDNA sequence for P705P (also referred to as 9-F3)  
SEQ ID NO: 336 is the predicted amino acid sequence for P705P  
SEQ ID NO: 337 is the amino acid sequence of the peptide P1S#10  
SEQ ID NO: 338 is the amino acid sequence of the peptide p5  
SEQ ID NO: 339 is the predicted amino acid sequence of P509S  
SEQ ID NO: 340 is the determined cDNA sequence for P778P  
SEQ ID NO: 341 is the determined cDNA sequence for P786P  
SEQ ID NO: 342 is the determined cDNA sequence for P789P

SEQ ID NO: 343 is the determined cDNA sequence for a clone showing homology to Homo sapiens MM46 mRNA

SEQ ID NO: 344 is the determined cDNA sequence for a clone showing homology to Homo sapiens TNF-alpha stimulated ABC protein (ABC50) mRNA

SEQ ID NO: 345 is the determined cDNA sequence for a clone showing homology to Homo sapiens mRNA for E-cadherin

SEQ ID NO: 346 is the determined cDNA sequence for a clone showing homology to Human nuclear-encoded mitochondrial serine hydroxymethyltransferase (SHMT)

SEQ ID NO: 347 is the determined cDNA sequence for a clone showing homology to Homo sapiens natural resistance-associated macrophage protein2 (NRAMP2)

SEQ ID NO: 348 is the determined cDNA sequence for a clone showing homology to Homo sapiens phosphoglucomutase-related protein (PGMRP)

SEQ ID NO: 349 is the determined cDNA sequence for a clone showing homology to Human mRNA for proteosome subunit p40

SEQ ID NO: 350 is the determined cDNA sequence for P777P

SEQ ID NO: 351 is the determined cDNA sequence for P779P

SEQ ID NO: 352 is the determined cDNA sequence for P790P

SEQ ID NO: 353 is the determined cDNA sequence for P784P

SEQ ID NO: 354 is the determined cDNA sequence for P776P

SEQ ID NO: 355 is the determined cDNA sequence for P780P

SEQ ID NO: 356 is the determined cDNA sequence for P544S

SEQ ID NO: 357 is the determined cDNA sequence for P745S

SEQ ID NO: 358 is the determined cDNA sequence for P782P

SEQ ID NO: 359 is the determined cDNA sequence for P783P

SEQ ID NO: 360 is the determined cDNA sequence for unknown 17984

SEQ ID NO: 361 is the determined cDNA sequence for P787P

SEQ ID NO: 362 is the determined cDNA sequence for P788P

SEQ ID NO: 363 is the determined cDNA sequence for unknown 17994

SEQ ID NO: 364 is the determined cDNA sequence for P781P

SEQ ID NO: 365 is the determined cDNA sequence for P785P

SEQ ID NO: 366-375 are the determined cDNA sequences for splice variants of B305D.

SEQ ID NO: 376 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 366.

SEQ ID NO: 377 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 372.

SEQ ID NO: 378 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 373.

SEQ ID NO: 379 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 374.

SEQ ID NO: 380 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 375.

SEQ ID NO: 381 is the determined cDNA sequence for B716P.

SEQ ID NO: 382 is the determined full-length cDNA sequence for P711P.

SEQ ID NO: 383 is the predicted amino acid sequence for P711P.

SEQ ID NO: 384 is the cDNA sequence for P1000C.

SEQ ID NO: 385 is the cDNA sequence for CGI-82.

SEQ ID NO:386 is the cDNA sequence for 23320.

SEQ ID NO:387 is the cDNA sequence for CGI-69.

SEQ ID NO:388 is the cDNA sequence for L-iditol-2-dehydrogenase.

SEQ ID NO:389 is the cDNA sequence for 23379.

SEQ ID NO:390 is the cDNA sequence for 23381.

SEQ ID NO:391 is the cDNA sequence for KIAA0122.

SEQ ID NO:392 is the cDNA sequence for 23399.

SEQ ID NO:393 is the cDNA sequence for a previously identified gene.

SEQ ID NO:394 is the cDNA sequence for HCLBP.

SEQ ID NO:395 is the cDNA sequence for transglutaminase.

SEQ ID NO:396 is the cDNA sequence for a previously identified gene.

SEQ ID NO:397 is the cDNA sequence for PAP.

SEQ ID NO:398 is the cDNA sequence for Ets transcription factor PDEF.

SEQ ID NO:399 is the cDNA sequence for hTGR.

SEQ ID NO:400 is the cDNA sequence for KIAA0295.

SEQ ID NO:401 is the cDNA sequence for 22545.

SEQ ID NO:402 is the cDNA sequence for 22547.

SEQ ID NO:403 is the cDNA sequence for 22548.

SEQ ID NO:404 is the cDNA sequence for 22550.

SEQ ID NO:405 is the cDNA sequence for 22551.

SEQ ID NO:406 is the cDNA sequence for 22552.

SEQ ID NO:407 is the cDNA sequence for 22553.

SEQ ID NO:408 is the cDNA sequence for 22558.

SEQ ID NO:409 is the cDNA sequence for 22562.

SEQ ID NO:410 is the cDNA sequence for 22565.

SEQ ID NO:411 is the cDNA sequence for 22567.

SEQ ID NO:412 is the cDNA sequence for 22568.

SEQ ID NO:413 is the cDNA sequence for 22570.

SEQ ID NO:414 is the cDNA sequence for 22571.  
SEQ ID NO:415 is the cDNA sequence for 22572.  
SEQ ID NO:416 is the cDNA sequence for 22573.  
SEQ ID NO:417 is the cDNA sequence for 22573.  
SEQ ID NO:418 is the cDNA sequence for 22575.  
SEQ ID NO:419 is the cDNA sequence for 22580.  
SEQ ID NO:420 is the cDNA sequence for 22581.  
SEQ ID NO:421 is the cDNA sequence for 22582.  
SEQ ID NO:422 is the cDNA sequence for 22583.  
SEQ ID NO:423 is the cDNA sequence for 22584.  
SEQ ID NO:424 is the cDNA sequence for 22585.  
SEQ ID NO:425 is the cDNA sequence for 22586.  
SEQ ID NO:426 is the cDNA sequence for 22587.  
SEQ ID NO:427 is the cDNA sequence for 22588.  
SEQ ID NO:428 is the cDNA sequence for 22589.  
SEQ ID NO:429 is the cDNA sequence for 22590.  
SEQ ID NO:430 is the cDNA sequence for 22591.  
SEQ ID NO:431 is the cDNA sequence for 22592.  
SEQ ID NO:432 is the cDNA sequence for 22593.  
SEQ ID NO:433 is the cDNA sequence for 22594.  
SEQ ID NO:434 is the cDNA sequence for 22595.  
SEQ ID NO:435 is the cDNA sequence for 22596.  
SEQ ID NO:436 is the cDNA sequence for 22847.  
SEQ ID NO:437 is the cDNA sequence for 22848.  
SEQ ID NO:438 is the cDNA sequence for 22849.  
SEQ ID NO:439 is the cDNA sequence for 22851.  
SEQ ID NO:440 is the cDNA sequence for 22852.  
SEQ ID NO:441 is the cDNA sequence for 22853.  
SEQ ID NO:442 is the cDNA sequence for 22854.  
SEQ ID NO:443 is the cDNA sequence for 22855.  
SEQ ID NO:444 is the cDNA sequence for 22856.  
SEQ ID NO:445 is the cDNA sequence for 22857.  
SEQ ID NO:446 is the cDNA sequence for 23601.  
SEQ ID NO:447 is the cDNA sequence for 23602.  
SEQ ID NO:448 is the cDNA sequence for 23605.  
SEQ ID NO:449 is the cDNA sequence for 23606.  
SEQ ID NO:450 is the cDNA sequence for 23612.

SEQ ID NO:451 is the cDNA sequence for 23614.  
SEQ ID NO:452 is the cDNA sequence for 23618.  
SEQ ID NO:453 is the cDNA sequence for 23622.  
SEQ ID NO:454 is the cDNA sequence for folate hydrolase.  
SEQ ID NO:455 is the cDNA sequence for LIM protein.  
SEQ ID NO:456 is the cDNA sequence for a known gene.  
SEQ ID NO:457 is the cDNA sequence for a known gene.  
SEQ ID NO:458 is the cDNA sequence for a previously identified gene.  
SEQ ID NO:459 is the cDNA sequence for 23045.  
SEQ ID NO:460 is the cDNA sequence for 23032.  
SEQ ID NO:461 is the cDNA sequence for 23054.  
SEQ ID NOs:462-467 are cDNA sequences for known genes.  
SEQ ID NOs:468-471 are cDNA sequences for P710P.  
SEQ ID NO:472 is a cDNA sequence for P1001C.

#### DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer. The compositions described herein may include prostate tumor polypeptides, polynucleotides encoding such polypeptides, binding agents such as antibodies, antigen presenting cells (APCs) and/or immune system cells (*e.g.*, T cells). Polypeptides of the present invention generally comprise at least a portion (such as an immunogenic portion) of a prostate tumor protein or a variant thereof. A "prostate tumor protein" is a protein that is expressed in prostate tumor cells at a level that is at least two fold, and preferably at least five fold, greater than the level of expression in a normal tissue, as determined using a representative assay provided herein. Certain prostate tumor proteins are tumor proteins that react detectably (within an immunoassay, such as an ELISA or Western blot) with antisera of a patient afflicted with prostate cancer. Polynucleotides of the subject invention generally comprise a DNA or RNA sequence that encodes all or a portion of such a polypeptide, or that is complementary to such a sequence. Antibodies are generally immune system proteins, or antigen-binding fragments thereof, that are capable of binding to a polypeptide as described above. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B-cells that express a polypeptide as described above. T cells that may be employed within such compositions are generally T cells that are specific for a polypeptide as described above.



The present invention is based on the discovery of human prostate tumor proteins. Sequences of polynucleotides encoding certain tumor proteins, or portions thereof, are provided in SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472. Sequences of polypeptides comprising at least a portion of a tumor protein are provided in SEQ ID NOs:112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380 and 383.

#### PROSTATE TUMOR PROTEIN POLYNUCLEOTIDES

Any polynucleotide that encodes a prostate tumor protein or a portion or other variant thereof as described herein is encompassed by the present invention. Preferred polynucleotides comprise at least 15 consecutive nucleotides, preferably at least 30 consecutive nucleotides and more preferably at least 45 consecutive nucleotides, that encode a portion of a prostate tumor protein. More preferably, a polynucleotide encodes an immunogenic portion of a prostate tumor protein. Polynucleotides complementary to any such sequences are also encompassed by the present invention. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules. RNA molecules include HnRNA molecules, which contain introns and correspond to a DNA molecule in a one-to-one manner, and mRNA molecules, which do not contain introns. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes a prostate tumor protein or a portion thereof) or may comprise a variant of such a sequence. Polynucleotide variants may contain one or more substitutions, additions, deletions and/or insertions such that the immunogenicity of the encoded polypeptide is not diminished, relative to a native tumor protein. The effect on the immunogenicity of the encoded polypeptide may generally be assessed as described herein. Variants preferably exhibit at least about 70% identity, more preferably at least about 80% identity and most preferably at least about 90% identity to a polynucleotide sequence that encodes a native prostate tumor protein or a portion thereof.

Two polynucleotide or polypeptide sequences are said to be "identical" if the sequence of nucleotides or amino acids in the two sequences is the same when aligned for maximum correspondence as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local regions of sequence similarity. A "comparison window" as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, 40 to about 50,

in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices for detecting distant relationships. In Dayhoff, M.O. (ed.) *Atlas of Protein Sequence and Structure*, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) *Unified Approach to Alignment and Phylogenesis* pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson, E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy – the Principles and Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) *Proc. Natl. Acad., Sci. USA* 80:726-730.

Preferably, the "percentage of sequence identity" is determined by comparing two optimally aligned sequences over a window of comparison of at least 20 positions, wherein the portion of the polynucleotide or polypeptide sequence in the comparison window may comprise additions or deletions (*i.e.*, gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (*i.e.*, the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Variants may also, or alternatively, be substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding a native prostate tumor protein (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal homology to

the nucleotide sequence of any native gene. Nonetheless, polynucleotides that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous genes that are altered as a result of one or more mutations, such as deletions, additions and/or substitutions of nucleotides. The resulting mRNA and protein may, but need not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Polynucleotides may be prepared using any of a variety of techniques. For example, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for tumor-associated expression (*i.e.*, expression that is at least five fold greater in a prostate tumor than in normal tissue, as determined using a representative assay provided herein). Such screens may be performed using a Synteni microarray (Palo Alto, CA) according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polypeptides may be amplified from cDNA prepared from cells expressing the proteins described herein, such as prostate tumor cells. Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

An amplified portion may be used to isolate a full length gene from a suitable library (*e.g.*, a prostate tumor cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

For hybridization techniques, a partial sequence may be labeled (*e.g.*, by nick-translation or end-labeling with  $^{32}\text{P}$ ) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured bacterial colonies (or lawns containing phage plaques) with the labeled probe (*see* Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using

standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into a single contiguous sequence. A full length cDNA molecule can be generated by ligating suitable fragments, using well known techniques.

Alternatively, there are numerous amplification techniques for obtaining a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed using, for example, software well known in the art. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target sequence at temperatures of about 68°C to 72°C. The amplified region may be sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (*see* Triglia et al., *Nucl. Acids Res.* 16:8186, 1988), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Another such technique is known as "rapid amplification of cDNA ends" or RACE. This technique involves the use of an internal primer and an external primer, which hybridizes to a polyA region or vector sequence, to identify sequences that are 5' and 3' of a known sequence. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids. Res.* 19:3055-60, 1991). Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (*e.g.*, NCBI BLAST searches), and such ESTs may be used to generate a contiguous full length sequence.

Certain nucleic acid sequences of cDNA molecules encoding at least a portion of a prostate tumor protein are provided in SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472. Isolation of these

polynucleotides is described below. Each of these prostate tumor proteins was overexpressed in prostate tumor tissue.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may also be introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (*see* Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding a prostate tumor protein, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as T7 or SP6). Certain portions may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo* (e.g., by transfecting antigen-presenting cells, such as dendritic cells, with a cDNA construct encoding a prostate tumor polypeptide, and administering the transfected cells to the patient).

A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of a tumor protein. Antisense technology can be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (*see* Gee et al., *In Huber and Carr, Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994)). Alternatively, an antisense molecule may be designed to hybridize with a control region of a gene (e.g., promoter, enhancer or transcription initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

A portion of a coding sequence, or of a complementary sequence, may also be designed as a probe or primer to detect gene expression. Probes may be labeled with a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length. Primers, as noted above, are preferably 22-30 nucleotides in length.

Any polynucleotide may be further modified to increase stability *in vivo*. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such

as inosine, queosine and wybutosine, as well as acetyl- methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation vectors and sequencing vectors. In general, a vector will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to permit entry into a cell of a mammal, and expression therein. Such formulations are particularly useful for therapeutic purposes, as described below. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (e.g., avian pox virus). Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may also be accomplished using an antibody, by methods known to those of ordinary skill in the art.

Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (i.e., an artificial membrane vesicle). The preparation and use of such systems is well known in the art.

#### PROSTATE TUMOR POLYPEPTIDES

Within the context of the present invention, polypeptides may comprise at least an immunogenic portion of a prostate tumor protein or a variant thereof, as described herein. As noted above, a "prostate tumor protein" is a protein that is expressed by prostate tumor cells. Proteins that are prostate tumor proteins also react detectably within an immunoassay (such as an ELISA) with antisera from a patient with prostate cancer. Polypeptides as described herein may be of any length. Additional sequences derived from

the native protein and/or heterologous sequences may be present, and such sequences may (but need not) possess further immunogenic or antigenic properties.

An "immunogenic portion," as used herein is a portion of a protein that is recognized (*i.e.*, specifically bound) by a B-cell and/or T-cell surface antigen receptor. Such immunogenic portions generally comprise at least 5 amino acid residues, more preferably at least 10, and still more preferably at least 20 amino acid residues of a prostate tumor protein or a variant thereof. Certain preferred immunogenic portions include peptides in which an N-terminal leader sequence and/or transmembrane domain have been deleted. Other preferred immunogenic portions may contain a small N- and/or C-terminal deletion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids), relative to the mature protein.

Immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they specifically bind to an antigen (*i.e.*, they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins). Such antisera and antibodies may be prepared as described herein, and using well known techniques. An immunogenic portion of a native prostate tumor protein is a portion that reacts with such antisera and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (*e.g.*, in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is similar to or greater than the reactivity of the full length polypeptide. Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the sera to the immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, <sup>125</sup>I-labeled Protein A.

As noted above, a composition may comprise a variant of a native prostate tumor protein. A polypeptide "variant," as used herein, is a polypeptide that differs from a native prostate tumor protein in one or more substitutions, deletions, additions and/or insertions, such that the immunogenicity of the polypeptide is not substantially diminished. In other words, the ability of a variant to react with antigen-specific antisera may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein. Such variants may generally be identified by modifying one of the above polypeptide sequences and evaluating the reactivity of the modified polypeptide with antigen-specific antibodies or antisera as described herein.

Preferred variants include those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein. Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity (determined as described above) to the identified polypeptides.

Preferably, a variant contains conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenicity, secondary structure and hydropathic nature of the polypeptide.

As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the polypeptide (*e.g.*, poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

Polypeptides may be prepared using any of a variety of well known techniques. Recombinant polypeptides encoded by DNA sequences as described above may be readily prepared from the DNA sequences using any of a variety of expression vectors known to those of ordinary skill in the art. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast and higher eukaryotic cells. Preferably, the host cells employed are



*E. coli*, yeast or a mammalian cell line such as COS or CHO. Supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed to further purify a recombinant polypeptide.

Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems Division (Foster City, CA), and may be operated according to the manufacturer's instructions.

Within certain specific embodiments, a polypeptide may be a fusion protein that comprises multiple polypeptides as described herein, or that comprises at least one polypeptide as described herein and an unrelated sequence, such as a known tumor protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner), preferably T helper epitopes recognized by humans, or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the protein or to enable the protein to be targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the protein.

Fusion proteins may generally be prepared using standard techniques, including chemical conjugation. Preferably, a fusion protein is expressed as a recombinant protein, allowing the production of increased levels, relative to a non-fused protein, in an expression system. Briefly, DNA sequences encoding the polypeptide components may be assembled separately, and ligated into an appropriate expression vector. The 3' end of the DNA sequence encoding one polypeptide component is ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide component so that the reading frames of the sequences are in phase. This permits translation into a single fusion protein that retains the biological activity of both component polypeptides.

A peptide linker sequence may be employed to separate the first and the second polypeptide components by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is incorporated into

the fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al., *Proc. Natl. Acad. Sci. USA* 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S. Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino acids in length. Linker sequences are not required when the first and second polypeptides have non-essential N-terminal amino acid regions that can be used to separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (*see*, for example, Stoute et al. *New Engl. J. Med.*, 336:86-91, 1997).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (*e.g.*, the first N-terminal 100-110 amino acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen presenting cells. Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as

amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible for the affinity to the choline or to some choline analogues such as DEAE. This property has been exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (see *Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-terminal region starting at residue 178. A particularly preferred repeat portion incorporates residues 188-305.

In general, polypeptides (including fusion proteins) and polynucleotides as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure. A polynucleotide is considered to be isolated if, for example, it is cloned into a vector that is not a part of the natural environment.

#### BINDING AGENTS

The present invention further provides agents, such as antibodies and antigen-binding fragments thereof, that specifically bind to a prostate tumor protein. As used herein, an antibody, or antigen-binding fragment thereof, is said to "specifically bind" to a prostate tumor protein if it reacts at a detectable level (within, for example, an ELISA) with a prostate tumor protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association between two separate molecules such that a complex is formed. The ability to bind may be evaluated by, for example, determining a binding constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding constant for complex formation exceeds about  $10^3$  L/mol. The binding constant may be determined using methods well known in the art.

Binding agents may be further capable of differentiating between patients with and without a cancer, such as prostate cancer, using the representative assays provided herein. In other words, antibodies or other binding agents that bind to a prostate tumor protein will generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, and will generate a negative signal indicating the absence of the disease in at least about 90% of individuals without the cancer. To determine whether a binding agent satisfies this requirement, biological samples (e.g., blood, sera, urine and/or tumor biopsies) from

patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. See, e.g., Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (e.g., mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically. Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (i.e., reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient

time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be prepared using standard techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988) and digested by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include  $^{90}\text{Y}$ ,  $^{123}\text{I}$ ,  $^{125}\text{I}$ ,  $^{131}\text{I}$ ,  $^{186}\text{Re}$ ,  $^{188}\text{Re}$ ,  $^{211}\text{At}$ , and  $^{212}\text{Bi}$ . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, Shigella toxin, and pokeweed antiviral protein.

A therapeutic agent may be coupled (e.g., covalently bonded) to a suitable monoclonal antibody either directly or indirectly (e.g., via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (e.g., a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and

thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents, which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups, sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to Spitler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn et al.), by serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler et al.).

It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.

A variety of routes of administration for the antibodies and immunoconjugates may be used. Typically, administration will be intravenous, intramuscular, subcutaneous or in the bed of a resected tumor. It will be evident that the precise dose of the antibody/immunoconjugate will vary depending upon the antibody used, the antigen density on the tumor, and the rate of clearance of the antibody.

#### T CELLS

Immunotherapeutic compositions may also, or alternatively, comprise T cells specific for a prostate tumor protein. Such cells may generally be prepared *in vitro* or *ex vivo*, using standard procedures. For example, T cells may be isolated from bone marrow, peripheral blood, or a fraction of bone marrow or peripheral blood of a patient, using a commercially available cell separation system, such as the CEPRATE™ system, available from CellPro Inc., Bothell WA (*see also* U.S. Patent No. 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO 92/07243). Alternatively, T cells may be derived from related or unrelated humans, non-human mammals, cell lines or cultures.

T cells may be stimulated with a prostate tumor polypeptide, polynucleotide encoding a prostate tumor polypeptide and/or an antigen presenting cell (APC) that expresses such a polypeptide. Such stimulation is performed under conditions and for a time sufficient to permit the generation of T cells that are specific for the polypeptide. Preferably, a prostate tumor polypeptide or polynucleotide is present within a delivery vehicle, such as a microsphere, to facilitate the generation of specific T cells.

T cells are considered to be specific for a prostate tumor polypeptide if the T cells kill target cells coated with the polypeptide or expressing a gene encoding the polypeptide. T cell specificity may be evaluated using any of a variety of standard techniques. For example, within a chromium release assay or proliferation assay, a stimulation index of more than two fold increase in lysis and/or proliferation, compared to negative controls, indicates T cell specificity. Such assays may be performed, for example, as described in Chen et al., *Cancer Res.* 54:1065-1070, 1994. Alternatively, detection of the proliferation of T cells may be accomplished by a variety of known techniques. For example, T cell proliferation can be detected by measuring an increased rate of DNA synthesis (*e.g.*, by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with a prostate tumor polypeptide (100 ng/ml - 100 µg/ml, preferably 200 ng/ml - 25 µg/ml) for 3 - 7 days should result in at least a two fold increase in proliferation of the T cells. Contact as described above for 2-3 hours should result in activation of the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (*e.g.*, TNF or IFN-γ) is indicative of T cell activation (*see* Coligan et al., *Current Protocols in Immunology*, vol. 1, Wiley Interscience

(Greene 1998)). T cells that have been activated in response to a prostate tumor polypeptide, polynucleotide or polypeptide-expressing APC may be CD4<sup>+</sup> and/or CD8<sup>+</sup>. Prostate tumor protein-specific T cells may be expanded using standard techniques. Within preferred embodiments, the T cells are derived from either a patient or a related, or unrelated, donor and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4<sup>+</sup> or CD8<sup>+</sup> T cells that proliferate in response to a prostate tumor polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be accomplished in a variety of ways. For example, the T cells can be re-exposed to a prostate tumor polypeptide, or a short peptide corresponding to an immunogenic portion of such a polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize a prostate tumor polypeptide. Alternatively, one or more T cells that proliferate in the presence of a prostate tumor protein can be expanded in number by cloning. Methods for cloning cells are well known in the art, and include limiting dilution.

#### PHARMACEUTICAL COMPOSITIONS AND VACCINES

Within certain aspects, polypeptides, polynucleotides, T cells and/or binding agents disclosed herein may be incorporated into pharmaceutical compositions or immunogenic compositions (*i.e.*, vaccines). Pharmaceutical compositions comprise one or more such compounds and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds and a non-specific immune response enhancer. A non-specific immune response enhancer may be any substance that enhances an immune response to an exogenous antigen. Examples of non-specific immune response enhancers include adjuvants, biodegradable microspheres (*e.g.*, polylactic galactide) and liposomes (into which the compound is incorporated; *see e.g.*, Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is generally described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995). Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other tumor antigens may be present, either incorporated into a fusion polypeptide or as a separate compound, within the composition or vaccine.

A pharmaceutical composition or vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression systems. Numerous gene delivery techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998,



and references cited therein. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or secretes such an epitope. In a preferred embodiment, the DNA may be introduced using a viral expression system (e.g., vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242; WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl. Acad. Sci. USA* 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Such compositions may also comprise buffers (e.g., neutral buffered saline or phosphate buffered saline), carbohydrates (e.g., glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA or glutathione, adjuvants (e.g., aluminum hydroxide) and/or

preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of non-specific immune response enhancers may be employed in the vaccines of this invention. For example, an adjuvant may be included. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

Within the vaccines provided herein, the adjuvant composition is preferably designed to induce an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (e.g., IFN- $\gamma$ , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (e.g., IL-4, IL-5, IL-6, IL-10 and TNF- $\beta$ ) tend to favor the induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt. MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT; see US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555. Another preferred adjuvant is a saponin, preferably QS21, which may be used alone or in combination with other adjuvants. For example, an enhanced system involves the combination of a monophosphoryl lipid A and saponin derivative, such as the combination of QS21 and 3D-MPL as described in WO 94/00153, or a less reactogenic composition where the QS21 is

quenched with cholesterol, as described in WO 96/33739. Other preferred formulations comprises an oil-in-water emulsion and tocopherol. A particularly potent adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in WO 95/17210. Any vaccine provided herein may be prepared using well known methods that result in a combination of antigen, immune response enhancer and a suitable carrier or excipient.

The compositions described herein may be administered as part of a sustained release formulation (*i.e.*, a formulation such as a capsule or sponge that effects a slow release of compound following administration). Such formulations may generally be prepared using well known technology and administered by, for example, oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polypeptide, polynucleotide or antibody dispersed in a carrier matrix and/or contained within a reservoir surrounded by a rate controlling membrane. Carriers for use within such formulations are biocompatible, and may also be biodegradable; preferably the formulation provides a relatively constant level of active component release. The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within pharmaceutical compositions and vaccines to facilitate production of an antigen-specific immune response that targets tumor cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the antigen, to improve activation and/or maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

Certain preferred embodiments of the present invention use dendritic cells or progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (*see* Timmerman and Levy, *Ann. Rev. Med.* 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*) and based on the lack of differentiation markers of B cells (CD19 and CD20), T cells (CD3), monocytes (CD14) and natural killer cells (CD56), as determined using standard assays. Dendritic cells may, of course, be engineered to express specific cell-

surface receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (*see* Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood, bone marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF $\alpha$  to cultures of monocytes harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF $\alpha$ , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce maturation and proliferation of dendritic cells.

Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which correlates with the high expression of Fc $\gamma$  receptor, mannose receptor and DEC-205 marker. The mature phenotype is typically characterized by a lower expression of these markers, but a high expression of cell surface molecules responsible for T cell activation such as class I and class II MHC, adhesion molecules (*e.g.*, CD54 and CD11) and costimulatory molecules (*e.g.*, CD40, CD80 and CD86).

APCs may generally be transfected with a polynucleotide encoding a prostate tumor protein (or portion or other variant thereof) such that the prostate tumor polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein. Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells with the prostate tumor polypeptide, DNA (naked or within a plasmid vector) or RNA; or with antigen-expressing recombinant bacterium or viruses (*e.g.*, vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that

provides T cell help (e.g., a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated immunological partner, separately or in the presence of the polypeptide.

#### CANCER THERAPY

In further aspects of the present invention, the compositions described herein may be used for immunotherapy of cancer, such as prostate cancer. Within such methods, pharmaceutical compositions and vaccines are typically administered to a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. A cancer may be diagnosed using criteria generally accepted in the art, including the presence of a malignant tumor. Pharmaceutical compositions and vaccines may be administered either prior to or following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous host immune system to react against tumors with the administration of immune response-modifying agents (such as polypeptides and polynucleotides disclosed herein).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not necessarily depend on an intact host immune system. Examples of effector cells include T cells as discussed above, T lymphocytes (such as CD8<sup>+</sup> cytotoxic T lymphocytes and CD4<sup>+</sup> T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer cells), B cells and antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The polypeptides provided herein may also be used to generate antibodies or anti-idiotypic antibodies (as described above and in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in vivo* are well known in the art. Such *in vitro* culture conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein

may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte, fibroblast or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example, antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies have shown that cultured effector cells can be induced to grow *in vivo* and to survive long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (see, for example, Cheever et al., *Immunological Reviews* 157:177, 1997).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into antigen presenting cells taken from a patient and clonally propagated *ex vivo* for transplant back into the same patient. Transfected cells may be reintroduced into the patient using any means known in the art, preferably in sterile form by intravenous, intracavitary, intraperitoneal or intratumor administration.

Routes and frequency of administration of the therapeutic compositions disclosed herein, as well as dosage, will vary from individual to individual, and may be readily established using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (e.g., intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (e.g., by aspiration) or orally. Preferably, between 1 and 10 doses may be administered over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response, and is at least 10-50% above the basal (i.e., untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (e.g., more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 100  $\mu$ g to 5 mg per kg of host. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

In general, an appropriate dosage and treatment regimen provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such

a response can be monitored by establishing an improved clinical outcome (e.g., more frequent remissions, complete or partial, or longer disease-free survival) in treated patients as compared to non-treated patients. Increases in preexisting immune responses to a prostate tumor protein generally correlate with an improved clinical outcome. Such immune responses may generally be evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using samples obtained from a patient before and after treatment.

#### METHODS FOR DETECTING CANCER

In general, a cancer may be detected in a patient based on the presence of one or more prostate tumor proteins and/or polynucleotides encoding such proteins in a biological sample (for example, blood, sera, urine and/or tumor biopsies) obtained from the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a cancer such as prostate cancer. In addition, such proteins may be useful for the detection of other cancers. The binding agents provided herein generally permit detection of the level of antigen that binds to the agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding a tumor protein, which is also indicative of the presence or absence of a cancer. In general, a prostate tumor sequence should be present at a level that is at least three fold higher in tumor tissue than in normal tissue

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. *See, e.g., Harlow and Lane, Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, the presence or absence of a cancer in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of binding agent immobilized on a solid support to bind to and remove the polypeptide from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding

agent. Suitable polypeptides for use within such assays include full length prostate tumor proteins and portions thereof to which the binding agent binds, as described above.

The solid support may be any material known to those of ordinary skill in the art to which the tumor protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about 10  $\mu$ g, and preferably about 100 ng to about 1  $\mu$ g, is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (*see, e.g.*, Pierce Immunotechnology Catalog and Handbook, 1991, at A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay. This assay may be performed by first contacting an antibody that has been immobilized on a solid support, commonly the well of a microtiter plate, with the sample, such that polypeptides within the sample are allowed to bind to the immobilized antibody. Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a detection reagent (preferably a second antibody capable of binding to a different site on the polypeptide) containing a reporter group is added. The amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.



More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween 20™ (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.*, incubation time) is a period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with prostate cancer. Preferably, the contact time is sufficient to achieve a level of binding that is at least about 95% of that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium may be readily determined by assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second antibody, which contains a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide. An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of time. Unbound detection reagent is then removed and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of the reaction products.

To determine the presence or absence of a cancer, such as prostate cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is the average mean signal obtained when the immobilized antibody is incubated with samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred

embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (*i.e.*, sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (*i.e.*, the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent. Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1  $\mu$ g, and more preferably from about 50 ng to about 500 ng. Such tests can typically be performed with a very small amount of biological sample.

Of course, numerous other assay protocols exist that are suitable for use with the tumor proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to those of ordinary skill in the art that the above protocols may be readily modified to use prostate tumor polypeptides to

detect antibodies that bind to such polypeptides in a biological sample. The detection of such prostate tumor protein specific antibodies may correlate with the presence of a cancer.

A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with a prostate tumor protein in a biological sample. Within certain methods, a biological sample comprising CD4<sup>+</sup> and/or CD8<sup>+</sup> T cells isolated from a patient is incubated with a prostate tumor polypeptide, a polynucleotide encoding such a polypeptide and/or an APC that expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated T cells. For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with prostate tumor polypeptide (*e.g.*, 5 - 25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of prostate tumor polypeptide to serve as a control. For CD4<sup>+</sup> T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8<sup>+</sup> T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.

As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding a prostate tumor protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to amplify a portion of a prostate tumor cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for (*i.e.*, hybridizes to) a polynucleotide encoding the prostate tumor protein. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding a prostate tumor protein may be used in a hybridization assay to detect the presence of polynucleotide encoding the tumor protein in a biological sample.

To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%, preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding a prostate tumor protein that is at least 10 nucleotides, and preferably at least 20 nucleotides, in length. Preferably, oligonucleotide primers and/or probes will hybridize to a polynucleotide encoding a polypeptide disclosed herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers

comprise at least 10 contiguous nucleotides, more preferably at least 15 contiguous nucleotides, of a DNA molecule having a sequence recited in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375 and 381. Techniques for both PCR based assays and hybridization assays are well known in the art (*see, for example, Mullis et al., Cold Spring Harbor Symp. Quant. Biol., 51:263, 1987; Erlich ed., PCR Technology, Stockton Press, NY, 1989*).

One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample, such as biopsy tissue, and is reverse transcribed to produce cDNA molecules. PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered positive.

In another embodiment, the disclosed compositions may be used as markers for the progression of cancer. In this embodiment, assays as described above for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) or polynucleotide evaluated. For example, the assays may be performed every 24-72 hours for a period of 6 months to 1 year, and thereafter performed as needed. In general, a cancer is progressing in those patients in whom the level of polypeptide or polynucleotide detected increases over time. In contrast, the cancer is not progressing when the level of reactive polypeptide or polynucleotide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor. One such assay involves contacting tumor cells with a binding agent. The bound binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

As noted above, to improve sensitivity, multiple prostate tumor protein markers may be assayed within a given sample. It will be apparent that binding agents specific for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of tumor protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for tumor proteins provided herein may be combined with assays for other known tumor antigens.

#### DIAGNOSTIC KITS

The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to a prostate tumor protein. Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements, such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively, contain a detection reagent as described above that contains a reporter group suitable for direct or indirect detection of antibody binding.

Alternatively, a kit may be designed to detect the level of mRNA encoding a prostate tumor protein in a biological sample. Such kits generally comprise at least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding a prostate tumor protein. Such an oligonucleotide may be used, for example, within a PCR or hybridization assay. Additional components that may be present within such kits include a second oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding a prostate tumor protein.

The following Examples are offered by way of illustration and not by way of limitation.

## EXAMPLES

### EXAMPLE 1

#### ISOLATION AND CHARACTERIZATION OF PROSTATE TUMOR POLYPEPTIDES

This Example describes the isolation of certain prostate tumor polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library was constructed from prostate tumor poly A<sup>+</sup> RNA using a Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning kit (BRL Life Technologies, Gaithersburg, MD 20897) following the manufacturer's protocol. Specifically, prostate tumor tissues were homogenized with polytron (Kinematica, Switzerland) and total RNA was extracted using Trizol reagent (BRL Life Technologies) as directed by the manufacturer. The poly A<sup>+</sup> RNA was then purified using a Qiagen oligotex spin column mRNA purification kit (Qiagen, Santa Clarita, CA 91355) according to the manufacturer's protocol. First-strand cDNA was synthesized using the NotI/Oligo-dT18 primer. Double-stranded cDNA was synthesized, ligated with EcoRI/BAXI adaptors (Invitrogen, San Diego, CA) and digested with NotI. Following size fractionation with Chroma Spin-1000 columns (Clontech, Palo Alto, CA), the cDNA was ligated into the EcoRI/NotI site of pCDNA3.1 (Invitrogen) and transformed into ElectroMax *E. coli* DH10B cells (BRL Life Technologies) by electroporation.

Using the same procedure, a normal human pancreas cDNA expression library was prepared from a pool of six tissue specimens (Clontech). The cDNA libraries were characterized by determining the number of independent colonies, the percentage of clones that carried insert, the average insert size and by sequence analysis. The prostate tumor library contained  $1.64 \times 10^7$  independent colonies, with 70% of clones having an insert and the average insert size being 1745 base pairs. The normal pancreas cDNA library contained  $3.3 \times 10^6$  independent colonies, with 69% of clones having inserts and the average insert size being 1120 base pairs. For both libraries, sequence analysis showed that the majority of clones had a full length cDNA sequence and were synthesized from mRNA, with minimal rRNA and mitochondrial DNA contamination.

cDNA library subtraction was performed using the above prostate tumor and normal pancreas cDNA libraries, as described by Hara *et al.* (*Blood*, 84:189-199, 1994) with some modifications. Specifically, a prostate tumor-specific subtracted cDNA library was generated as follows. Normal pancreas cDNA library (70 µg) was digested with EcoRI, NotI, and SfuI, followed by a filling-in reaction with DNA polymerase Klenow fragment. After phenol-chloroform extraction and ethanol precipitation, the DNA was dissolved in 100 µl of

H<sub>2</sub>O, heat-denatured and mixed with 100 µl (100 µg) of Photoprobe biotin (Vector Laboratories, Burlingame, CA). As recommended by the manufacturer, the resulting mixture was irradiated with a 270 W sunlamp on ice for 20 minutes. Additional Photoprobe biotin (50 µl) was added and the biotinylation reaction was repeated. After extraction with butanol five times, the DNA was ethanol-precipitated and dissolved in 23 µl H<sub>2</sub>O to form the driver DNA.

To form the tracer DNA, 10 µg prostate tumor cDNA library was digested with BamHI and XhoI, phenol chloroform extracted and passed through Chroma spin-400 columns (Clontech). Following ethanol precipitation, the tracer DNA was dissolved in 5 µl H<sub>2</sub>O. Tracer DNA was mixed with 15 µl driver DNA and 20 µl of 2 x hybridization buffer (1.5 M NaCl/10 mM EDTA/50 mM HEPES pH 7.5/0.2% sodium dodecyl sulfate), overlaid with mineral oil, and heat-denatured completely. The sample was immediately transferred into a 68 °C water bath and incubated for 20 hours (long hybridization [LH]). The reaction mixture was then subjected to a streptavidin treatment followed by phenol/chloroform extraction. This process was repeated three more times. Subtracted DNA was precipitated, dissolved in 12 µl H<sub>2</sub>O, mixed with 8 µl driver DNA and 20 µl of 2 x hybridization buffer, and subjected to a hybridization at 68 °C for 2 hours (short hybridization [SH]). After removal of biotinylated double-stranded DNA, subtracted cDNA was ligated into BamHI/XhoI site of chloramphenicol resistant pBCSK<sup>+</sup> (Stratagene, La Jolla, CA 92037) and transformed into ElectroMax *E. coli* DH10B cells by electroporation to generate a prostate tumor specific subtracted cDNA library (referred to as "prostate subtraction 1").

To analyze the subtracted cDNA library, plasmid DNA was prepared from 100 independent clones, randomly picked from the subtracted prostate tumor specific library and grouped based on insert size. Representative cDNA clones were further characterized by DNA sequencing with a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A (Foster City, CA). Six cDNA clones, hereinafter referred to as F1-13, F1-12, F1-16, H1-1, H1-9 and H1-4, were shown to be abundant in the subtracted prostate-specific cDNA library. The determined 3' and 5' cDNA sequences for F1-12 are provided in SEQ ID NO: 2 and 3, respectively, with determined 3' cDNA sequences for F1-13, F1-16, H1-1, H1-9 and H1-4 being provided in SEQ ID NO: 1 and 4-7, respectively.

The cDNA sequences for the isolated clones were compared to known sequences in the gene bank using the EMBL and GenBank databases (release 96). Four of the prostate tumor cDNA clones, F1-13, F1-16, H1-1, and H1-4, were determined to encode the following previously identified proteins: prostate specific antigen (PSA), human glandular kallikrein, human tumor expression enhanced gene, and mitochondria cytochrome C oxidase subunit II. H1-9 was found to be identical to a previously identified human

autonomously replicating sequence. No significant homologies to the cDNA sequence for F1-12 were found.

Subsequent studies led to the isolation of a full-length cDNA sequence for F1-12. This sequence is provided in SEQ ID NO: 107, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 108.

To clone less abundant prostate tumor specific genes, cDNA library subtraction was performed by subtracting the prostate tumor cDNA library described above with the normal pancreas cDNA library and with the three most abundant genes in the previously subtracted prostate tumor specific cDNA library: human glandular kallikrein, prostate specific antigen (PSA), and mitochondria cytochrome C oxidase subunit II. Specifically, 1 µg each of human glandular kallikrein, PSA and mitochondria cytochrome C oxidase subunit II cDNAs in pCDNA3.1 were added to the driver DNA and subtraction was performed as described above to provide a second subtracted cDNA library hereinafter referred to as the "subtracted prostate tumor specific cDNA library with spike".

Twenty-two cDNA clones were isolated from the subtracted prostate tumor specific cDNA library with spike. The determined 3' and 5' cDNA sequences for the clones referred to as J1-17, L1-12, N1-1862, J1-13, J1-19, J1-25, J1-24, K1-58, K1-63, L1-4 and L1-14 are provided in SEQ ID NOS: 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-21, 22-23, 24-25, 26-27 and 28-29, respectively. The determined 3' cDNA sequences for the clones referred to as J1-12, J1-16, J1-21, K1-48, K1-55, L1-2, L1-6, N1-1858, N1-1860, N1-1861, N1-1864 are provided in SEQ ID NOS: 30-40, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to three of the five most abundant DNA species, (J1-17, L1-12 and N1-1862; SEQ ID NOS: 8-9, 10-11 and 12-13, respectively). Of the remaining two most abundant species, one (J1-12; SEQ ID NO:30) was found to be identical to the previously identified human pulmonary surfactant-associated protein, and the other (K1-48; SEQ ID NO:33) was determined to have some homology to *R. norvegicus* mRNA for 2-arylpropionyl-CoA epimerase. Of the 17 less abundant cDNA clones isolated from the subtracted prostate tumor specific cDNA library with spike, four (J1-16, K1-55, L1-6 and N1-1864; SEQ ID NOS:31, 34, 36 and 40, respectively) were found to be identical to previously identified sequences, two (J1-21 and N1-1860; SEQ ID NOS: 32 and 38, respectively) were found to show some homology to non-human sequences, and two (L1-2 and N1-1861; SEQ ID NOS: 35 and 39, respectively) were found to show some homology to known human sequences. No significant homologies were found to the polypeptides J1-13, J1-19, J1-24, J1-25, K1-58, K1-63, L1-4, L1-14 (SEQ ID NOS: 14-15, 16-17, 20-21, 18-19, 22-23, 24-25, 26-27, 28-29, respectively).

Subsequent studies led to the isolation of full length cDNA sequences for J1-17, L1-12 and N1-1862 (SEQ ID NOS: 109-111, respectively). The corresponding predicted



amino acid sequences are provided in SEQ ID NOS: 112-114. L1-12 is also referred to as P501S.

In a further experiment, four additional clones were identified by subtracting a prostate tumor cDNA library with normal prostate cDNA prepared from a pool of three normal prostate poly A+ RNA (referred to as "prostate subtraction 2"). The determined cDNA sequences for these clones, hereinafter referred to as U1-3064, U1-3065, V1-3692 and 1A-3905, are provided in SEQ ID NO: 69-72, respectively. Comparison of the determined sequences with those in the gene bank revealed no significant homologies to U1-3065.

A second subtraction with spike (referred to as "prostate subtraction spike 2") was performed by subtracting a prostate tumor specific cDNA library with spike with normal pancreas cDNA library and further spiked with PSA, J1-17, pulmonary surfactant-associated protein, mitochondrial DNA, cytochrome c oxidase subunit II, N1-1862, autonomously replicating sequence, L1-12 and tumor expression enhanced gene. Four additional clones, hereinafter referred to as V1-3686, R1-2330, 1B-3976 and V1-3679, were isolated. The determined cDNA sequences for these clones are provided in SEQ ID NO: 73-76, respectively. Comparison of these sequences with those in the gene bank revealed no significant homologies to V1-3686 and R1-2330.

Further analysis of the three prostate subtractions described above (prostate subtraction 2, subtracted prostate tumor specific cDNA library with spike, and prostate subtraction spike 2) resulted in the identification of sixteen additional clones, referred to as 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1G-4734, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4810, 1I-4811, 1J-4876, 1K-4884 and 1K-4896. The determined cDNA sequences for these clones are provided in SEQ ID NOS: 77-92, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to 1G-4741, 1G-4734, 1I-4807, 1J-4876 and 1K-4896 (SEQ ID NOS: 79, 81, 87, 90 and 92, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4807, 1J-4876, 1K-4884 and 1K-4896, provided in SEQ ID NOS: 179-188 and 191-193, respectively, and to the determination of additional partial cDNA sequences for 1I-4810 and 1I-4811, provided in SEQ ID NOS: 189 and 190, respectively.

Additional studies with prostate subtraction spike 2 resulted in the isolation of three more clones. Their sequences were determined as described above and compared to the most recent GenBank. All three clones were found to have homology to known genes, which are Cysteine-rich protein, KIAA0242, and KIAA0280 (SEQ ID NO: 317, 319, and 320, respectively). Further analysis of these clones by Synteni microarray (Synteni, Palo Alto, CA) demonstrated that all three clones were over-expressed in most prostate tumors and

prostate BPH, as well as in the majority of normal prostate tissues tested, but low expression in all other normal tissues.

An additional subtraction was performed by subtracting a normal prostate cDNA library with normal pancreas cDNA (referred to as "prostate subtraction 3"). This led to the identification of six additional clones referred to as 1G-4761, 1G-4762, 1H-4766, 1H-4770, 1H-4771 and 1H-4772 (SEQ ID NOS: 93-98). Comparison of these sequences with those in the gene bank revealed no significant homologies to 1G-4761 and 1H-4771 (SEQ ID NOS: 93 and 97, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1G-4761, 1G-4762, 1H-4766 and 1H-4772 provided in SEQ ID NOS: 194-196 and 199, respectively, and to the determination of additional partial cDNA sequences for 1H-4770 and 1H-4771, provided in SEQ ID NOS: 197 and 198, respectively.

Subtraction of a prostate tumor cDNA library, prepared from a pool of polyA+ RNA from three prostate cancer patients, with a normal pancreas cDNA library (prostate subtraction 4) led to the identification of eight clones, referred to as 1D-4297, 1D-4309, 1D.1-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280 (SEQ ID NOS: 99-107). These sequences were compared to those in the gene bank as described above. No significant homologies were found to 1D-4283 and 1D-4304 (SEQ ID NOS: 103 and 104, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1D-4309, 1D.1-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280, provided in SEQ ID NOS: 200-206, respectively.

cDNA clones isolated in prostate subtraction 1 and prostate subtraction 2, described above, were colony PCR amplified and their mRNA expression levels in prostate tumor, normal prostate and in various other normal tissues were determined using microarray technology (Synteni, Palo Alto, CA). Briefly, the PCR amplification products were dotted onto slides in an array format, with each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested, reverse transcribed, and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes, the slides scanned and fluorescence intensity was measured. This intensity correlates with the hybridization intensity. Two clones (referred to as P509S and P510S) were found to be over-expressed in prostate tumor and normal prostate and expressed at low levels in all other normal tissues tested (liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon). The determined cDNA sequences for P509S and P510S are provided in SEQ ID NO: 223 and 224, respectively. Comparison of these sequences with those in the gene bank as described above, revealed some homology to previously identified ESTs.

Additional, studies led to the isolation of the full-length cDNA sequence for P509S. This sequence is provided in SEQ ID NO: 332, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 339.

## EXAMPLE 2

### DETERMINATION OF TISSUE SPECIFICITY OF PROSTATE TUMOR POLYPEPTIDES

Using gene specific primers, mRNA expression levels for the representative prostate tumor polypeptides F1-16, H1-1, J1-17 (also referred to as P502S), L1-12 (also referred to as P501S), F1-12 (also referred to as P504S) and N1-1862 (also referred to as P503S) were examined in a variety of normal and tumor tissues using RT-PCR.

Briefly, total RNA was extracted from a variety of normal and tumor tissues using Trizol reagent as described above. First strand synthesis was carried out using 1-2  $\mu$ g of total RNA with SuperScript II reverse transcriptase (BRL Life Technologies) at 42 °C for one hour. The cDNA was then amplified by PCR with gene-specific primers. To ensure the semi-quantitative nature of the RT-PCR,  $\beta$ -actin was used as an internal control for each of the tissues examined. First, serial dilutions of the first strand cDNAs were prepared and RT-PCR assays were performed using  $\beta$ -actin specific primers. A dilution was then chosen that enabled the linear range amplification of the  $\beta$ -actin template and which was sensitive enough to reflect the differences in the initial copy numbers. Using these conditions, the  $\beta$ -actin levels were determined for each reverse transcription reaction from each tissue. DNA contamination was minimized by DNase treatment and by assuring a negative PCR result when using first strand cDNA that was prepared without adding reverse transcriptase.

mRNA Expression levels were examined in four different types of tumor tissue (prostate tumor from 2 patients, breast tumor from 3 patients, colon tumor, lung tumor), and sixteen different normal tissues, including prostate, colon, kidney, liver, lung, ovary, pancreas, skeletal muscle, skin, stomach, testes, bone marrow and brain. F1-16 was found to be expressed at high levels in prostate tumor tissue, colon tumor and normal prostate, and at lower levels in normal liver, skin and testes, with expression being undetectable in the other tissues examined. H1-1 was found to be expressed at high levels in prostate tumor, lung tumor, breast tumor, normal prostate, normal colon and normal brain, at much lower levels in normal lung, pancreas, skeletal muscle, skin, small intestine, bone marrow, and was not detected in the other tissues tested. J1-17 (P502S) and L1-12 (P501S) appear to be specifically over-expressed in prostate, with both genes being expressed at high levels in prostate tumor and normal prostate but at low to undetectable levels in all the other tissues examined. N1-1862 (P503S) was found to be over-expressed in 60% of prostate tumors and detectable in normal colon and kidney. The RT-PCR results thus indicate that

F1-16, H1-1, J1-17 (P502S), N1-1862 (P503S) and L1-12 (P501S) are either prostate specific or are expressed at significantly elevated levels in prostate.

Further RT-PCR studies showed that F1-12 (P504S) is over-expressed in 60% of prostate tumors, detectable in normal kidney but not detectable in all other tissues tested. Similarly, R1-2330 was shown to be over-expressed in 40% of prostate tumors, detectable in normal kidney and liver, but not detectable in all other tissues tested. U1-3064 was found to be over-expressed in 60% of prostate tumors, and also expressed in breast and colon tumors, but was not detectable in normal tissues.

RT-PCR characterization of R1-2330, U1-3064 and 1D-4279 showed that these three antigens are over-expressed in prostate and/or prostate tumors.

Northern analysis with four prostate tumors, two normal prostate samples, two BPH prostates, and normal colon, kidney, liver, lung, pancreas, skeletal muscle, brain, stomach, testes, small intestine and bone marrow, showed that L1-12 (P501S) is over-expressed in prostate tumors and normal prostate, while being undetectable in other normal tissues tested. J1-17 (P502S) was detected in two prostate tumors and not in the other tissues tested. N1-1862 (P503S) was found to be over-expressed in three prostate tumors and to be expressed in normal prostate, colon and kidney, but not in other tissues tested. F1-12 (P504S) was found to be highly expressed in two prostate tumors and to be undetectable in all other tissues tested.

The microarray technology described above was used to determine the expression levels of representative antigens described herein in prostate tumor, breast tumor and the following normal tissues: prostate, liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon. L1-12 (P501S) was found to be over-expressed in normal prostate and prostate tumor, with some expression being detected in normal skeletal muscle. Both J1-12 and F1-12 (P504S) were found to be over-expressed in prostate tumor, with expression being lower or undetectable in all other tissues tested. N1-1862 (P503S) was found to be expressed at high levels in prostate tumor and normal prostate, and at low levels in normal large intestine and normal colon, with expression being undetectable in all other tissues tested. R1-2330 was found to be over-expressed in prostate tumor and normal prostate, and to be expressed at lower levels in all other tissues tested. 1D-4279 was found to be over-expressed in prostate tumor and normal prostate, expressed at lower levels in normal spinal cord, and to be undetectable in all other tissues tested.

Further microarray analysis to specifically address the extent to which P501S (SEQ ID NO: 110) was expressed in breast tumor revealed moderate over-expression not only in breast tumor, but also in metastatic breast tumor (2/31), with negligible to low expression

in normal tissues. This data suggests that P501S may be over-expressed in various breast tumors as well as in prostate tumors.

The expression levels of 32 ESTs (expressed sequence tags) described by Vasmataz et al. (*Proc. Natl. Acad. Sci. USA* 95:300-304, 1998) in a variety of tumor and normal tissues were examined by microarray technology as described above. Two of these clones (referred to as P1000C and P1001C) were found to be over-expressed in prostate tumor and normal prostate, and expressed at low to undetectable levels in all other tissues tested (normal aorta, thymus, resting and activated PBMC, epithelial cells, spinal cord, adrenal gland, fetal tissues, skin, salivary gland, large intestine, bone marrow, liver, lung, dendritic cells, stomach, lymph nodes, brain, heart, small intestine, skeletal muscle, colon and kidney). The determined cDNA sequences for P1000C and P1001C are provided in SEQ ID NO: 384 and 472, respectively. The sequence of P1001C was found to show some homology to the previously isolated Human mRNA for JM27 protein. No significant homologies were found to the sequence of P1000C.

The expression of the polypeptide encoded by the full length cDNA sequence for F1-12 (also referred to as P504S; SEQ ID NO: 108) was investigated by immunohistochemical analysis. Rabbit-anti-P504S polyclonal antibodies were generated against the full length P504S protein by standard techniques. Subsequent isolation and characterization of the polyclonal antibodies were also performed by techniques well known in the art. Immunohistochemical analysis showed that the P504S polypeptide was expressed in 100% of prostate carcinoma samples tested (n=5).

The rabbit-anti-P504S polyclonal antibody did not appear to label benign prostate cells with the same cytoplasmic granular staining, but rather with light nuclear staining. Analysis of normal tissues revealed that the encoded polypeptide was found to be expressed in some, but not all normal human tissues. Positive cytoplasmic staining with rabbit-anti-P504S polyclonal antibody was found in normal human kidney, liver, brain, colon and lung-associated macrophages, whereas heart and bone marrow were negative.

This data indicates that the P504S polypeptide is present in prostate cancer tissues, and that there are qualitative and quantitative differences in the staining between benign prostatic hyperplasia tissues and prostate cancer tissues, suggesting that this polypeptide may be detected selectively in prostate tumors and therefore be useful in the diagnosis of prostate cancer.

### EXAMPLE 3

#### ISOLATION AND CHARACTERIZATION OF PROSTATE TUMOR POLYPEPTIDES BY PCR-BASED SUBTRACTION

A cDNA subtraction library, containing cDNA from normal prostate subtracted with ten other normal tissue cDNAs (brain, heart, kidney, liver, lung, ovary, placenta, skeletal muscle, spleen and thymus) and then submitted to a first round of PCR amplification, was purchased from Clontech. This library was subjected to a second round of PCR amplification, following the manufacturer's protocol. The resulting cDNA fragments were subcloned into the vector pT7 Blue T-vector (Novagen, Madison, WI) and transformed into XL-1 Blue MRF' *E. coli* (Stratagene). DNA was isolated from independent clones and sequenced using a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A.

Fifty-nine positive clones were sequenced. Comparison of the DNA sequences of these clones with those in the gene bank, as described above, revealed no significant homologies to 25 of these clones, hereinafter referred to as P5, P8, P9, P18, P20, P30, P34, P36, P38, P39, P42, P49, P50, P53, P55, P60, P64, P65, P73, P75, P76, P79 and P84. The determined cDNA sequences for these clones are provided in SEQ ID NO: 41-45, 47-52 and 54-65, respectively. P29, P47, P68, P80 and P82 (SEQ ID NO: 46, 53 and 66-68, respectively) were found to show some degree of homology to previously identified DNA sequences. To the best of the inventors' knowledge, none of these sequences have been previously shown to be present in prostate.

Further studies using the PCR-based methodology described above resulted in the isolation of more than 180 additional clones, of which 23 clones were found to show no significant homologies to known sequences. The determined cDNA sequences for these clones are provided in SEQ ID NO: 115-123, 127, 131, 137, 145, 147-151, 153, 156-158 and 160. Twenty-three clones (SEQ ID NO: 124-126, 128-130, 132-136, 138-144, 146, 152, 154, 155 and 159) were found to show some homology to previously identified ESTs. An additional ten clones (SEQ ID NO: 161-170) were found to have some degree of homology to known genes. Larger cDNA clones containing the P20 sequence represent splice variants of a gene referred to as P703P. The determined DNA sequence for the variants referred to as DE1, DE13 and DE14 are provided in SEQ ID NOS: 171, 175 and 177, respectively, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 172, 176 and 178, respectively. The determined cDNA sequence for an extended spliced form of P703 is provided in SEQ ID NO: 225. The DNA sequences for the splice variants referred to as DE2 and DE6 are provided in SEQ ID NOS: 173 and 174, respectively.

mRNA Expression levels for representative clones in tumor tissues (prostate (n=5), breast (n=2), colon and lung) normal tissues (prostate (n=5), colon, kidney, liver, lung (n=2), ovary (n=2), skeletal muscle, skin, stomach, small intestine and brain), and activated

and non-activated PBMC was determined by RT-PCR as described above. Expression was examined in one sample of each tissue type unless otherwise indicated.

P9 was found to be highly expressed in normal prostate and prostate tumor compared to all normal tissues tested except for normal colon which showed comparable expression. P20, a portion of the P703P gene, was found to be highly expressed in normal prostate and prostate tumor, compared to all twelve normal tissues tested. A modest increase in expression of P20 in breast tumor (n=2), colon tumor and lung tumor was seen compared to all normal tissues except lung (1 of 2). Increased expression of P18 was found in normal prostate, prostate tumor and breast tumor compared to other normal tissues except lung and stomach. A modest increase in expression of P5 was observed in normal prostate compared to most other normal tissues. However, some elevated expression was seen in normal lung and PBMC. Elevated expression of P5 was also observed in prostate tumors (2 of 5), breast tumor and one lung tumor sample. For P30, similar expression levels were seen in normal prostate and prostate tumor, compared to six of twelve other normal tissues tested. Increased expression was seen in breast tumors, one lung tumor sample and one colon tumor sample, and also in normal PBMC. P29 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to the majority of normal tissues. However, substantial expression of P29 was observed in normal colon and normal lung (2 of 2). P80 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to all other normal tissues tested, with increased expression also being seen in colon tumor.

Further studies resulted in the isolation of twelve additional clones, hereinafter referred to as 10-d8, 10-h10, 11-c8, 7-g6, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3, 8-h11, 9-f12 and 9-f3. The determined DNA sequences for 10-d8, 10-h10, 11-c8, 8-d4, 8-d9, 8-h11, 9-f12 and 9-f3 are provided in SEQ ID NO: 207, 208, 209, 216, 217, 220, 221 and 222, respectively. The determined forward and reverse DNA sequences for 7-g6, 8-b5, 8-b6 and 8-g3 are provided in SEQ ID NO: 210 and 211; 212 and 213; 214 and 215; and 218 and 219, respectively. Comparison of these sequences with those in the gene bank revealed no significant homologies to the sequence of 9-f3. The clones 10-d8, 11-c8 and 8-h11 were found to show some homology to previously isolated ESTs, while 10-h10, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3 and 9-f12 were found to show some homology to previously identified genes. Further characterization of 7-G6 and 8-G3 showed identity to the known genes PAP and PSA, respectively.

mRNA expression levels for these clones were determined using the micro-array technology described above. The clones 7-G6, 8-G3, 8-B5, 8-B6, 8-D4, 8-D9, 9-F3, 9-F12, 9-H3, 10-A2, 10-A4, 11-C9 and 11-F2 were found to be over-expressed in prostate tumor and normal prostate, with expression in other tissues tested being low or undetectable.

Increased expression of 8-F11 was seen in prostate tumor and normal prostate, bladder, skeletal muscle and colon. Increased expression of 10-H10 was seen in prostate tumor and normal prostate, bladder, lung, colon, brain and large intestine. Increased expression of 9-B1 was seen in prostate tumor, breast tumor, and normal prostate, salivary gland, large intestine and skin, with increased expression of 11-C8 being seen in prostate tumor, and normal prostate and large intestine.

An additional cDNA fragment derived from the PCR-based normal prostate subtraction, described above, was found to be prostate specific by both micro-array technology and RT-PCR. The determined cDNA sequence of this clone (referred to as 9-A11) is provided in SEQ ID NO: 226. Comparison of this sequence with those in the public databases revealed 99% identity to the known gene HOXB13.

Further studies led to the isolation of the clones 8-C6 and 8-H7. The determined cDNA sequences for these clones are provided in SEQ ID NO: 227 and 228, respectively. These sequences were found to show some homology to previously isolated ESTs.

PCR and hybridization-based methodologies were employed to obtain longer cDNA sequences for clone P20 (also referred to as P703P), yielding three additional cDNA fragments that progressively extend the 5' end of the gene. These fragments, referred to as P703PDE5, P703P6.26, and P703PX-23 (SEQ ID NO: 326, 328 and 330, with the predicted corresponding amino acid sequences being provided in SEQ ID NO: 327, 329 and 331, respectively) contain additional 5' sequence. P703PDE5 was recovered by screening of a cDNA library (#141-26) with a portion of P703P as a probe. P703P6.26 was recovered from a mixture of three prostate tumor cDNAs and P703PX\_23 was recovered from cDNA library (#438-48). Together, the additional sequences include all of the putative mature serine protease along with part of the putative signal sequence. Further studies using a PCR-based subtraction library of a prostate tumor pool subtracted against a pool of normal tissues (referred to as JP: PCR subtraction) resulted in the isolation of thirteen additional clones, seven of which did not share any significant homology to known GenBank sequences. The determined cDNA sequences for these seven clones (P711P, P712P, novel 23, P774P, P775P, P710P and P768P) are provided in SEQ ID NO: 307-311, 313 and 315, respectively. The remaining six clones (SEQ ID NO: 316 and 321-325) were shown to share some homology to known genes. By microarray analysis, all thirteen clones showed three or more fold over-expression in prostate tissues, including prostate tumors, BPH and normal prostate as compared to normal non-prostate tissues. Clones P711P, P712P, novel 23 and P768P showed over-expression in most prostate tumors and BPH tissues tested (n=29), and in the majority of normal prostate tissues (n=4), but background to low expression levels in all normal tissues.



Clones P774P, P775P and P710P showed comparatively lower expression and expression in fewer prostate tumors and BPH samples, with negative to low expression in normal prostate.

The full-length cDNA for P711P was obtained by employing the partial sequence of SEQ ID NO: 307 to screen a prostate cDNA library. Specifically, a directionally cloned prostate cDNA library was prepared using standard techniques. One million colonies of this library were plated onto LB/Amp plates. Nylon membrane filters were used to lift these colonies, and the cDNAs which were picked up by these filters were denatured and cross-linked to the filters by UV light. The P711P cDNA fragment of SEQ ID NO: 307 was radio-labeled and used to hybridize with these filters. Positive clones were selected, and cDNAs were prepared and sequenced using an automatic Perkin Elmer/Applied Biosystems sequencer. The determined full-length sequence of P711P is provided in SEQ ID NO: 382, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 383.

Using PCR and hybridization-based methodologies, additional cDNA sequence information was derived for two clones described above, 11-C9 and 9-F3, herein after referred to as P707P and P714P, respectively (SEQ ID NO: 333 and 334). After comparison with the most recent GenBank, P707P was found to be a splice variant of the known gene HoxB13. In contrast, no significant homologies to P714P were found.

Clones 8-B3, P89, P98, P130 and P201 (as disclosed in U.S. Patent Application No. 09/020,956, filed February 9, 1998) were found to be contained within one contiguous sequence, referred to as P705P (SEQ ID NO: 335, with the predicted amino acid sequence provided in SEQ ID NO: 336), which was determined to be a splice variant of the known gene NKX 3.1.

#### EXAMPLE 4 SYNTHESIS OF POLYPEPTIDES

Polypeptides may be synthesized on a Perkin Elmer/Applied Biosystems 430A peptide synthesizer using Fmoc chemistry with HPTU (O-Benzotriazole-N,N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugation, binding to an immobilized surface, or labeling of the peptide. Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse phase HPLC. A gradient of 0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following

lyophilization of the pure fractions, the peptides may be characterized using electrospray or other types of mass spectrometry and by amino acid analysis.

#### EXAMPLE 5

##### FURTHER ISOLATION AND CHARACTERIZATION OF PROSTATE TUMOR POLYPEPTIDES BY PCR-BASED SUBTRACTION

A cDNA library generated from prostate primary tumor mRNA as described above was subtracted with cDNA from normal prostate. The subtraction was performed using a PCR-based protocol (Clontech), which was modified to generate larger fragments. Within this protocol, tester and driver double stranded cDNA were separately digested with five restriction enzymes that recognize six-nucleotide restriction sites (MluI, MscI, PvuII, SalI and StuI). This digestion resulted in an average cDNA size of 600 bp, rather than the average size of 300 bp that results from digestion with RsaI according to the Clontech protocol. This modification did not affect the subtraction efficiency. Two tester populations were then created with different adapters, and the driver library remained without adapters.

The tester and driver libraries were then hybridized using excess driver cDNA. In the first hybridization step, driver was separately hybridized with each of the two tester cDNA populations. This resulted in populations of (a) unhybridized tester cDNAs, (b) tester cDNAs hybridized to other tester cDNAs, (c) tester cDNAs hybridized to driver cDNAs and (d) unhybridized driver cDNAs. The two separate hybridization reactions were then combined, and rehybridized in the presence of additional denatured driver cDNA. Following this second hybridization, in addition to populations (a) through (d), a fifth population (e) was generated in which tester cDNA with one adapter hybridized to tester cDNA with the second adapter. Accordingly, the second hybridization step resulted in enrichment of differentially expressed sequences which could be used as templates for PCR amplification with adaptor-specific primers.

The ends were then filled in, and PCR amplification was performed using adaptor-specific primers. Only population (e), which contained tester cDNA that did not hybridize to driver cDNA, was amplified exponentially. A second PCR amplification step was then performed, to reduce background and further enrich differentially expressed sequences.

This PCR-based subtraction technique normalizes differentially expressed cDNAs so that rare transcripts that are overexpressed in prostate tumor tissue may be recoverable. Such transcripts would be difficult to recover by traditional subtraction methods.

In addition to genes known to be overexpressed in prostate tumor, seventy-seven further clones were identified. Sequences of these partial cDNAs are provided in SEQ ID NO: 29 to 305. Most of these clones had no significant homology to database sequences. Exceptions were JPTPN23 (SEQ ID NO: 231; similarity to pig valosin-containing protein), JPTPN30 (SEQ ID NO: 234; similarity to rat mRNA for proteasome subunit), JPTPN45 (SEQ ID NO: 243; similarity to rat *norvegicus* cytosolic NADP-dependent isocitrate dehydrogenase), JPTPN46 (SEQ ID NO: 244; similarity to human subclone H8 4 d4 DNA sequence), JP1D6 (SEQ ID NO: 265; similarity to *G. gallus* dynein light chain-A), JP8D6 (SEQ ID NO: 288; similarity to human BAC clone RG016J04), JP8F5 (SEQ ID NO: 289; similarity to human subclone H8 3 b5 DNA sequence), and JP8E9 (SEQ ID NO: 299; similarity to human Alu sequence).

Additional studies using the PCR-based subtraction library consisting of a prostate tumor pool subtracted against a normal prostate pool (referred to as PT-PN PCR subtraction) yielded three additional clones. Comparison of the cDNA sequences of these clones with the most recent release of GenBank revealed no significant homologies to the two clones referred to as P715P and P767P (SEQ ID NO: 312 and 314). The remaining clone was found to show some homology to the known gene KIAA0056 (SEQ ID NO: 318). Using microarray analysis to measure mRNA expression levels in various tissues, all three clones were found to be over-expressed in prostate tumors and BPH tissues. Specifically, clone P715P was over-expressed in most prostate tumors and BPH tissues by a factor of three or greater, with elevated expression seen in the majority of normal prostate samples and in fetal tissue, but negative to low expression in all other normal tissues. Clone P767P was over-expressed in several prostate tumors and BPH tissues, with moderate expression levels in half of the normal prostate samples, and background to low expression in all other normal tissues tested.

Further analysis, by microarray as described above, of the PT-PN PCR subtraction library and of a DNA subtraction library containing cDNA from prostate tumor subtracted with a pool of normal tissue cDNAs, led to the isolation of 27 additional clones (SEQ ID NO: 340-365 and 381) which were determined to be over-expressed in prostate tumor. The clones of SEQ ID NO: 341, 342, 345, 347, 348, 349, 351, 355-359, 361, 362 and 364 were also found to be expressed in normal prostate. Expression of all 26 clones in a variety of normal tissues was found to be low or undetectable, with the exception of P544S (SEQ ID NO: 356) which was found to be expressed in small intestine. Of the 26 clones, 10 (SEQ ID NO: 340-349) were found to show some homology to previously identified sequences. No significant homologies were found to the clones of SEQ ID NO: 350-365.

#### EXAMPLE 6

##### PEPTIDE PRIMING OF MICE AND PROPAGATION OF CTL LINES

6.1. This Example illustrates the preparation of a CTL cell line specific for cells expressing the P502S gene.

Mice expressing the transgene for human HLA A2.1 (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with P2S#12 peptide (VLGWVAEL; SEQ ID NO: 306), which is derived from the P502S gene (also referred to herein as J1-17, SEQ ID NO: 8), as described by Theobald et al., *Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995 with the following modifications. Mice were immunized with 100 $\mu$ g of P2S#12 and 120 $\mu$ g of an I-A<sup>b</sup> binding peptide derived from hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and using a nylon mesh single cell suspensions prepared. Cells were then resuspended at  $6 \times 10^6$  cells/ml in complete media (RPMI-1640; Gibco BRL, Gaithersburg, MD) containing 10% FCS, 2mM Glutamine (Gibco BRL), sodium pyruvate (Gibco BRL), non-essential amino acids (Gibco BRL),  $2 \times 10^{-5}$  M 2-mercaptoethanol, 50U/ml penicillin and streptomycin, and cultured in the presence of irradiated (3000 rads) P2S#12-pulsed (5mg/ml P2S#12 and 10mg/ml  $\beta$ 2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7 $\mu$ g/ml dextran sulfate and 25 $\mu$ g/ml LPS for 3 days). Six days later, cells ( $5 \times 10^5$ /ml) were restimulated with  $2.5 \times 10^6$ /ml peptide pulsed irradiated (20,000 rads) EL4A2Kb cells (Sherman et al, *Science* 258:815-818, 1992) and  $3 \times 10^6$ /ml A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20U/ml IL-2. Cells continued to be restimulated on a weekly basis as described, in preparation for cloning the line.

P2S#12 line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb tumor cells ( $1 \times 10^4$  cells/ well) as stimulators and A2 transgenic spleen cells as feeders ( $5 \times 10^5$  cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were

restimulated as before. On day 21, clones that were growing were isolated and maintained in culture. Several of these clones demonstrated significantly higher reactivity (lysis) against human fibroblasts (HLA A2.1 expressing) transduced with P502S than against control fibroblasts. An example is presented in Figure 1.

This data indicates that P2S #12 represents a naturally processed epitope of the P502S protein that is expressed in the context of the human HLA A2.1 molecule.

6.2. This Example illustrates the preparation of murine CTL lines and CTL clones specific for cells expressing the P501S gene.

This series of experiments were performed similarly to that described above. Mice were immunized with the P1S#10 peptide (SEQ ID NO: 337), which is derived from the P501S gene (also referred to herein as L1-12, SEQ ID NO: 110). The P1S#10 peptide was derived by analysis of the predicted polypeptide sequence for P501S for potential HLA-A2 binding sequences as defined by published HLA-A2 binding motifs (Parker, KC, *et al*, *J. Immunol.*, 152:163, 1994). P1S#10 peptide was synthesized as described in Example 4, and empirically tested for HLA-A2 binding using a T cell based competition assay. Predicted A2 binding peptides were tested for their ability to compete HLA-A2 specific peptide presentation to an HLA-A2 restricted CTL clone (D150M58), which is specific for the HLA-A2 binding influenza matrix peptide fluM58. D150M58 CTL secretes TNF in response to self-presentation of peptide fluM58. In the competition assay, test peptides at 100-200  $\mu\text{g/ml}$  were added to cultures of D150M58 CTL in order to bind HLA-A2 on the CTL. After thirty minutes, CTL cultured with test peptides, or control peptides, were tested for their antigen dose response to the fluM58 peptide in a standard TNF bioassay. As shown in Figure 3, peptide P1S#10 competes HLA-A2 restricted presentation of fluM58, demonstrating that peptide P1S#10 binds HLA-A2.

Mice expressing the transgene for human HLA A2.1 were immunized as described by Theobald et al. (*Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995) with the following modifications. Mice were immunized with 62.5 $\mu\text{g}$  of P1S #10 and 120 $\mu\text{g}$  of an I-A<sup>b</sup> binding peptide derived from Hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and single cell suspensions prepared using a nylon mesh. Cells were then resuspended at  $6 \times 10^6$  cells/ml in complete media (as described above) and cultured in the presence of irradiated (3000 rads) P1S#10-pulsed (2 $\mu\text{g/ml}$  P1S#10 and 10mg/ml  $\beta$ 2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7 $\mu\text{g/ml}$  dextran sulfate and 25 $\mu\text{g/ml}$  LPS for 3 days). Six days later cells ( $5 \times 10^5/\text{ml}$ ) were restimulated with  $2.5 \times 10^6/\text{ml}$  peptide-pulsed irradiated (20,000 rads) EL4A2Kb cells, as described above, and  $3 \times 10^6/\text{ml}$  A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20 U/ml IL-2. Cells were restimulated on a weekly

basis in preparation for cloning. After three rounds of *in vitro* stimulations, one line was generated that recognized P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat targets as shown in Figure 4.

A P1S#10-specific CTL line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb tumor cells ( $1 \times 10^4$  cells/ well) as stimulators and A2 transgenic spleen cells as feeders ( $5 \times 10^5$  cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were restimulated as before. On day 21, viable clones were isolated and maintained in culture. As shown in Figure 5, five of these clones demonstrated specific cytolytic reactivity against P501S-transduced Jurkat A2Kb targets. This data indicates that P1S#10 represents a naturally processed epitope of the P501S protein that is expressed in the context of the human HLA-A2.1 molecule.

#### EXAMPLE 7

##### ABILITY OF HUMAN T CELLS TO RECOGNIZE PROSTATE TUMOR POLYPEPTIDES

This Example illustrates the ability of T cells specific for a prostate tumor polypeptide to recognize human tumor.

Human CD8<sup>+</sup> T cells were primed *in vitro* to the P2S-12 peptide (SEQ ID NO: 306) derived from P502S (also referred to as J1-17) using dendritic cells according to the protocol of Van Tsai et al. (*Critical Reviews in Immunology* 18:65-75, 1998). The resulting CD8<sup>+</sup> T cell microcultures were tested for their ability to recognize the P2S-12 peptide presented by autologous fibroblasts or fibroblasts which were transduced to express the P502S gene in a  $\gamma$ -interferon ELISPOT assay (see Lalvani et al., *J. Exp. Med.* 186:859-865, 1997). Briefly, titrating numbers of T cells were assayed in duplicate on  $10^4$  fibroblasts in the presence of 3  $\mu$ g/ml human  $\beta_2$ -microglobulin and 1  $\mu$ g/ml P2S-12 peptide or control E75 peptide. In addition, T cells were simultaneously assayed on autologous fibroblasts transduced with the P502S gene or as a control, fibroblasts transduced with HER-2/*neu*. Prior to the assay, the fibroblasts were treated with 10 ng/ml  $\gamma$ -interferon for 48 hours to upregulate class I MHC expression. One of the microcultures (#5) demonstrated strong recognition of both peptide pulsed fibroblasts as well as transduced fibroblasts in a  $\gamma$ -interferon ELISPOT assay. Figure 2A demonstrates that there was a strong increase in the number of  $\gamma$ -interferon spots with increasing numbers of T cells on fibroblasts pulsed with the P2S-12 peptide (solid bars) but not with the control E75 peptide (open bars). This shows the ability of these T cells to specifically recognize the P2S-12 peptide. As shown in Figure 2B, this microculture also demonstrated an increase in the number of  $\gamma$ -interferon spots with increasing numbers of T

cells on fibroblasts transduced to express the P502S gene but not the HER-2/*neu* gene. These results provide additional confirmatory evidence that the P2S-12 peptide is a naturally processed epitope of the P502S protein. Furthermore, this also demonstrates that there exists in the human T cell repertoire, high affinity T cells which are capable of recognizing this epitope. These T cells should also be capable of recognizing human tumors which express the P502S gene.

#### EXAMPLE 8

##### PRIMING OF CTL *IN VIVO* USING NAKED DNA IMMUNIZATION WITH A PROSTATE ANTIGEN

The prostate tumor antigen L1-12, as described above, is also referred to as P501S. HLA A2Kb Tg mice (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with 100 µg VR10132-P501S either intramuscularly or intradermally. The mice were immunized three times, with a two week interval between immunizations. Two weeks after the last immunization, immune spleen cells were cultured with Jurkat A2Kb-P501S transduced stimulator cells. CTL lines were stimulated weekly. After two weeks of *in vitro* stimulation, CTL activity was assessed against P501S transduced targets. Two out of 8 mice developed strong anti-P501S CTL responses. These results demonstrate that P501S contains at least one naturally processed A2-restricted CTL epitope.

#### EXAMPLE 9

##### GENERATION OF HUMAN CTL *IN VITRO* USING WHOLE GENE PRIMING AND STIMULATION TECHNIQUES WITH PROSTATE TUMOR ANTIGEN

Using *in vitro* whole-gene priming with P501S-retrovirally transduced autologous fibroblasts (see, for example, Yee et al, *The Journal of Immunology*, 157(9):4079-86, 1996), human CTL lines were derived that specifically recognize autologous fibroblasts transduced with P501S (also known as L1-12), as determined by interferon-γ ELISPOT analysis as described above. Using a panel of HLA-mismatched fibroblast lines transduced with P501S, these CTL lines were shown to be restricted HLA-A2 class I allele. Specifically, dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal human donors by growing for five days in RPMI medium containing 10% human serum, 50 ng/ml human GM-CSF and 30 ng/ml human IL-4. Following culture, DC were infected overnight with recombinant P501S vaccinia virus at a multiplicity of infection (M.O.I) of five, and matured overnight by the addition of 3 µg/ml CD40 ligand. Virus was inactivated by UV irradiation. CD8+ T cells were isolated using a magnetic bead system, and

priming cultures were initiated using standard culture techniques. Cultures were restimulated every 7-10 days using autologous primary fibroblasts retrovirally transduced with P501S. Following four stimulation cycles, CD8+ T cell lines were identified that specifically produced interferon- $\gamma$  when stimulated with P501S-transduced autologous fibroblasts. The P501S-specific activity could be sustained by the continued stimulation of the cultures with P501S-transduced fibroblasts in the presence of IL-15. A panel of HLA-mismatched fibroblast lines transduced with P501S were generated to define the restriction allele of the response. By measuring interferon- $\gamma$  in an ELISPOT assay, the P501S specific response was shown to be restricted by HLA-A2. These results demonstrate that a CD8+ CTL response to P501S can be elicited.

#### EXAMPLE 10

##### IDENTIFICATION OF A NATURALLY PROCESSED CTL EPITOPE CONTAINED WITHIN A PROSTATE TUMOR ANTIGEN

The 9-mer peptide p5 (SEQ ID NO: 338) was derived from the P703P antigen (also referred to as P20). The p5 peptide is immunogenic in human HLA-A2 donors and is a naturally processed epitope. Antigen specific CD8+ T cells can be primed following repeated *in vitro* stimulations with monocytes pulsed with p5 peptide. These CTL specifically recognize p5-pulsed target cells in both ELISPOT (as described above) and chromium release assays. Additionally, immunization of HLA-A2 transgenic mice with p5 leads to the generation of CTL lines which recognize a variety of P703P transduced target cells expressing either HLA-A2Kb or HLA-A2. Specifically, HLA-A2 transgenic mice were immunized subcutaneously in the footpad with 100  $\mu$ g of p5 peptide together with 140  $\mu$ g of hepatitis B virus core peptide (a Th peptide) in Freund's incomplete adjuvant. Three weeks post immunization, spleen cells from immunized mice were stimulated *in vitro* with peptide-pulsed LPS blasts. CTL activity was assessed by chromium release assay five days after primary *in vitro* stimulation. Retrovirally transduced cells expressing the control antigen P703P and HLA-A2Kb were used as targets. CTL lines that specifically recognized both p5-pulsed targets as well as P703P-expressing targets were identified.

Human *in vitro* priming experiments demonstrated that the p5 peptide is immunogenic in humans. Dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal human donors by culturing for five days in RPMI medium containing 10% human serum, 50 ng/ml human GM-CSF and 30 ng/ml human IL-4. Following culture, the DC were pulsed with p5 peptide and cultured with GM-CSF and IL-4 together with CD8+ T cell enriched PBMC. CTL lines were restimulated on a weekly basis



with p5-pulsed monocytes. Five to six weeks after initiation of the CTL cultures, CTL recognition of p5-pulsed target cells was demonstrated.

#### EXAMPLE 11

##### EXPRESSION OF A BREAST TUMOR-DERIVED ANTIGEN IN PROSTATE

Isolation of the antigen B305D from breast tumor by differential display is described in US Patent Application No. 08/700,014, filed August 20, 1996. Several different splice forms of this antigen were isolated. The determined cDNA sequences for these splice forms are provided in SEQ ID NO: 366-375, with the predicted amino acid sequences corresponding to the sequences of SEQ ID NO: 292, 298 and 301-303 being provided in SEQ ID NO: 299-306, respectively.

The expression levels of B305D in a variety of tumor and normal tissues were examined by real time PCR and by Northern analysis. The results indicated that B305D is highly expressed in breast tumor, prostate tumor, normal prostate tumor and normal testes, with expression being low or undetectable in all other tissues examined (colon tumor, lung tumor, ovary tumor, and normal bone marrow, colon, kidney, liver, lung, ovary, skin, small intestine, stomach).

#### EXAMPLE 12

##### ELICITATION OF PROSTATE TUMOR ANTIGEN-SPECIFIC CTL RESPONSES IN HUMAN BLOOD

This Example illustrates the ability of a prostate tumor antigen to elicit a CTL response in blood of normal humans.

Autologous dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal donors by growth for five days in RPMI medium containing 10% human serum, 50 ng/ml GM-CSF and 30 ng/ml IL-4. Following culture, DC were infected overnight with recombinant P501S-expressing vaccinia virus at an M.O.I. of 5 and matured for 8 hours by the addition of 2 micrograms/ml CD40 ligand. Virus was inactivated by UV irradiation, CD8<sup>+</sup> cells were isolated by positive selection using magnetic beads, and priming cultures were initiated in 24-well plates. Following five stimulation cycles, CD8<sup>+</sup> lines were identified that specifically produced interferon-gamma when stimulated with autologous P501S-transduced fibroblasts. The P501S-specific activity of cell line 3A-1 could be maintained following additional stimulation cycles on autologous B-LCL transduced with P501S. Line 3A-1 was shown to specifically recognize autologous B-LCL transduced to

express P501S, but not EGFP-transduced autologous B-LCL, as measured by cytotoxicity assays ( $^{51}\text{Cr}$  release) and interferon-gamma production (Interferon-gamma Elispot; *see above* and Lalvani et al., *J. Exp. Med.* 186:859-865, 1997). The results of these assays are presented in Figures 6A and 6B.

### EXAMPLE 13

#### IDENTIFICATION OF PROSTATE TUMOR ANTIGENS BY MICROARRAY ANALYSIS

This Example describes the isolation of certain prostate tumor polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 372 clones were identified, and 319 were successfully sequenced. Table I presents a summary of these clones, which are shown in SEQ ID NOs:385-400. Of these sequences SEQ ID NOs:386, 389, 390 and 392 correspond to novel genes, and SEQ ID NOs: 393 and 396 correspond to previously identified sequences. The others (SEQ ID NOs:385, 387, 388, 391, 394, 395 and 397-400) correspond to known sequences, as shown in Table I.

Table I  
Summary of Prostate Tumor Antigens

Known Genes	Previously identified Genes	Novel Genes
T-cell gamma chain	P504S	23379 (SEQ ID NO:389)
Kallikrein	P1000C	23399 (SEQ ID NO:392)
Vector	P501S	23320 (SEQ ID NO:386)
CGI-82 protein mRNA (23319; SEQ ID NO:385)	P503S	23381 (SEQ ID NO:390)
PSA	P510S	
Ald. 6 Dehyd.	P784P	
L-iditol-2 dehydrogenase (23376; SEQ ID NO:388)	P502S	
Ets transcription factor PDEF (22672; SEQ ID NO:398)	P706P	
hTGR (22678; SEQ ID NO:399)	19142.2, bangur.seq (22621; SEQ ID NO:396)	
KIAA0295(22685; SEQ ID NO:400)	5566.1 Wang(23404; SEQ ID NO:393)	
Prostatic Acid Phosphatase(22655; SEQ ID NO:397)	P712P	

transglutaminase (22611; SEQ ID NO:395)	P778P	
HDLBP (23508; SEQ ID NO:394)		
CGI-69 Protein(23367; SEQ ID NO:387)		
KIAA0122(23383; SEQ ID NO:391)		
TEEG		

CGI-82 showed 4.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 43% of prostate tumors, 25% normal prostate, not detected in other normal tissues tested. L-iditol-2 dehydrogenase showed 4.94 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 90% of prostate tumors, 100% of normal prostate, and not detected in other normal tissues tested. Ets transcription factor PDEF showed 5.55 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% prostate tumors, 25% normal prostate and not detected in other normal tissues tested. hTGR1 showed 9.11 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 63% of prostate tumors and is not detected in normal tissues tested including normal prostate. KIAA0295 showed 5.59 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% of prostate tumors, low to undetectable in normal tissues tested including normal prostate tissues. Prostatic acid phosphatase showed 9.14 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 67% of prostate tumors, 50% of normal prostate, and not detected in other normal tissues tested. Transglutaminase showed 14.84 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 30% of prostate tumors, 50% of normal prostate, and is not detected in other normal tissues tested. High density lipoprotein binding protein (HDLBP) showed 28.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% of normal prostate, and is undetectable in all other normal tissues tested. CGI-69 showed 3.56 fold over-expression in prostate tissues as compared to other normal tissues tested. It is a low abundant gene, detected in more than 90% of prostate tumors, and in 75% normal prostate tissues. The expression of this gene in normal tissues was very low. KIAA0122 showed 4.24 fold over-expression in prostate

tissues as compared to other normal tissues tested. It was over-expressed in 57% of prostate tumors, it was undetectable in all normal tissues tested including normal prostate tissues. 19142.2 bangur showed 23.25 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors and 100% of normal prostate. It was undetectable in other normal tissues tested. 5566.1 Wang showed 3.31 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% normal prostate and was also over-expressed in normal bone marrow, pancreas, and activated PBMC. Novel clone 23379 showed 4.86 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in 97% of prostate tumors and 75% normal prostate and is undetectable in all other normal tissues tested. Novel clone 23399 showed 4.09 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 27% of prostate tumors and was undetectable in all normal tissues tested including normal prostate tissues. Novel clone 23320 showed 3.15 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in all prostate tumors and 50% of normal prostate tissues. It was also expressed in normal colon and trachea. Other normal tissues do not express this gene at high level.

#### EXAMPLE 14

##### IDENTIFICATION OF PROSTATE TUMOR ANTIGENS BY ELECTRONIC SUBTRACTION

This Example describes the use of an electronic subtraction technique to identify prostate tumor antigens.

Potential prostate-specific genes present in the GenBank human EST database were identified by electronic subtraction (similar to that described by Vasmatizis et al., *Proc. Natl. Acad. Sci. USA* 95:300-304, 1998). The sequences of EST clones (43,482) derived from various prostate libraries were obtained from the GenBank public human EST database. Each prostate EST sequence was used as a query sequence in a BLASTN (National Center for Biotechnology Information) search against the human EST database. All matches considered identical (length of matching sequence >100 base pairs, density of identical matches over this region > 70%) were grouped (aligned) together in a cluster. Clusters containing more than 200 ESTs were discarded since they probably represented repetitive elements or highly expressed genes such as those for ribosomal proteins. If two or more clusters shared common ESTs, those clusters were grouped together into a "supercluster," resulting in 4,345 prostate superclusters.

Records for the 479 human cDNA libraries represented in the GenBank release were downloaded to create a database of these cDNA library records. These 479 cDNA libraries were grouped into three groups, Plus (normal prostate and prostate tumor libraries, and breast cell lines, in which expression was desired), Minus (libraries from other normal adult tissues, in which expression was not desirable), and Other (fetal tissue, infant tissue, tissues found only in women, non-prostate tumors and cell lines other than prostate cell lines, in which expression was considered to be irrelevant). A summary of these library groups is presented in Table II.

**Table II**  
**Prostate cDNA Libraries and ESTs**

Library	# of Libraries	# of ESTs
Plus	25	43,482
Normal	11	18,875
Tumor	11	21,769
Cell lines	3	2,838
Minus	166	
Other	287	

Each supercluster was analyzed in terms of the ESTs within the supercluster. The tissue source of each EST clone was noted and used to classify the superclusters into four groups: Type 1- EST clones found in the Plus group libraries only; no expression detected in Minus or Other group libraries; Type 2- EST clones found in the Plus and Other group libraries only; no expression detected in the Minus group; Type 3- EST clones found in the Plus, Minus and Other group libraries, but the expression in the Plus group is higher than in either the Minus or Other groups; and Type 4- EST clones found in Plus, Minus and Other group libraries, but the expression in the Plus group is higher than the expression in the Minus group. This analysis identified 4,345 breast clusters (*see* Table III). From these clusters, 3,172 EST clones were ordered from Research Genetics, Inc., and were received as frozen glycerol stocks in 96-well plates.

Table III  
Prostate Cluster Summary

Type	# of Superclusters	# of ESTs Ordered
1	688	677
2	2899	2484
3	85	11
4	673	0
Total	4345	3172

The inserts were PCR-amplified using amino-linked PCR primers for Synteni microarray analysis. When more than one PCR product was obtained for a particular clone, that PCR product was not used for expression analysis. In total, 2,528 clones from the electronic subtraction method were analyzed by microarray analysis to identify electronic subtraction breast clones that had high tumor vs. normal tissue mRNA. Such screens were performed using a Synteni (Palo Alto, CA) microarray, according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Within these analyses, the clones were arrayed on the chip, which was then probed with fluorescent probes generated from normal and tumor prostate cDNA, as well as various other normal tissues. The slides were scanned and the fluorescence intensity was measured.

Clones with an expression ratio greater than 3 (*i.e.*, the level in prostate tumor cDNA was at least three times the level in normal prostate cDNA) were identified as prostate tumor-specific sequences (Table IV). The sequences of these clones are provided in SEQ ID NOs:401-453, with certain novel sequences shown in SEQ ID NOs:407, 413, 416-419, 422, 426, 427 and 450.

Table IV  
Prostate-tumor Specific Clones

SEQ ID NO.	Sequence Designation	Comments
401	22545	previously identified P1000C
402	22547	previously identified P704P

403	22548	known
404	22550	known
405	22551	PSA
406	22552	prostate secretory protein 94
407	22553	novel
408	22558	previously identified P509S
409	22562	glandular kallikrein
410	22565	previously identified P1000C
411	22567	PAP
412	22568	B1006C (breast tumor antigen)
413	22570	novel
414	22571	PSA
415	22572	previously identified P706P
416	22573	novel
417	22574	novel
418	22575	novel
419	22580	novel
420	22581	PAP
421	22582	prostatic secretory protein 94
422	22583	novel
423	22584	prostatic secretory protein 94
424	22585	prostatic secretory protein 94
425	22586	known
426	22587	novel
427	22588	novel
428	22589	PAP
429	22590	known
430	22591	PSA
431	22592	known
432	22593	Previously identified P777P
433	22594	T cell receptor gamma chain
434	22595	Previously identified P705P
435	22596	Previously identified P707P
436	22847	PAP
437	22848	known
438	22849	prostatic secretory protein 57



439	22851	PAP
440	22852	PAP
441	22853	PAP
442	22854	previously identified P509S
443	22855	previously identified P705P
444	22856	previously identified P774P
445	22857	PSA
446	23601	previously identified P777P
447	23602	PSA
448	23605	PSA
449	23606	PSA
450	23612	novel
451	23614	PSA
452	23618	previously identified P1000C
453	23622	previously identified P705P

#### EXAMPLE 15

##### FURTHER IDENTIFICATION OF PROSTATE TUMOR ANTIGENS BY MICROARRAY ANALYSIS

This Example describes the isolation of additional prostate tumor polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 142 clones were identified and sequenced. Certain of these clones are shown in SEQ ID NOs:454-467. Of these sequences SEQ ID NOs:459-461 correspond to novel genes. The others (SEQ ID NOs:454-458 and 461-467) correspond to known sequences.

#### EXAMPLE 16

##### FURTHER CHARACTERIZATION OF PROSTATE TUMOR ANTIGEN P710P

This Example describes the full length cloning of P710P.

The prostate cDNA library described above was screened with the P710P fragment described above. One million colonies were plated on LB/Ampicillin plates. Nylon membrane filters were used to lift these colonies, and the cDNAs picked up by these filters were then denatured and cross-linked to the filters by UV light. The P710P fragment was radiolabeled and used to hybridize with the filters. Positive cDNA clones were selected and their cDNAs recovered and sequenced by an automatic ABI Sequencer. Four sequences were obtained, and are presented in SEQ ID NOs:468-471.

From the foregoing, it will be appreciated that, although specific embodiments of the invention have been described herein for the purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the present invention is not limited except as by the appended claims.

## CLAIMS

1. An isolated polypeptide comprising at least an immunogenic portion of a prostate tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(a) sequences recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472;

(b) sequences that hybridize to any of the foregoing sequences under moderately stringent conditions; and

(c) complements of any of the sequence of (a) or (b).

2. An isolated polypeptide according to claim 1, wherein the polypeptide comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing polynucleotide sequences.

3. An isolated polypeptide comprising a sequence recited in any one of SEQ ID NO: 108, 112, 113, 114, 172, 176, 178, 327, 329, 331, 339 and 383.

4. An isolated polynucleotide encoding at least 15 amino acid residues of a prostate tumor protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434,

435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing sequences.

5. An isolated polynucleotide encoding a prostate tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing sequences.

6. An isolated polynucleotide comprising a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472.

7. An isolated polynucleotide comprising a sequence that hybridizes, under moderately stringent conditions, to a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472.

8. An isolated polynucleotide complementary to a polynucleotide according to any one of claims 4-7.

9. An expression vector comprising a polynucleotide according to any one of claims 4-7.

10. A host cell transformed or transfected with an expression vector according to claim 9.

11. An expression vector comprising a polynucleotide according claim 8.

12. A host cell transformed or transfected with an expression vector according to claim 11.
13. A pharmaceutical composition comprising a polypeptide according to claim 1, in combination with a physiologically acceptable carrier.
14. A vaccine comprising a polypeptide according to claim 1, in combination with a non-specific immune response enhancer.
15. A vaccine according to claim 14, wherein the non-specific immune response enhancer is an adjuvant.
16. A vaccine according to claim 14, wherein the non-specific immune response enhancer induces a predominantly Type I response.
17. A pharmaceutical composition comprising a polynucleotide according to claim 4, in combination with a physiologically acceptable carrier.
18. A vaccine comprising a polynucleotide according to claim 4, in combination with a non-specific immune response enhancer.
19. A vaccine according to claim 18, wherein the non-specific immune response enhancer is an adjuvant.
20. A vaccine according to claim 18, wherein the non-specific immune response enhancer induces a predominantly Type I response.
21. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to a prostate tumor protein that comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472 or a complement of any of the foregoing polynucleotide sequences.

22. A pharmaceutical composition comprising an antibody or fragment thereof according to claim 18, in combination with a physiologically acceptable carrier.

23. A pharmaceutical composition comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with a pharmaceutically acceptable carrier or excipient.

24. A pharmaceutical composition according to claim 23, wherein the antigen presenting cell is a dendritic cell or a macrophage.

25. A vaccine comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with a non-specific immune response enhancer.

26. A vaccine according to claim 25, wherein the non-specific immune response enhancer is an adjuvant.

27. A vaccine according to claim 25, wherein the non-specific immune response enhancer induces a predominantly Type I response.

28. A vaccine according to claim 25, wherein the antigen-presenting cell is a dendritic cell.

29. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a polypeptide according to claim 1, and thereby inhibiting the development of a cancer in the patient.

30. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a polynucleotide according to claim 4, and thereby inhibiting the development of a cancer in the patient.

31. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of an antibody or antigen-binding fragment thereof according to claim 21, and thereby inhibiting the development of a cancer in the patient.

32. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of an antigen-presenting cell that expresses a polypeptide according to claim 1, and thereby inhibiting the development of a cancer in the patient.

33. A method according to claim 32, wherein the antigen-presenting cell is a dendritic cell.

34. A method according to any one of claims 29-32, wherein the cancer is prostate cancer.

35. A fusion protein comprising at least one polypeptide according to claim 1.

36. A fusion protein according to claim 35, wherein the fusion protein comprises an expression enhancer that increases expression of the fusion protein in a host cell transfected with a polynucleotide encoding the fusion protein.

37. A fusion protein according to claim 35, wherein the fusion protein comprises a T helper epitope that is not present within the polypeptide of claim 1.

38. A fusion protein according to claim 35, wherein the fusion protein comprises an affinity tag.

39. An isolated polynucleotide encoding a fusion protein according to claim 35.

40. A pharmaceutical composition comprising a fusion protein according to claim 32, in combination with a physiologically acceptable carrier.

41. A vaccine comprising a fusion protein according to claim 35, in combination with a non-specific immune response enhancer.

42. A vaccine according to claim 41, wherein the non-specific immune response enhancer is an adjuvant.

43. A vaccine according to claim 41, wherein the non-specific immune response enhancer induces a predominantly Type I response.

44. A pharmaceutical composition comprising a polynucleotide according to claim 40, in combination with a physiologically acceptable carrier.

45. A vaccine comprising a polynucleotide according to claim 40, in combination with a non-specific immune response enhancer.

46. A vaccine according to claim 45, wherein the non-specific immune response enhancer is an adjuvant.

47. A vaccine according to claim 45, wherein the non-specific immune response enhancer induces a predominantly Type I response.

48. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a pharmaceutical composition according to claim 40 or claim 44.

49. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a vaccine according to claim 41 or claim 45.

50. A method for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472; and

(ii) complements of the foregoing polynucleotides;  
wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the prostate tumor protein from the sample.

51. A method according to claim 50, wherein the biological sample is blood or a fraction thereof.



52. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated according to the method of claim 50.

53. A method for stimulating and/or expanding T cells specific for a prostate tumor protein, comprising contacting T cells with one or more of:

- (i) a polypeptide according to claim 1;
  - (ii) a polypeptide encoded by a polynucleotide comprising a sequence provided in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472;
  - (iii) a polynucleotide encoding a polypeptide of (i) or (ii); and/or
  - (iv) an antigen presenting cell that expresses a polypeptide of (i) or (ii);
- under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells.

54. An isolated T cell population, comprising T cells prepared according to the method of claim 53.

55. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population according to claim 54.

56. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

- (a) incubating CD4<sup>+</sup> and/or CD8<sup>+</sup> T cells isolated from a patient with at least one component selected from the group consisting of:
  - (i) a polypeptide according to claim 1;
  - (ii) a polypeptide encoded by a polynucleotide comprising a sequence of any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472;
  - (iii) a polynucleotide encoding a polypeptide of (i) or (ii); or
  - (iv) an antigen-presenting cell that expresses a polypeptide of (i) or (ii);

such that T cells proliferate; and

- (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

57. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4<sup>+</sup> and/or CD8<sup>+</sup> T cells isolated from a patient with at least one component selected from the group consisting of:

(i) a polypeptide according to claim 1;

(ii) a polypeptide encoded by a polynucleotide comprising a sequence of any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472;

(iii) a polynucleotide encoding a polypeptide of (i) or (ii); or

(iv) an antigen-presenting cell that expresses a polypeptide of (i) or (ii);

such that T cells proliferate;

(b) cloning at least one proliferated cell; and

(c) administering to the patient an effective amount of the cloned T cells, and thereby inhibiting the development of a cancer in the patient.

58. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with a binding agent that binds to a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472; and

(ii) complements of the foregoing polynucleotides;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent; and

(c) comparing the amount of polypeptide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

59. A method according to claim 58, wherein the binding agent is an antibody.

60. A method according to claim 59, wherein the antibody is a monoclonal antibody.

61. A method according to claim 58, wherein the cancer is prostate cancer.
62. A method for monitoring the progression of a cancer in a patient, comprising the steps of:
- (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472, or a complement of any of the foregoing polynucleotides;
  - (b) detecting in the sample an amount of polypeptide that binds to the binding agent;
  - (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and
  - (d) comparing the amount of polypeptide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.
63. A method according to claim 62, wherein the binding agent is an antibody.
64. A method according to claim 63, wherein the antibody is a monoclonal antibody.
65. A method according to claim 62, wherein the cancer is a prostate cancer.
66. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:
- (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472, or a complement of any of the foregoing polynucleotides;
  - (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and

(c) comparing the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

67. A method according to claim 66, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

68. A method according to claim 66, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

69. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472, or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polynucleotide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

70. A method according to claim 69, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

71. A method according to claim 69, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

72. A diagnostic kit, comprising:

- (a) one or more antibodies according to claim 21; and
- (b) a detection reagent comprising a reporter group.

73. A kit according to claim 72, wherein the antibodies are immobilized on a solid support.

74. A kit according to claim 73, wherein the solid support comprises nitrocellulose, latex or a plastic material.

75. A kit according to claim 72, wherein the detection reagent comprises an anti-immunoglobulin, protein G, protein A or lectin.


76. A kit according to claim 72, wherein the reporter group is selected from the group consisting of radioisotopes, fluorescent groups, luminescent groups, enzymes, biotin and dye particles.

77. An oligonucleotide comprising 10 to 40 nucleotides that hybridize under moderately stringent conditions to a polynucleotide that encodes a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing polynucleotides.



78. A oligonucleotide according to claim 77, wherein the oligonucleotide comprises 10-40 nucleotides recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472.

79. A diagnostic kit, comprising:  
(a) an oligonucleotide according to claim 77; and  
(b) a diagnostic reagent for use in a polymerase chain reaction or hybridization assay.

1/5

*Fig. 1*

2/5

*Fig. 2A**Fig. 2B*

3/5








Fig. 3



4/5

*Fig. 4**Fig. 5*

5/5

*Fig. 6**Fig. 7*

## SEQUENCE LISTING

&lt;110&gt; Corixa Corporation

<120> COMPOUNDS FOR IMMUNOTHERAPY AND DIAGNOSIS  
OF PROSTATE CANCER AND METHODS FOR THEIR USE

&lt;130&gt; 210121.42701PC

&lt;140&gt; PCT

&lt;141&gt; 1999-07-08

&lt;160&gt; 472

&lt;170&gt; FastSEQ for Windows Version 3.0

&lt;210&gt; 1

&lt;211&gt; 814

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(814)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 1

tttttttttt	tttttcacag	tataacagct	ctttatttct	gtgagttcta	ctaggaaatc	60
atcaaatctg	aggggtgtct	ggaggacttc	aatacacctc	cccccatagt	gaatcagctt	120
ccaggggggc	cagtcctctc	ccttacttca	tccccatccc	atgccaaagg	aagaccctcc	180
ctccttggtc	cacagccttc	tctaggtctc	ccagtgcctc	caggacagag	tgggttatgt	240
tttcagctcc	atccttgctg	tgagtgtctg	gtgcgttggtg	cctccagctt	ctgctcagtg	300
cttcattggac	agtgtccagc	acatgtcact	ctccactctc	tcagtgtgga	tccactagtt	360
ctagagcggc	cgccaccgcg	gtggagctcc	agcttttggt	cccttttagtg	agggttaatt	420
gcgcgcttgg	cgtaatcatg	gtcataactg	tttcctgtgt	gaaattgtta	tccgctcaca	480
attccacaca	acatacgagc	cgggaagcata	aagtgtaaag	cctgggggtgc	ctaattgagtg	540
anctaaactca	cattaattgc	gttgcgctca	ctgnccgctt	tccagtcngg	aaaactgctg	600
tgccagctgc	attaatgaat	cggccaacgc	ncggggaaaa	gcggtttgcg	ttttgggggc	660
tcttcgctt	ctcgctcact	nantcctgcg	ctcggtcctt	cggctgcggg	gaacgggtatc	720
actcctcaaa	ggnggtatta	cggttatccn	naaatcnggg	gataccnngg	aaaaaanttt	780
aacaaaaggg	cancaaaggg	cngaaacgta	aaaa			814

&lt;210&gt; 2

&lt;211&gt; 816

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(816)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 2

acagaaatgt	tggatggtgg	agcacctttc	tatacgactt	acaggacagc	agatggggaa	60
ttcatggctg	ttggagcaat	agaaccccag	ttctacgagc	tgctgatcaa	aggactrgga	120

```

ctaaagtctg atgaacttcc caatcagatg agcatggatg attggccaga aatgaagaag      180
aagtttgcag atgtatttgc aaagaagacg aaggcagagt ggtgtcaaat ctttgacggc      240
acagatgcct gtgtgactcc ggttctgact tttgaggagg ttgttcatca tgatcacaac      300
aaggaacggg gctcgtttat caccagttag gagcaggacg tgagcccccg ccctgcacct      360
ctgctgttaa acaccccagc catcccttct ttcaaaaggg atccactagt tctagaagcg      420
gccgccaccg cgggtggagct ccagcttttg ttcccttttag tgagggttaa ttgcgcgctt      480
ggcgtaatca tggtcatagc tgtttcctgt gtgaaattgt tatccgctca caattccccc      540
aacatacgag ccggaacata aagtgttaag cctgggggtgc ctaatgantg agctaactcn      600
cattaattgc gttgcgctca ctgcccgtt tccagtcggg aaaactgtcg tgccactgcn      660
ttantgaatc ngccaccccc cgggaaaagg cggttgcntt ttgggcctct tccgctttcc      720
tcgctcattg atcctngcnc ccggtcttcg gctgcggnga acggttcact cctcaaaggc      780
ggtntnccgg ttatcccaa acnggggata cccnga                                816

```

&lt;210&gt; 3

&lt;211&gt; 773

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(773)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 3

```

cttttgaaag aagggatggc tgggggtgtt aacagcagag gtgcagggcg ggggctcacg      60
tcttgctcct cactgggtgat aaacgagccc cgttccctgt tgtgatcatg atgaacaacc      120
tcttcaaaag tcagaaccgg agtcacacag gcatctgtgc cgtcaaagat ttgacaccac      180
tctgccttcg tcttctttgc aaatacatct gcaaacttct tcttcatttc tggccaatca      240
tccatgctca tctgattggg aagttcatca gacttttagt canntccttt gatcagcagc      300
tcgtagaact ggggttctat tgcctcaaca gccatgaatt ccccatctgc tgcctgttaa      360
gtcgtataga aagggtgctcc accatccaac atgttctgtc ctcgaggggg gggccggtac      420
ccaattcgcc ctatantgag tcgtattacg cgcgctcact ggccgctcgt ttacaacgtc      480
gtgactggga aaaccctggg cgttaccaac ttaatcgctt tgcagcacat ccccttttcg      540
ccagctgggc gtaatanaga aaaggcccg cccgatcgcc cttccaacag ttgcgcacct      600
gaatgggnaa atgggacccc cctgttacgg cgcattnaac ccccgcnngg tttngttggt      660
acccccacnt nnaccgctta cactttgcca gcgccttanc gcccgcctcc tttcnccttt      720
cttcccttcc tttcncncn ctttcccccg ggggttcccc cntcaaacc cna                                773

```

&lt;210&gt; 4

&lt;211&gt; 828

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(828)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 4

```

cctcctgagt cctactgacc tgtgctttct ggtgtggagt ccagggtgc taggaaaagg      60
aatgggcaga cacaggtgta tgccaatgtt tctgaaatgg gtataatttc gtctctcct      120
tcggaacact ggctgtctct gaagacttct cgctcagttt cagtgaggac acacacaaag      180
acgtgggtga ccatgttgtt tgtgggtgac agagatggga ggggtggygc ccaccctgga      240
agagtggaca gtgacacaag gtggacactc tctacagatc actgaggata agctggagcc      300
acaatgcatg aggcacacac acagcaagga tgacnctgta aacatagccc acgctgtcct      360

```

```

gngggcactg ggaagcctan atnaggccgt gagcanaaag aaggggagga tccactagtt      420
ctanagcggc cgcaccgcg gtgganctcc ancttttgtt cccttttagtg agggttaatt      480
gcgcgcttgg cntaatcatg gtcatanctn tttcctgtgt gaaattgtta tccgctcaca      540
attccacaca acatacganc cggaaacata aantgtaaac ctgggggtgcc taatgantga      600
ctaactcaca ttaattgctg tgcgctcact gcccgctttc caatcnggaa acctgtcttg      660
ccncttgcat tnatgaatcn gccaaccccc ggggaaaagc gtttgctgtt tgggcgctct      720
tccgcttctc cnetcantta ntccctncnc tcggctcattc cggctgcngc aaaccgggtc      780
accnctcca aagggggtat tccggtttcc ccnaatccgg gganancc                      828

```

&lt;210&gt; 5

&lt;211&gt; 834

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(834)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 5

```

tttttttttt tttttactga tagatggaat ttattaagct tttcacatgt gatagcacat      60
agttttaatt gcatccaaag tactaacaaa aactctagca atcaagaatg gcagcatggt      120
attttataac aatcaacacc tgtggctttt aaaatttggg tttcataaga taattttatac      180
tgaagtaaat ctagccatgc ttttaaaaaa tgcttttaggt cactccaagc ttggcagtta      240
acatttgcca taaacaataa taaaacaatc acaatttaat aaataacaaa tacaacattg      300
taggccataa tcatatacag tataaggaaa aggtggtagt gttgagtaag cagttattag      360
aatagaatac cttggcctct atgcaaatat gtctagacac tttgattcac tcagccctga      420
cattcagttt tcaaagtagg agacagggtc tacagtatca ttttacagtt tccaacacat      480
tgaaaaaag tagaaaatga tgagttgatt tttattaatg cattacatcc tcaagagtta      540
tcaccaaccc ctgagttata aaaaattttc aagttatatt agtcatataa cttgggtgtgc      600
ttattttaaa ttagtgtctaa atggattaag tgaagacaac aatgggtccc taatgtgatt      660
gatattgggc atttttacca gcttctaaat ctnaactttc aggcctttga actggaacat      720
tgnatnacag tgttccanag ttncaaccta ctggaacatt acagtgtgct tgattcaaaa      780
tgttattttg ttaaaaatta aattttaacc tgggtgaaaa ataatttgaa atna          834

```

&lt;210&gt; 6

&lt;211&gt; 818

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(818)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 6

```

tttttttttt tttttttttt aagaccctca tcaatagatg gagacatata gaaatagtca      60
aaccacatct acaaaatgcc agtatcaggc ggcggcttcg aagccaaagt gatgtttgga      120
tgtaaagtga aatattagtt ggcggatgaa gcagatagtg aggaaagttg agccaataat      180
gacgtgaagt ccgtggaagc ctgtggctac aaaaaatggt gagccgtaga tgccgtcgga      240
aatgggtgaag ggagactcga agtactctga ggcttgtagg agggtaaaat agagaccag      300
taaaattgta ataagcagtg cttgaattat ttggtttcgg ttgttttcta ttagactatg      360
gtgagctcag gtgattgata ctccctgatgc gagtaatacg gatgtgttta ggagtgggac      420
ttctagggga tttagcgggg tgatgcctgt tggggggccag tgccctccta gttggggggg      480
aggggctagg ctggagtggg aaaaaggctca gaaaaatcct gcgaagaaaa aaacttctga      540

```

```

ggtaataaat aggattatcc cgtatcgaag gccttttttg acagggtggtg tgtggtggcc      600
ttggtatgtg ctttctcgtg ttacatcgcg ccatcattgg tatatgggta gtgtgttggg      660
ttantanggc ctantatgaa gaacttttgg antggaatta aatcaatngc ttggccggaa      720
gtcattanga nggctnaaaa ggccctgtta nggggtctggg ctnggtttta cccnaccat      780
ggaatncncc ccccggaacna ntgnatccct attcttaa      818

```

&lt;210&gt; 7

&lt;211&gt; 817

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(817)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 7

```

tttttttttt tttttttttt tggtctctaga gggggtagag ggggtgctat agggtaaata      60
cgggccctat ttcaaagatt tttaggggaa ttaattctag gacgatgggt atgaaactgt      120
ggtttgctcc acagatttca gagcattgac cgragtatac ccccggtcgt gtagcgggta      180
aagtggtttg gtttagacgt ccgggaattg catctgtttt taagcctaata gtggggacag      240
ctcatgagtg caagacgtct tgtgatgtaa ttattatacn aatgggggct tcaatcggga      300
gtactactcg attgtcaacg tcaaggagtc gcaggtcgcc tggttctagg aataatgggg      360
gaagtatgta ggaattgaag attaattccgc cgtagtcggg gttctcctag gttcaatacc      420
attggtggcc aattgatttg atggtaaggg gagggatcgt tgaactcgtc tgttatgtaa      480
aggatncctt ngggatggga aggcnatnaa ggactangga tnaatggcgg gcangatatt      540
tcaaacngtc tctanttcct gaaacgtctg aaatgttaat aanaattaaan tttngttatt      600
gaatnttnng gaaaagggct tacaggacta gaaaccaaata angaaaanta atnntaangg      660
cnttatcntn aaaggtnata accnctccta tnatcccacc caatngnatt cccacncnn      720
acnattggat nccccanttc canaaanggc cccccccgg tgnannccnc cttttgttcc      780
cttnantgan ggttattcnc cctngcntt atcance      817

```

&lt;210&gt; 8

&lt;211&gt; 799

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(799)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 8

```

catttccggg tttactttct aaggaaagcc gagcggaagc tgctaacgtg ggaatcggtg      60
cataaggaga actttctgct ggcacgcgct agggacaagc gggagagcga ctccgagcgt      120
ctgaagcgca cgtcccagaa ggtggacttg gcaactgaaac agctgggaca catccgcgag      180
tacgaacagc gcctgaaagt gctggagcgg gaggtccagc agtgtagccg cgtcctgggg      240
tgggtggccg angcctganc cgctctgcct tgctgcccc angtgggccg ccacccctg      300
acctgcctgg gtccaaacac tgagccctgc tggcggaact caagganaac cccacangg      360
ggattttgct cctanantaa ggctcatctg ggctctggcc cccccacctg gttggccttg      420
tctttgagt gagcccatg tccatctggg ccaactgtcng gaccacctt ngggagtgtt      480
ctccttacia ccacannatg cccggctcct cccggaaacc antcccance tngnaaggat      540
caagncctgn atccactnnt nctanaaccg gccncncng cngtggaaac cnccttntgt      600
tccttttcnt tnagggttaa tnnegccttg gccttnccan ngctctncnc ntttccnnt      660
gttnaaattg ttangcncnc ncnntcccn cnnncnnan cccgaccnnc annttnnann      720

```

nccctgggggt nccnnncgat tgaccenncc nccctntant tgcnttnggg nncnntgccc 780  
ctttccctct nggganncg 799

<210> 9

<211> 801

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(801)

<223> n = A,T,C or G

<400> 9

acgccttgat cctcccaggc tgggactggt tctgggagga gccgggcatg ctgtggtttg	60
taangatgac actcccaaag gtggtcctga cagtggccca gatggacatg gggctcacct	120
caaggacaag gccaccaggc gcgggggccc aagcccacat gatccttact ctatgagcaa	180
aatccctgt gggggcttct cctgaagtc cggcancagc gctcagtctt tggaccang	240
caggtcatgg ggtgtngnc caactggggg ccncaacgca aaanggcncg gggcctcngn	300
cacccatccc angacgcggc tacactnctg gacctccnc tccaccactt tcatgcgctg	360
ttcntaccgc cgnatntgtc ccantgttt cngtgcenac tccancttct nggacgtgcg	420
ctacatacgc ccggantcnc nctcccgctt tgtccctatc cacgtncan caacaaattt	480
cncntantg caccnattcc cacttttnc agntttcnc nncngcttc cttntaaaag	540
ggttganccc cggaaaatnc cccaaagggg gggggccngg tacccaactn cccctnata	600
gctgaantcc ccatnaccnn gntcnatgg ancnctent ttaannacn ttctnaactt	660
gggaananc ctcgncntn ccccnntaa tccnccttg cnangnnent ccccnntcc	720
nccnnntng gcntntnann cnaaaaaggc ccnnnancaa tctcctnnen cctcanttcg	780
ccanccctcg aaatcgccn c	801

<210> 10

<211> 789

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(789)

<223> n = A,T,C or G

<400> 10

cagtctatnt ggccagtgtg gcagctttcc ctgtggctgc cggtgccaca tgctgtccc	60
acagtgtggc cgtgggtgaca gcttcagccg ccctcaccgg gtccaccttc tcagccctgc	120
agatcctgcc ctacacactg gcctccctct accaccggga gaagcaggtg ttcttgccca	180
aataccgagg ggacactgga ggtgctagca gtgaggacag cctgatgacc agcttcctgc	240
caggccctaa gcctggagct cccttcccta atggacacgt ggggtgctgga ggcagtggcc	300
tgctcccacc tccaccgcg ctctgcgggg cctctgcctg tgatgtctcc gtacgtgtgg	360
tggtgggtga gccaccgan gccaggggtg ttccgggccc gggcatctgc ctggacctcg	420
ccatcctgga tagtgcttcc tgctgtccca ngtggcccca tccctgttta tgggctccat	480
tgccagctc agccagtctg tcactgccta tatggtgtct gccgcaggcc tgggtctggt	540
ccattttact ttgctacaca ggtantattt gacaagaacg anttggccaa atactcagcg	600
ttaaaaaatt ccagcaacat tgggggtgga aggcctgcct cactgggtcc aactccccgc	660
tcctgttaac cccatggggc tgccggcttg gccgccatt tctgttgctg ccaaantnat	720
gtggctctct gctgccacct gttgctggct gaagtgenta cngcncantc nggggggtng	780
gngttccc	789

<210> 11  
 <211> 772  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(772)  
 <223> n = A,T,C or G

<400> 11  
 cccaccctac ccaaatatta gacaccaaca cagaaaagct agcaatggat tcccttctac 60  
 tttgttaaat aaataagtta aatattttaa tgcctgtgtc tctgtgatgg caacagaagg 120  
 accaacaggc cacatcctga taaaaggtaa gaggggggtg gatcagcaaa aagacagtgc 180  
 tgtgggctga ggggacctgg ttcttgtgtg ttgcccctca ggactcttcc cctacaaata 240  
 actttcatat gttcaaatcc catggaggag tgtttcatcc tagaaactcc catgcaagag 300  
 ctacattaaa cgaagctgca ggttaagggg cttanagatg ggaaaccagg tgactgagtt 360  
 tattcagctc ccaaaaaccc ttctctaggt gtgtctcaac taggaggcta gctgttaacc 420  
 ctgagcctgg gtaatccacc tgcagagtc ccgcattcca gtgcatggaa cccttctggc 480  
 ctccctgtat aagtccagac tgaaccccc ttggaaggnc tccagtcagg cagccctana 540  
 aactggggaa aaaagaaaag gacgccccan ccccagctg tgcantacg cacctcaaca 600  
 gcacaggggtg gcagcaaaaa aaccacttta ctttggcaca aacaaaaact ngggggggca 660  
 accccggcac cccnangggg gttaacagga ancnnggnaa cntggaaccc aattnaggca 720  
 ggcccnccac ccnaatntt gctgggaaat ttttctccc ctaaattntt tc 772

<210> 12  
 <211> 751  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(751)  
 <223> n = A,T,C or G

<400> 12  
 gccccaatc cagctgccac accaccacg gtgactgcat tagttcggat gtcatacaaa 60  
 agctgattga agcaaccctc tacttttttg tctgtagcct tttgcttggg gcagggttca 120  
 ttggctgtgt tggtagcgtt gtcattgcaa cagaatgggg gaaaggcact gttctctttg 180  
 aagtanggtg agtcctcaaa atccgtatag ttggtgaagc cacagcactt gagccctttc 240  
 atggtggtgt tccacacttg agtgaagtct tcctgggaac cataatcttt cttgatggca 300  
 ggcactacca gcaacgtcag ggaagtgtc agccattgtg gtgtacacca aggcgaccac 360  
 agcagctgcn acctcagcaa tgaagatgan gaggangatg aagaagaacg tcncgagggc 420  
 acacttgctc tcagtettan caccatanca gcccntgaaa accaananca aagaccacna 480  
 cncggctgc gatgaagaaa tnacccncg ttgacaaact tgcattggcac tggganccac 540  
 agtggcccna aaaatcttca aaaaggatgc cccatcnatt gaccccccaa atgcccactg 600  
 ccaacagggg ctgccccacn cncnnaacga tgancnatt gnacaagatc tncntggtct 660  
 tnatnaacnt gaacctgcn tngtggctcc tgttcaggnc cnnggcctga cttctnaann 720  
 aangaactcn gaagncccca cngganann g 751

<210> 13  
 <211> 729  
 <212> DNA  
 <213> Homo sapien



<220>  
 <221> misc\_feature  
 <222> (1)...(729)  
 <223> n = A,T,C or G

<400> 13  
 gagccaggcg tcctctgcc tgccactca gtggcaacac ccgggagctg ttttgcctt 60  
 tgtggancct cagcagtncc ctctttcaga actcantgcc aaganccctg aacaggagcc 120  
 accatgcagt gcttcagctt cattaagacc atgatgatcc tcttcaattt gctcatcttt 180  
 ctgtgtggtg cagccctggt ggagtggtg atctgggtgt caatcgatgg ggcatccttt 240  
 ctgaagatct tcgggccact gtcgtccagt gccatgcagt ttgtcaacgt gggctacttc 300  
 ctcatcgag ccggcggtgt ggtcttagct ctagggtttcc tgggctgcta tgggtgctaag 360  
 actgagagca agtgtgccct cgtgacgttc ttcttcaccc tccctcccat cttcattgct 420  
 gaggttgcaa tgctgtggtc gccttggtgt acaccacaat ggctgagcac ttcctgacgt 480  
 tgctggtaat gcctgccatc aanaaaagat tatgggttcc caggaanact tcaactcaagt 540  
 gttggaacac caccatgaaa gggctcaagt gctgtggctt cnnccaacta tacggatttt 600  
 gaagantcac ctacttcaaa gaaaanagtg cctttccccc atttctgttg caattgacaa 660  
 acgtccccaa cacagccaat tgaaaacctg cacccaaccc aaanggggtcc ccaaccanaa 720  
 attnaaggg 729

<210> 14  
 <211> 816  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(816)  
 <223> n = A,T,C or G

<400> 14  
 tgctcttcc caaagttgtt cttgttgcca taacaaccac cataggtaaa gcgggcgag 60  
 tgctcgctga aggggttgta gtaccagcgc gggatgctct ccttgagag tccgtgtct 120  
 ggcaggtcca cgcagtcccc ttgtcactg gggaaatgga tgcgctggag ctgctcaaag 180  
 ccaactcgtg atttttcaca ggcagcctcg tccgacgct cggggcagtt ggggggtgt 240  
 tcacactcca ggaaactgtc natgcagcag ccattgctgc agcggaaactg ggtgggctga 300  
 cangtgccag agcacactgg atggcgctt tccatggnan gggccctgng ggaaagtccc 360  
 tganceccan anctgcctct caaangcccc acctgacaca ccccgacagg ctagaatgga 420  
 atcttcttcc cgaaaggtag ttnttcttgt tgcccaancc anccccntaa acaaactctt 480  
 gcanatctgc tccngggggg tentantacc ancgtgggaa aagaacccca ggcngcgaac 540  
 caancttgtt tggatncgaa gcnataatct nctnttctgc ttggtggaca gcaccantna 600  
 ctgtnnanct ttagnccntg gtcctcntgg gttgncttg aacctaactn ccnntcaact 660  
 gggacaaggt aantngcct cctttnaatt cccnancntn cccctggtt tgggggttt 720  
 cncnctccta cccagaaan nccgtgttcc cccccaacta ggggccnaaa ccnntnttc 780  
 cacaacctn cccacccac ggggtcngnt ggttng 816

<210> 15  
 <211> 783  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(783)  
 <223> n = A,T,C or G

&lt;400&gt; 15

ccaaggcctg ggcaggcata nacttgaagg tacaacccca ggaacccctg gtgctgaagg	60
atgtggaaaa cacagattgg cgectactgc ggggtgacac ggatgtcagg gtagagagga	120
aagacccaaa ccagggtggaa ctgtggggac tcaaggaang cacctacctg ttccagctga	180
cagtgtactag ctacagaccac ccagaggaca cggccaacgt cacagtcact gtgctgtcca	240
ccaagcagac agaagactac tgcctcgcat ccaacaangt gggtcgctgc cggggctctt	300
ttccacgctg gtactatgac cccacggagc agatctgcaa gagtttcgtt tatggaggct	360
gcttggggcaa caagaacaac taccttcggg aagaagagtg cattctancc tgtcnnggtg	420
tgaaggtgg gcctttgana ngcanctctg gggctcangc gactttcccc caggggccct	480
ccatggaaa ggcgcatcca ntgttctctg gcacctgtca gcccacccag ttccgctgca	540
ncaatggctg ctgcactnac antttcctng aattgtgaca acacccccca ntgccccaa	600
ccctcccaac aaagcttccc tgttnaaaa tacnccantt ggcttttnac aaacnccgg	660
cncctcctt ttccccnntn aacaaagggc nctngcctt gaactgccc aaccnngaa	720
tctnccnngg aaaaantncc cccctgggt cctnnaance cctcncnaa anctncccc	780
ccc	783

&lt;210&gt; 16

&lt;211&gt; 801

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(801)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 16

gccccaatc cagctgccac accaccacg gtgactgcat tagttcggat gtcatacaaa	60
agctgattga agcaaccctc tactttttgg tctgagcct ttgcttggg gcaggtttca	120
ttggctgtgt tggtagcgtt gtcattgcaa cagaatggg gaaaggcact gttctctttg	180
aagttaggtg agtcctcaaa atccgtatag ttggtgaagc cacagcactt gagccctttc	240
atggtggtgt tccacacttg agtgaagtct tcctgggaac cataatcttt cttgatggca	300
ggcactacca gcaacgtcag gaagtgtcga gccattgtgg tgtacaccaa ggcgaccaca	360
gcagctgcaa cctcagcaat gaagatgagg aggaggatga agaagaacgt cncgagggca	420
cacttgctct cgtcttagc accatagcag cccangaaac caagagcaaa gaccacaacg	480
ccngctgca atgaaagaaa ntaccacgt tgacaaactg catggccact ggacgacagt	540
tgccccgaan atcttcagaa aagggatgcc ccacgattg aacaccana tgccactgc	600
cnacagggct gcncncncn gaaagaatga gccattgaag aaggatcnc ntggtcttaa	660
tgaactgaaa cntgcatgg tggccctgt tcagggctct tggcagtgaa ttctganaaa	720
aaggaaacngc nttagcccc ccaaangana aaacaccccc ggggtgttgc ctgaattggc	780
ggccaaggan cctgccccn g	801

&lt;210&gt; 17

&lt;211&gt; 740

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(740)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 17

gtgagagcca ggcgtccctc tgctgccc ctcagtggca acaccggga gctgttttgt	60
--	----

cctttgtgga	gcctcagcag	ttccctcttt	cagaactcac	tgccaagagc	cctgaacagg	120
agccaccatg	cagtgttca	gcttcattaa	gaccatgatg	atcctcttca	atttgcctat	180
ctttctgtgt	ggcgcagccc	tggtggcagt	gggcatctgg	gtgtcaatcg	atggggcatc	240
ctttctgaag	atcttcgggc	cactgtcgtc	cagtgccatg	cagtttgtca	acgtgggcta	300
cttcctcatc	gcagccggcg	ttgtggtctt	tgctcttggg	ttcctgggct	gctatgggtg	360
taagacggag	agcaagtgtg	ccctcgtgac	gttctctctc	atcctcctcc	tcctcttcat	420
tgctgaagtt	gcagctgctg	tggtcgcctt	gggtgtacacc	acaatggctg	aaccattcct	480
gacgttgctg	gtantgcctg	ccatcaanaa	agattatggg	ttcccaggaa	aaattcactc	540
aantntggaa	caccnccatg	aaaagggtc	caatttctgn	tggtctcccc	aactataccg	600
gaattttgaa	agantcnccc	tacttccaaa	aaaaaanant	tgcttttncc	ccntttctgt	660
tgcaatgaaa	acntcccaan	acngccaatn	aaaacctgcc	cnnncaaaaa	ggntcncaaa	720
caaaaaaant	nnaagggtcn					740

&lt;210&gt; 18

&lt;211&gt; 802

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(802)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 18

ccgctgggtg	cgctgggtcca	gngnagccac	gaagcacgtc	agcatacaca	gcctcaatca	60
caaggtcttc	cagctgccgc	acattacgca	gggcaagagc	ctccagcaac	actgcatatg	120
ggatacactt	tacttttagca	gccaggggtga	caactgagag	gtgtcgaagc	ttattcttct	180
gagcctctgt	tagtggagga	agattccggg	cttcagctaa	gtagtacgcy	tatgtcccat	240
aagcaaacac	tgtgagcagc	cggaaaggtag	aggcaaaagtc	actctcagcc	agctctctaa	300
cattgggcat	gtccagcagt	tctccaaaca	cgtagacacc	agnggcctcc	agcacctgat	360
ggatgagtgt	ggccagcgct	gcccccttgg	ccgacttggc	taggagcaga	aattgctcct	420
ggttctgccc	tgtcaccttc	acttccgcac	tcactactgc	actgagtgtg	ggggacttgg	480
gctcaggatg	tccagagacg	tggttccgcc	ccctcnctta	atgacaccgn	ccanncaacc	540
gtcggctccc	gcccantgng	ttcgtcgtnc	ctgggtcagg	gtctgctggc	cnctacttgc	600
aancctcgtc	ngggccatgg	aattcaccnc	accggaactn	gtangatcca	ctnnttctat	660
aaccgngcgc	caccgcnnt	ggaactccac	tcttnttncc	tttacttgag	ggttaagggtc	720
acccttnncg	ttaccttggg	ccaaaccntn	ccntgtgtcg	anatngtnaa	tcnggnccna	780
tnccanccnc	atangaagcc	ng				802

&lt;210&gt; 19

&lt;211&gt; 731

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(731)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 19

cnaagcttcc	aggtnacggg	ccgnaaanc	tgaccnagg	tancanaang	cagnncgcgg	60
gagcccaccg	tcacngngng	gngtctttat	nggagggggc	ggagccacat	cnctggacnt	120
cntgacccca	actcccncnc	ncncantgca	gtgatgagtg	cagaactgaa	ggtnacgtgg	180
caggaaacaa	gancaaannc	tgctccnntc	caagtccgcn	nagggggcgg	ggctggccac	240
gcncatccnt	cnagtgtgn	aaagccccnn	cctgtctact	tgtttggaga	acngcnngga	300

catgcccagn	gttanataac	nggcngagag	tnantttgcc	tctcccttcc	ggctgcgcag	360
cgngtntgct	tagnggacat	aacctgacta	cttaactgaa	cccnngaate	tnccnccct	420
ccactaagct	cagaacaaaa	aacttcgaca	ccactcantt	gtcacctgnc	tgctcaagta	480
aagtgtaccc	catncccaat	gtntgctnga	ngctctgncc	tgcnttangt	tcggtcctgg	540
gaagacctat	caattnaagc	tatgtttctg	actgcctctt	gctccctgna	acaancnacc	600
cnnnntcca	agggggggnc	ggcccccaat	ccccccaacc	ntnaattnan	tttancccn	660
ccccnggcc	cggcctttta	cnancntenn	nnacngggna	aaaccnnngc	tttncccaac	720
nnaatccncc	t					731

&lt;210&gt; 20

&lt;211&gt; 754

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(754)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 20

ttttttttt	ttttttttt	taaaaacccc	ctccattnaa	tgnaaacttc	cgaaattgtc	60
caacccccct	ntccaaatnn	ccntttccgg	gnggggggtc	caaacccean	ttanntttgg	120
annttaaatt	aaatnttnnt	tgngggnnna	ancnaatgt	angaaagt	naaccanta	180
tnancctnaa	tnccctggaaa	ccngtngntt	ccaaaaatnt	ttaaccctta	antccctccg	240
aaatngttna	nggaaaaccc	aantttctnt	aagggtgttt	gaaggntnaa	tnaaaaancc	300
nnccaattgt	ttttngccac	gcctgaatta	attggnttcc	gntgttttcc	nttaaaanaa	360
ggnnancccc	ggttantnaa	tcccccnnc	cccaattata	ccganttttt	ttngaattgg	420
gancccnccg	gaattaacgg	ggnnntccc	tnttgggggg	cnggncccc	ccccntccgg	480
ggttngggnc	aggnccnaat	tgtttaaggg	tccgaaaaat	ccctccnaga	aaaaaanctc	540
ccaggntgag	nntnggggtt	nncccccccc	cangggccct	ctcgnaag	tggggtttgg	600
ggggcctggg	attttntttc	ccctnttnc	tcccccccc	ccnggganag	aggttngngt	660
tttgntcnn	ggccccnccn	aagancttn	ccganttnan	ttaaatccnt	gcctnggcga	720
agtcnttgn	agggntaaan	ggccccctnn	cggg			754

&lt;210&gt; 21

&lt;211&gt; 755

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(755)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 21

atcanccecat	gacccnaac	nggggacnc	tcancggnc	nnncnaccnc	cggccnatca	60
nngtnagnnc	actncnttn	natcacncc	cncnactac	gcccnananc	cnacgcnccta	120
nncanatncc	actganngcg	cgangtngan	ngagaaanct	nataccanag	ncaccanacn	180
ccagctgtcc	nanaangcct	nnnatacngg	nnnatccaat	ntgnancctc	cnaagtattn	240
nnncnccan	gattttcctn	anccgattac	centncccc	tanccctcc	cccccaacna	300
cgaaggcnct	ggncnaagg	nngcgncnc	ccgctagntc	cccncaagt	cncncncccta	360
aactcancn	nattacncgc	ttcntgagta	tactccccg	aatctcacc	tactcaactc	420
aaaaanacn	gatacaaaat	aatncaagcc	tgnttatnac	actntgactg	ggtctctatt	480
ttagnngtcc	ntnaancntc	ctaatacttc	cagtctncc	tcnccaattt	ccnaanggct	540
ctttcngaca	gcantttttg	gttcccnntt	gggttcttan	ngaattgccc	ttcntngaac	600

```

gggctctctt tttccttcgg ttancctggg ttcnncgggc cagttattat ttcccntttt 660
aaattcttnc cntttanttt tggcnttcna aacccccggc cttgaaaacg gccccctggg 720
aaaagggtgt tttganaaaa tttttgtttt gtcc 755

```

&lt;210&gt; 22

&lt;211&gt; 849

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(849)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 22

```

tttttttttt tttttangtg tngtcgtgca ggtagaggct tactacaant gtgaanacgt 60
acgctnggan taangcgacc cgantttctag gannccctt aaaatcanac tgtgaagatn 120
atcctgnnna cggaanggtc accggnggat nntgctaggg tgncncttc cannncttn 180
cataactcng nggcccctgcc caccaccttc ggcgcccng ngncggggcc cgggtcattn 240
gnnttaaccn cactnngcna ncggtttccn nccccnncg acccngggca tccgggggtnc 300
tctgtcttcc cctgnagncn anaaantggg ccncggncct ctttaccctt nnacaagcca 360
cngccttcta nccnngccc cccctccant nngggggact gccnanngt cgttntctng 420
nnaccccnnn gggtncctcg gttgtcgant cnaccgnang ccanggatc cnaaggaagg 480
tgcgttnttg gccctaccc ttcgctncgg nncaccttc ccgacnanga nccgtccccg 540
cncnncgng cctcncctcg caacaccgc nctctcngt ncggnnnccc ccccaccgc 600
nccctcncnc ngncgnancn ctcncncc gtctcannca ccacccgcc ccgccaggcc 660
ntcanccacn ggngacnng nagnccntc gcncgcgc gcgnccctt cgcncngaa 720
ctnctcngg ccantnncg tcaancnna cnaaacgcc ctgcgcggcc cgnagcgncc 780
ncctccnca gtcctcccg cttccnacc angnttccn cgaggacacn nnacccgcc 840
nncangcgg 849

```

&lt;210&gt; 23

&lt;211&gt; 872

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(872)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 23

```

gcgcaaaacta tacttcgtc gnactcgtgc gcctcgtcnc tcttttcctc cgcaaccatg 60
tctgacnanc ccgattnggc ngatctcnan aagntcganc agtccaaact gantaacaca 120
cacacnncan aganaaatcc nctgccttcc anagtanacn attgaacnng agaaccangc 180
ngggaatcg taatnaggcg tgcgcgcca atntgtcnc gtttatntn ccagctcnc 240
ctnccnacc tactcttcn nagtgcnn acccctngtn cgnaccccc naggtcggga 300
tcgggtttn nntgaccng cnccecttc cccctccat nacganccnc ccgcaccacc 360
nanngcncgc nccccgnct cttgcncnc ctgtcctntn cccctgtngc ctggcncngn 420
accgcattga cctcgcncn ctncnngaaa ncgnanacgt ccgggttgnn annancgctg 480
tgggnnngcg tetgcncgc gttccttcn ncncttcca ccattctct tacnnggtct 540
ccncgcctc tcnncacnc cctgggacgc tntcctntgc ccccttnac tccccctt 600
cgnctgncc cgnccccacc ntcatttnca nacgtcttc acaannccet ggntnctcc 660
cnancngcn gtcancnag ggaagggng ggncnntg nttgacgttg ngngangtc 720
cgaanctcc tcnctncan cctaccctt cgggcgnct ctngttncc aacttancaa 780

```

ntctcccccg ngngcncntc tcagcctcnc cncccccnct ctctgcantg tncctetgetc 840  
tnaccnntac gantnttcgn cncctctctt cc 872

<210> 24

<211> 815

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(815)

<223> n = A,T,C or G

<400> 24

gcacgcaagc	ttgagtattc	tatagngtca	cctaaatanc	ttggcntaat	catggctnta	60
nctgncttcc	tgtgtcaa	gtatacna	tanatatga	tctnatntga	caaganngta	120
tctntcatta	gtaacaantg	tnntgtccat	cctgtcngan	canattccca	tnnattncgn	180
cgcattcncn	gncantatn	taatngggaa	ntcnntnnnn	ncaccnncat	ctatcctncc	240
gncacctgac	tggagagat	ggatnantt	tnntntgacc	nacatgttca	tcttggattn	300
aanancccc	cgngnccac	cggttngnng	cnagecnnct	ccaagacctc	ctgtggaggt	360
aacctgcgtc	aganncatca	aacntgggaa	acccgcnncc	angtnnaagt	ngnnncanan	420
gateccgtcc	aggnttnacc	atcccttcnc	agcgcacct	ttngtgcctt	anagnnagc	480
gtgtccnanc	cncctaacat	ganacgcgcc	agnccanccg	caattnggca	caatgtcgnc	540
gaaccccccta	gggggantna	tncaaanccc	caggattgtc	cncncangaa	atcccnanc	600
ccnccctac	ccncttttg	gacngtgacc	aantcccgga	gtncacgtcc	ggcncngctc	660
ccccaccggt	nnccttggg	gggtgaanct	cngnntcanc	cngncgaggn	ntcgnaagga	720
accggnccctn	ggncgaann	ancnntcnga	agngccnct	cgtataaacc	cccccncca	780
nccnacngnt	agntcccccc	cngggtnccg	aangg			815

<210> 25

<211> 775

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(775)

<223> n = A,T,C or G

<400> 25

ccgagatgtc	tcgctccgtg	gccttagctg	tgctcgcgct	actctctctt	tctggcctgg	60
aggctatcca	gcgtactcca	aagattcagg	tttactcacg	tcacccagca	gagaatggaa	120
agtcaaattt	cctgaattgc	tatgtgtctg	ggtttcatcc	atccgacatt	gaanttgcct	180
tactgaagaa	tgganagaga	attgaaaaag	tggagcattc	agacttgtct	ttcagcaagg	240
actggtcttt	ctatctcntg	tactacactg	aattcacccc	cactgaaaaa	gatgagtatg	300
cctgccgtgt	gaaccatgtg	actttgtcac	agcccaagat	agttaagtgg	gatcgagaca	360
tgtaagcagn	cnncatggaa	gtttgaagat	gccgcatttg	gattggatga	attccaaatt	420
ctgcttgctt	gcntttta	antgatatgc	ntatacaccc	taccttttat	gnccccaaat	480
tgtaggggtt	acatnantgt	tcnctnngga	catgatcttc	ctttataant	ccnccnttcg	540
aattgccggt	cncnngttn	ngaagtgttc	cnnaaccacg	ggtggctccc	ccaggtcncc	600
tcttacggaa	gggcctgggc	cnccttncaa	ggttggggga	accnaaaatt	tcncttntgc	660
ccncccncca	cnnctctgng	nncncanttt	ggaaccttcc	cnattcccc	tggcctcnna	720
nccttnncta	anaaaacttn	aaancgtngc	naaanntttn	acttcccccc	ttacc	775

<210> 26

<211> 820  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(820)  
 <223> n = A,T,C or G

<400> 26  
 anattantac agtgraatct tttcccagag gtgtgtanag ggaacggggc ctagaggcat 60  
 cccanagata ncttatanca acagtgtctt gaccaagagc tgctgggcac atttcctgca 120  
 gaaaagggtgg cgggtcccat cactcctcct ctcccatagc catcccagag ggggtgagtag 180  
 ccatcangcc ttcggtggga gggagtcang gaaacaacan accacagagc anacagacca 240  
 ntgatgacca tgggcgggag cgagcctctt ccctgnaccg ggggtggcana nganagccta 300  
 nctgaggggt cacactataa acgttaacga ccnagatnan cacctgtctc aagtgcaccc 360  
 ttcctacctg acnaccagng accnnnaact gcngcctggg gacagcncctg ggancagcta 420  
 acnnagcact cacctgcccc cccatggcgg tncgntccc tggtcctgnc aagggaagct 480  
 cctgttgga attncgggga naccaaggga nccccctcct ccactgtga aggaaaaann 540  
 gatggaattt tnccttccg gccnntcccc tcttcttta cagccccct nntactctc 600  
 tccctctntt ntcctgnenc acttttnacc ccnnnatttc ccttnattga tcggannctn 660  
 ganattccac tnnccctnc cntcnatcng naanacnaaa naetntctna ccnggggat 720  
 gggnnccctg ntcactctct cttttctnct accncnntt ctttgctct ccttngatca  
 780tccaaccntc gntggccntn cccccnnn tcttttcccc  
 820

<210> 27  
 <211> 818  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(818)  
 <223> n = A,T,C or G

<400> 27  
 tctgggtgat ggcctcttcc tctcagggga cctctgactg ctctgggcca aagaatctct 60  
 tgtttcttct ccgagcccca ggcagcgggtg attcagccct gcccaacctg attctgatga 120  
 ctgcggatgc tgtgacggac ccaaggggca aatagggtcc cagggtccag ggaggggcgc 180  
 ctgctgagca ctccgcccc tcacctgcc cagccctgc catgagctct gggctgggtc 240  
 tccgctcca gggttctgct ctccangca ngccancaag tggcgtggg ccacactggc 300  
 ttcttctgct ccctccctg gctctgante tctgtcttcc tgtcctgtgc angcnccttg 360  
 gatctcagtt tccctcctc anngaactct gttctgann tcttcantta actntgantt 420  
 tatnaccnan tggncgtgnc tgtcnnactt taatgggcn gaccggctaa tccctccctc 480  
 nctcccttcc anttcnnna accngctnc cntctctcc cntancccg ccngggaanc 540  
 ctcttttggc ctnaccangg gccnnnaccg ccctnnctn ggggggcng gttnctncnc 600  
 ctgntnnccc cncctcnnt tncctcgtec cncnncgen nngcannttc ncngtcccn 660  
 tnnctcttcn ngntcgnaa ngntcncntn tnnnnngnc ngntnntnnc tccctctenc 720  
 cnnntgnang tnnntnnnc ncngncccc nnnnnnnnn nggnntnnn tctnncngc 780  
 cccncccc ngnattaagg cctcnnctc ccggcnc 818

<210> 28  
 <211> 731  
 <212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(731)

<223> n = A,T,C or G

<400> 28

```

aggaagggcg gagggatatt gtangggatt gagggatagg agnataangg gggaggtgtg      60
tcccaacatg anggtgnngt tctcttttga angaggggtg ngtttttann ccnggtgggt      120
gattnaaccc cattgtatgg agnnaaagggn tttnagggat ttttcggctc ttatcagtat      180
ntanattcct gtnaatcgga aaatnatntt tcnnncnggaa aatnttgctc ccatccgnaa      240
attnctcccg ggtagtgcac nttnggggggn cngccangtt tcccaggctg ctanaatcgt      300
actaaagntt naagtgggan tncaaatgaa aacctnncac agagnatccn tacccgactg      360
tnnntnctt tcgcctntg actctgcnng agcccaatac ccnngngnat gtcccccnng      420
nnngcgcnc tgaannnnnc tcngggctnn gancatcang ggggttcgca tcaaaagcnn      480
cgtttcncat naaggcactt tngcctcatc caaccnctng ccctcnncca tttngccgtc      540
nggttncctt acgctnntng cncctnnntn ganattttnc ccgcctnggg naancctcct      600
gnaatgggta gggncctntc ttttnaccnn gnggtntact aatcnnctnc acgcntnctt      660
tctcnacccc cccctttttt caatcccanc ggcnatggg gtctccccnn cgangggggg      720
nnncccannc c

```

<210> 29

<211> 822

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(822)

<223> n = A,T,C or G

<400> 29

```

actagtccag tgtggtggaa ttccattgtg ttggggcnc tttatgant antnttagat      60
cgctcanacc tcacanctc ccnacnangc ctataangaa nannaataga nctgtncnt      120
atnntacnc tcatanncct cnnnaccac tccctcttaa ccntactgt gcctatngcn      180
tnnctantct ntgcgcctn cnanccaccn gtgggcnac cncnngnatt ctcnatctcc      240
tcnccatntn gcctananta ngtncatacc ctatacctac nccaatgcta nnnctaancn      300
tccatnantt annntaacta cactgaent ngactttcnc atnanctcct aatttgaatc      360
tactctgact cccacngcct annnattagc anntcccc nacnatntct caaccaaadc      420
ntcaacaacc tatctanctg ttcnccaacc ntnnctcctg atccccnnac aacccccctc      480
ccaaataccc nccacctgac ncctaaccn caccatcccg gcaagccnan ggncatttan      540
ccactggaat cacnatngga naaaaaaaac cnaactctc tancncnnat ctccctaana      600
aatnctcctn naatttactn ncantnccat caancccaen tgaaacnnaa cccctgtttt      660
tanatccctt ctttcgaaaa ccnacccttt annncccaac ctttngggcc ccccnctnc      720
ccnaatgaag gncncccaat cnangaaacg nccntgaaaa ancnaaggcna anannntccg      780
canatcctat cccttanttn ggggnccctt nccengggcc cc

```

<210> 30

<211> 787

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature



&lt;222&gt; (1)...(787)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 30

cgcccgccctg	ctctggcaca	tgcctcctga	atggcatcaa	aagtgatgga	ctgcccattg	60
ctagagaaga	ccttctctcc	tactgtcatt	atggagccct	gcagactgag	ggctccccctt	120
gtctgcagga	tttgatgtct	gaagtcgtgg	agtgtggctt	ggagctcctc	atctacatna	180
gctggaagcc	ctggaggggcc	tctctcgcca	gcctccccct	tctctccacg	ctctccangg	240
acaccagggg	ctccaggcag	cccattattc	ccagnangac	atgggtgttc	tccacgcgga	300
cccatggggc	ctgnaaggcc	aggggtctct	ttgacaccat	ctctcccgct	ctgcctggca	360
ggcctgggga	tccactantt	ctanaacggg	cgccaccncc	gtgggagctc	cagcttttgt	420
tcccnttaat	gaagggttaat	tgcncgcttg	gcgtaatcat	nggtcanaac	tntttcctgt	480
gtgaaattgt	ttntccccct	ncnatccnc	ncnacatacn	aaccgggaan	cataaagtgt	540
taaagcctgg	gggtngcctn	nngaataaac	tnaactcaat	taattgcgtt	ggctcatggc	600
ccgctttccn	ttcnggaaaa	ctgtcntccc	ctgcnttnnt	gaatcggcc	ccccccnggg	660
aaaagcgggt	tgcnttttng	ggggntccct	ccnttccccc	cctcncctaa	ccctnccgct	720
cggtcgttnc	nggtngcggg	gaangggnat	nnnctccenc	naagggggng	agnnngntat	780
ccccaaa						787

&lt;210&gt; 31

&lt;211&gt; 799

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(799)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 31

tttttttttt	tttttttggc	gatgctactg	tttaattgca	ggaggtgggg	gtgtgtgtac	60
catgtaccag	ggctattaga	agcaagaagg	aaggaggagg	ggcagagcgc	cctgctgagc	120
aacaaaggac	tccgtcagcc	ttctctgtct	gtctcttggc	gcaggcacat	ggggaggcct	180
cccgaggggt	ggggggccacc	agtccagggg	tgggagcact	acanggggtg	ggagtgggtg	240
gtggctggtn	cnaatggcct	gncacanatc	cctacgattc	ttgacacctg	gatttcacca	300
ggggaccttc	tgttctccca	nggnaacttc	ntnnatctcn	aaagaacaca	actgtttctt	360
cngcanttct	ggctgttcat	ggaaagcaca	ggtgtccnat	ttnggctggg	acttggtaca	420
tatggttccg	gcccacctct	ccntcnaaa	aagtaattca	cccccccccn	ccntctnttg	480
cctgggcccct	taantaccca	caccggaact	canttantta	ttcatcttng	gntgggcttg	540
ntnatcnccn	cctgaangcg	ccaagttgaa	aggccacgcc	gtncnccnctc	cccatagnan	600
nttttnnent	canctaatac	ccccccnggc	aacnatccaa	ttcccccccn	tggggggccc	660
agcccanggc	ccccgnctcg	ggnnnccngn	cncgnantcc	ccaggntctc	ccantcngnc	720
ccnnngcncc	ccgcacgcga	gaacanaagg	ntngagccnc	cgcannnnnn	nggtnnncnac	780
ctcgcccccc	ccnnccngng					799

&lt;210&gt; 32

&lt;211&gt; 789

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(789)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 32

tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	60
ttttncnag	ggcagggtta	ttgacaacct	cncgggacac	aancaggctg	gggacaggac	120
ggcaacaggc	tccggcggcg	gcggcggcgg	ccctacctgc	ggtaccaa	ntgcagcctc	180
cgctcccgt	tgatnttct	ctgcagctgc	aggatgccnt	aaaacagggc	ctcggccntn	240
ggtgggcacc	ctgggatttn	aatttccacg	ggcacaatgc	ggtcgcance	cctcaccacc	300
nattaggaat	agtggtnnta	ccnccnccg	ttggcncact	ccccntggaa	accacttntc	360
gcggctccgg	catctggctc	taaaccttgc	aaacnctggg	gccctctttt	tggttantnt	420
nccngccaca	atcatnactc	agactggcnc	gggctggccc	caaaaaancn	ccccaaaacc	480
ggncatgtc	ttnnccgggt	tgctgcnatn	tncatcacct	cccgggcnca	ncaggncaac	540
ccaaaagttc	ttngggcccn	caaaaaanct	ccggggggnc	ccagtttcaa	caaagtcac	600
ccccttggcc	cccaa	atcct	cccccgntt	nctgggtttg	ggaacccacg	660
tggnnggcaa	gntggntccc	ccttcggggc	cccgggtggc	ccnntcttaa	ngaaaacncc	720
ntcctnnnca	ccatcccccc	nngnnacgnc	tancaangna	tccctttttt	tanaaacggg	780
ccccccncg						789

&lt;210&gt; 33

&lt;211&gt; 793

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (793)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 33

gacagaacat	gttggatggt	ggagcacctt	tctatacgac	ttacaggaca	gcagatgggg	60
aattcatggc	tggttgagca	atanaacccc	agttctacga	gctgctgac	aaaggacttg	120
gactaaagtc	tgatgaactt	cccaatcaga	tgagcatgga	tgattggcca	gaaatgaana	180
agaagtttgc	agatgtattt	gcaaagaaga	cgaaggcaga	gtggtgtcaa	atctttgacg	240
gcacagatgc	ctgtgtgact	ccggttctga	cttttgagga	ggttgttcat	catgatcaca	300
acaangaacg	gggctcgttt	atcaccantg	aggagcagga	cgtgagcccc	cgccctgcac	360
ctctgctgtt	aaacacccca	gccatccctt	ctttcaaaag	ggatccacta	cttctagagc	420
ggncgccacc	gcggtggagc	tccagctttt	gttcccttta	gtgagggtta	attgcgcgct	480
tggtcgtaac	atggtcatan	ctgtttcctg	tgtgaaattg	ttatccgctc	acaattccac	540
acaacatacg	anccggaagc	atnaaatttt	aaagcctggg	ggtngcctaa	tgantgaact	600
nactcacatt	aattggcttt	gcgctcactg	cccgttttcc	agtccggaaa	acctgtcctt	660
gccagctgcc	nttaatgaat	cnggccaccc	cccggggaaa	aggcngtttg	cttnttgggg	720
cgcncctccc	gctttctcgc	ttcctgaant	ccttcccccc	ggtctttcgg	cttgccgcna	780
acggtatcna	cct					793

&lt;210&gt; 34

&lt;211&gt; 756

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (756)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 34

gccgcgaccg	gcatgtacga	gcaactcaag	ggcgagtggg	accgtaaaag	ccccaatctt	60
ancaagtgcg	gggaanagct	gggtcgactc	aagctagttc	ttctggagct	caacttcttg	120

```

ccaaccacag ggaccaagct gaccaaacag cagctaattc tggcccgatga catactggag 180
atcgggggccc aatggagcat cctacgcaan gacatcccct ccttcgagcg ctacatggcc 240
cagctcaaat gctactactt tgattacaan gagcagctcc ccgagtcagc ctatatgcac 300
cagctcttgg gcctcaacct cctcttcctg ctgtcccaga accgggtggc tgantnccac 360
acgganttgg ancggctgcc tgccaanga catacanacc aatgtctaca tcnaccacca 420
gtgtcctgga gcaatactga tgganggcag ctaccncaaa gtnttcctgg ccnagggtaa 480
catccccgc cgagagctac accttcttca ttgacatcct gctcgacact atcagggatg 540
aaaaatcgng ggttgctcca gaaaggctnc aanaanatec ttttctctga agggcccccg 600
atnctctagt nctagaatcg gcccgcctc gcggtgganc ctccaacctt tcgttncct 660
ttactgaggg ttnttggcg cccttggcgt tatcatggtc acnccngtn cctgtgttga 720
aatntntaac cccccacaat tccacgcna catng 756

```

&lt;210&gt; 35

&lt;211&gt; 834

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(834)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 35

```

ggggatctct anactnacct gnatgcatgg ttgtcgggtgt ggctcgtgtc gatgaanatg 60
aacaggatct tgccttgaa gctctcggct gctgtnttta agttgctcag tctgcccga 120
tagtcagaca cncctcttggg caaaaaacan caggatntga gtcttgattt cacctccaat 180
aatcttcngg gctgtctgct cgggtgaactc gatgacnang ggcagctggg tgtgtntgat 240
aaantccanc angttctcct tgggtgacctc cccttcaaag ttgttcggc cttcatcaaa 300
cttctnnaan angannancc canctttgtc gagctggnat ttgganaaca cgtcactgtt 360
ggaaactgat cccaaatggg atgtcatcca tgcctctgtc tgccctgcaa aaacttgctt 420
ggcncaaate cgactcccn tccttgaaag aagccnatca cccccctc cctggactcc 480
nncaangact ctncgcctnc cccntccng cagggttggg ggcanccgg gccntgcgc 540
ttcttcagcc agttcacnat ntccatcagc ccctctgcca gctgtntat tcttggggg 600
ggaanccgtc tctcccttcc tgaannaact ttgaccgtng gaatagccgc gcntcncnt 660
acntnctggg cgggttcaa antccctccn ttgncntcn cctcgggcca ttctggattt 720
nccnaacttt tctctcccc cccccnccg ngtttggntt ttctatnggg ccccaactct 780
gctnttggcc antccctgg gggcntntan cccccctnt ggcccntng ggcc 834

```

&lt;210&gt; 36

&lt;211&gt; 814

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(814)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 36

```

cggncgcttt ccngccgcgc ccggtttcca tgacnaaggc tcccttcang ttaaatacn 60
cctagnaacc attaatgggt tgctctacta atacatcata cnaaccagta agcctgccc 120
naacgccaac tcaggccatt cctaccaaag gaagaaaggc tggctctcc acccctgta 180
ggaaaggcct gccttgtaag acaccacaat ncggctgaat ctnaagtctt gtgttttact 240
aatggaaaaa aaaaataaac aanaggtttt gttctcatgg ctgcccaccg cagcctggca 300
ctaaaacanc ccagcgctca cttctgcttg ganaaatatt ctttgctctt ttggacatca 360

```

```

ggcttgatgg tatcaactgcc acntttccac ccagctgggc ncccttcccc catntttgtc 420
antganctgg aaggcctgaa ncttagtctc caaaaagtctc ngcccacaag accgcccacc 480
aggggangtc ntttncagtg gatctgccaa anantaccn tatcatcnnt gaataaaaag 540
gccctgaac ganatgcttc cancanctt taagacccat aatcctngaa ccattggtgcc 600
cttcgggtct gatccnaaag gaatgttctt gggctccant cctcctttg ttcttacgt 660
tgtnttgac cntgtctn gn atnaccaan tganatcccc ngaagcacc tnccttggc 720
atttganttt cntaaattct ctgccctacn nctgaaagca cnattccctn ggcnccnaan 780
ggngaactca agaaggtctn ngaaaaacca cncn 814

```

&lt;210&gt; 37

&lt;211&gt; 760

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(760)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 37

```

gcatgctgct ctccctcaaa gttgttcttg ttgccataac aaccaccata ggtaaagcgg 60
gcgcagtgtt cgctgaagg gttgtagtac cagcgcgga tgctctcctt gcagagtcct 120
gtgtctggca ggtccacgca atgccccttg tcaactggga aatggatgcg ctggagctcg 180
tcnaanccac tcgtgtattt ttcacangca gcctcctcgg aagcctccgg gcagttgggg 240
gtgtcgtcac actccactaa actgtcgatn cancagccca ttgctgcagc ggaactgggt 300
gggctgacag gtgccagaac aactggatn ggcctttcca tggaaaggcc tgggggaaat 360
cncctnancc caaactgcct ctcaaaggcc accttgaca ccccgacagg ctagaaatgc 420
actcttcttc ccaaaggtag ttgttcttgt tggccaagca ncctccanca aacccaaanc 480
ttgcaaaatc tgcctcgtgg gggatcatnnn taccanggtt ggggaaanaa acccggcngn 540
ganccnctt gtttgaatgc naaggnaata atcctcctgt cttgcttggg tggaanagca 600
caattgaact gttaacnttg ggcgngttc cncctnggtg gtctgaaact aatcacctgc 660
actggaaaaa ggtangtgcc ttccttgaat tcccaaanct cccctngntt tgggtntttt 720
ctcctctncc ctaaaaatcg tnttcccccc cntanggcg 760

```

&lt;210&gt; 38

&lt;211&gt; 724

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(724)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 38

```

tttttttttt tttttttttt tttttttttt ttttttaaaa cccctccat tgaatgaaaa 60
cttcnnaaat tgtccaacc cctcnccaa atnnccattt ccgggggggg gttccaaacc 120
caaattaatt ttgganttta aattaaatnt tnattngggg aanaanccaa atgtnaagaa 180
aatttaacc attatnaact taaatnccn gaaaccntg gnttccaaaa atttttaacc 240
cttaaattcc tcgaaattg ntaanggaaa accaaatcn cctaaggctn ttgaaaggtt 300
ngatttaaac ccccttnant tnttttnacc cngnctnaa ntattngnt tccggtgtt 360
tccnttaan cntnggtaac tccgntaata gaannnccct aanccaatta aaccgaattt 420
tttttgaatt ggaaattccn ngggaattna ccgggggttt tccctttgg gggccatncc 480
ccnctttcg ggggttgggn ntagggtgaa ttttttnang ncccaaaaaa nccccaana 540
aaaaaactcc caagnnttaa ttngaanttc ccccttccca ggccttttgg gaaaggnggg 600

```

```

tttntggggg ccngggantt cnttccccn ttncncccc cccccnggt aaanggttat 660
ngnntttggt ttttggggcc cttnanggac cttccggatn gaaattaaat ccccggnncg 720
gccg 724

```

&lt;210&gt; 39

&lt;211&gt; 751

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(751)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 39

```

ttttttttt tttttctttg ctcacattta atttttattt tgattttttt taatgctgca 60
caacacaata tttatttcat ttgtttcttt tatttcattt ttttggttg ctgctgctgt 120
tttatttatt tttactgaaa gtgagaggga acttttgttg ctttttttcc tttttctgta 180
ggccgcctta agctttctaa atttggaaca tctaagcaag ctgaanggaa aaggggggtt 240
cgaaaaatca ctcgggggaa nggaaagggt gctttgttaa tcatgcccta tgggtgggtga 300
ttaactgctt gtacaattac ntttcacttt taattaattg tgctnaangc ttttaattana 360
cttggggggt ccttccccan accaaccnccn ctgacaaaaa gtgcengccc tcaaattatg 420
tcccggcnnt cnttgaaaca cacngcngaa ngttctcatt ntcccncnc caggtnaaaa 480
tgaagggtta ccatntttta cncacctcc acntggcnnn gcctgaatcc tcnaaaancn 540
cctcaancn aatnctnng ccccggtcnc gcntnngtc cnccegggt cggggaantn 600
cacccccnga annnntnnc naacnaaatt ccgaaaatat tcccnntcnc tcaattcccc 660
cnnagactnt cctcnnncn cncaattttc ttttnntcac gaacncgnnc cnnaaatgn 720
nnnnncctc cncnngtcn naatcnccan c 751

```

&lt;210&gt; 40

&lt;211&gt; 753

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(753)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 40

```

gtgggtattt ctgtaagatc aggtgttcct cctcgtagg tttagaggaa acaccctcat 60
agatgaaaac cccccgaga cagcagcact gcaactgcca agcagccggg gtaggagggg 120
cgccctatgc acagctgggc ccttgagaca gcagggttc gatgtcaggc tcgatgtcaa 180
tgggtctgga gcggcggtg tacctgcgta ggggcacacc gtcaggggcc accaggaact 240
tctcaaagtt ccaggcaacn tcgttgcgac acaccggaga ccagggtatn agcttgggt 300
cggtcataan cgcggtggcg tcgtcgttg gagctggcag ggcctcccgc aggaaggcna 360
ataaaagggt cgccccgca cgttcantc cgcacttctc naanaccatg angttgggt 420
cnaaccacc accannccgg acttccttga nggaattccc aaatctcttc gntcttgggc 480
ttctnctgat gccctantg gttgccnngn atgccaanca nccccaancc cgggggtcct 540
aaancacccn cctctcntt tcatctgggt tntntcccc ggacctggt tctctcaag 600
ggaaccata tctcnaccn tactcacnt nccccccnt gnnaccanc cttctanngn 660
tcccccccg nctctggcc cntcaaanan gcttnacna cctgggtctg ccttcccccc 720
tncctatct gnacccnncn tttgtctcan tnt 753

```

&lt;210&gt; 41

<211> 341  
 <212> DNA  
 <213> Homo sapien

<400> 41  
 actatatcca tcacaacaga catgcttcat cccatagact tcttgacata gcttcaaagt 60  
 agtgaaccca tccttgattt atatacatat atgttctcag tattttggga gcctttccac 120  
 ttctttaaac cttgttcatt atgaacactg aaaataggaa tttgtgaaga gttaaaaagt 180  
 tatagcttgt ttacgtagta agtttttgaa gtctacattc aatccagaca cttagttgag 240  
 tgttaaactg tgatttttaa aaaatatcat ttgagaatat tctttcagag gtattttcat 300  
 ttttactttt tgattaattg tgttttatat attagggtag t 341

<210> 42  
 <211> 101  
 <212> DNA  
 <213> Homo sapien

<400> 42  
 acttactgaa tttagttctg tgctcttctt tatttagtgt tgtatcataa atactttgat 60  
 gtttcaaaca ttctaaataa ataattttca gtggcttcat a 101

<210> 43  
 <211> 305  
 <212> DNA  
 <213> Homo sapien

<400> 43  
 acatctttgt tacagtctaa gatgtgttct taaatcacca ttccttctctg gtcttcaccc 60  
 tccaggggtgg tctcacactg taattagagc tattgaggag tctttacagc aaattaagat 120  
 tcagatgcct tgctaagtct agagttctag agttatgttt cagaaagtct aagaaaccca 180  
 cctcttgaga ggtcagtaaa gaggacttaa tatttcatat ctacaaaatg accacaggat 240  
 tggatacaga acgagagtta tcttgataa ctcagagctg agtacctgcc cgggggcccgc 300  
 tcgaa 305

<210> 44  
 <211> 852  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(852)  
 <223> n = A,T,C or G

<400> 44  
 acataaatat cagagaaaag tagtctttga aatatttacg tccaggagtt ctttgtttct 60  
 gattatttgg tgtgtgtttt gggttggtgc caaagtattg gcagcttcag ttttcatttt 120  
 ctctccatcc tcgggcattc ttcccaaatt tatataccag tcttcgtcca tccacacgct 180  
 ccagaatttc tctttttag tagtatctca tagctcggct gagcttttca taggtcatgc 240  
 tgctgtgtgt cttcttttta ccccatagct gagccactgc ctctgatttc aagaacctga 300  
 agacgcctc agatcggtct tcccatttta ttaatcctgg gttcttgtct ggggtcaaga 360  
 ggatgtcgcg gatgaattcc cataagttag tccctctcgg gttgtgcttt ttggtgtggc 420  
 acttggcagg ggggtcttgc tcttttttca tatcagggtga ctctgcaaca ggaaggtgac 480  
 tgggtgtgt catggagatc tgagcccggc agaaagtgtt gctgtccaac aaatctactg 540  
 tgctaccata gttggtgtca tataaatagt tctngtcttt ccagggtgtc atgatggaag 600

```

gctcagtttg ttcagtcttg acaatgacat tgtgtgtgga ctggaacagg tcactactgc      660
actggccggt ccacttcaga tgctgcaagt tgctgtagag gagntgcccc gccgtccctg      720
ccgcccgggt gaactcctgc aaactcatgc tgcaaagggt ctgccggttg atgtcgaact      780
cntggaaagg gatacaattg gcatccagct ggttggtgtc caggagggtga tggagccact      840
cccacacctg gt                                     852

```

```

<210> 45
<211> 234
<212> DNA
<213> Homo sapien

```

```

<400> 45
acaacagacc cttgctcgct aacgacctca tgctcatcaa gttggacgaa tccgtgtccg      60
agtctgacac catccggagc atcagcattg cttcgcagtg ccctaccgcg ggggaactctt      120
gcctcgtttc tggctggggg ctgctggcga acggcagaat gcctaccgtg ctgcagtgcg      180
tgaacgtgtc ggtggtgtct gaggaggtct gcagtaagct ctatgacccg ctgt          234

```

```

<210> 46
<211> 590
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(590)
<223> n = A,T,C or G

```

```

<400> 46
actttttatt taaatgttta taaggcagat ctatgagaat gatagaaaac atggtgtgta      60
atttgatagc aatatttttg agattacaga gttttagtaa ttaccaatta cacagttaaa      120
aagaagataa tatattccaa gcanatacaa aatatctaata gaaagatcaa ggcaggaaaa      180
tgantataac taattgacaa tggaaaatca attttaatgt gaattgcaca ttatccttta      240
aaagctttca aaanaanaaa ttattgcagt ctanttaatt caaacagtgt taaatggtat      300
caggataaan aactgaaggg canaaagaat taattttcac ttcattgtaac ncacccanat      360
ttacaatggc ttaaatgcan ggaaaaagca gtggaagtag ggaagtantc aaggctcttc      420
tggctctctaa tctgccttac tctttgggtg tggctttgat cctctggaga cagctgccag      480
ggctcctgtt atatccacaa tcccagcagc aagatgaagg gatgaaaaag gacacatgct      540
gccttccttt gaggagactt catctcactg gccaacactc agtcacatgt          590

```

```

<210> 47
<211> 774
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(774)
<223> n = A,T,C or G

```

```

<400> 47
acaagggggc ataatgaagg agtgggggana gatttttaaag aaggaaaaaa aacgaggccc      60
tgaacagaat tttcctgnac aacggggcctt caaaataatt ttcttgggga ggttcaagac      120
gcttcactgc ttgaaactta aatggatgtg ggacanaatt ttctgtaatg accctgaggg      180
cattacagac gggactctgg gaggaaggat aaacagaaaag gggacaaaag ctaatcccaa      240
aacatcaaag aaaggaagggt ggcgtcatat ctcccagcct acacagttct ccagggtctc      300

```

```

cctcatccct ggaggacgac agtggaggaa caactgacca tgtccccagg ctctgtgtg      360
ctggctcctg gtcttcagcc cccagctctg gaagcccacc ctctgtgat cctgcgtggc      420
ccacactcct tgaacacaca tccccaggtt atattcctgg acatggctga acctcctatt      480
cctacttccg agatgccttg ctccctgcag cctgtcaaaa tccactcac cctccaaacc      540
acggcatggg aagcctttct gacttgcttg attactccag catcttgga caatccctga      600
ttccccactc cttagaggca agataggggt gttaagagta gggctggacc acttgagacc      660
aggctgctgg cttcaaattn tggctcattt acgagctatg ggaccttggg caagtatctt      720
tcacttctat gggcttcatt ttgttctacc tgcaaatggg gggataataa tagt          774

```

&lt;210&gt; 48

&lt;211&gt; 124

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(124)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 48

```

canaaattga aattttataa aaaggcattt ttctcttata tccataaaat gatataattt      60
ttgcaantat anaaatgtgt cataaattat aatgttcctt aattacagct caacgcaact      120
tggt                                              124

```

&lt;210&gt; 49

&lt;211&gt; 147

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(147)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 49

```

gccgatgcta ctattttatt gcaggaggtg ggggtgtttt tattattctc tcaacagctt      60
tgtggctaca ggtgggtgtct gactgcatna aaaanttttt tacgggtgat tgcaaaaatt      120
ttagggcacc catatcccaa gcantgt                                              147

```

&lt;210&gt; 50

&lt;211&gt; 107

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 50

```

acattaaatt aataaaaagga ctgttgggggt tctgctaaaa cacatggctt gatatatgtc      60
atcggtttgag gttaggagga gttaggcata tgttttggga gaggggt                      107

```

&lt;210&gt; 51

&lt;211&gt; 204

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 51

```

gtcctaggaa gtctagggga cacacgactc tggggtcacg gggccgacac acttgacgg      60

```



```

cggaagaggaa aggcagagaa gtgacaccgt cagggggaaa tgacagaaag gaaaatcaag      120
gccttgcaag gtcagaaagg ggactcaggg cttccaccac agccctgccc cacttggccca      180
cctccctttt gggaccagca atgt                                           204

```

&lt;210&gt; 52

&lt;211&gt; 491

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(491)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 52

```

acaaagataa catttatctt ataacaaaaa tttgatagtt ttaaagggtta gtattgtgta      60
gggtattttc caaaagacta aagagataac tcagggtaaaa agttagaaat gtataaaaca      120
ccatcagaca ggtttttaaa aaacaacata ttacaaaatt agacaatcat ccttaaaaaa      180
aaaacttctt gtatcaattt cttttgttca aaatgactga ctttaantatt tttaaatatt      240
tcanaaacac ttcctcaaaa attttcaana tggtagcttt canatgtnc ctcagtccca      300
atgttgctca gataaataaa tctcgtgaga acttaccacc caccacaagc tttctggggc      360
atgcaacagt gtcttttctt tnccttttct tttttttttt ttacaggcac agaaactcat      420
caattttatt tggataacaa agggctctcca aattatattg aaaaataaat ccaagttaat      480
atcactcttg t                                           491

```

&lt;210&gt; 53

&lt;211&gt; 484

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(484)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 53

```

acataattta gcaggggctaa ttaccataag atgctattta ttaanaggtn tatgatctga      60
gtattaacag ttgctgaagt ttggtatttt tatgcagcat tttctttttg ctttgataac      120
actacagaac ccttaaggac actgaaaatt agtaagtaaa gttcagaaac attagctgct      180
caatcaaate tctacataac actatagtaa ttaaaacggt aaaaaaaagt gttgaaatct      240
gcactagtat anaccgctcc tgtcaggata anactgcttt ggaacagaaa gggaaaaanc      300
agctttgant ttctttgtgc tgatangagg aaaggctgaa ttaccttggt gcctctccct      360
aatgattggc aggtcnggta aatnccaaaa catattccaa ctcaacactt cttttccncc      420
tancttgant ctgtgtattc caggancagg cggatggaat gggccagccc ncggatgttc      480
cant                                           484

```

&lt;210&gt; 54

&lt;211&gt; 151

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 54

```

actaaacctc gtgcttgga actccatata gaaaacgggtg ccctccctga acacggctgg      60
ccactgggta tactgctgac aaccgcaaca acaaaaacac aaatccttgg cactggctag      120
tctatgtcct ctcaagtgcc tttttgtttg t                                           151

```

<210> 55  
 <211> 91  
 <212> DNA  
 <213> Homo sapien

<400> 55  
 acctggcttg tctccgggtg gttcccggtg cccccacgg tccccagaac ggacactttc 60  
 gccctccagt ggatactcga gccaaagtgg t 91

<210> 56  
 <211> 133  
 <212> DNA  
 <213> Homo sapien

<400> 56  
 ggccggatgtg cgttgggtat atacaaatat gtcattttat gtaagggact tgagtatact 60  
 tggatttttg gtatctgtgg gttgggggga cggtcagga accaataccc catggatacc 120  
 aagggacaac tgt 133

<210> 57  
 <211> 147  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(147)  
 <223> n = A,T,C or G

<400> 57  
 actctggaga acctgagccg ctgctccgcc tctgggatga ggtgatgcan gcngtggcgc 60  
 gactgggagc tgagcccttc cctttgcgcc tgcctcagag gattgttgcc gacntgcana 120  
 tctcantggg ctggatncat gcagggt 147

<210> 58  
 <211> 198  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(198)  
 <223> n = A,T,C or G

<400> 58  
 acagggatat aggtttnaag ttattgtnat tgtaaaatac attgaatttt ctgtatactc 60  
 tgattacata catttatcct ttaaaaaaga tgtaaatctt aatttttatg ccattctatta 120  
 atttaccat gagttacctt gtaaatgaga agtcatgata gcactgaatt ttaactagtt 180  
 ttgacttcta agtttggt 198

<210> 59  
 <211> 330  
 <212> DNA  
 <213> Homo sapien

&lt;400&gt; 59

acaacaaaatg ggttgtagg aagtcttatac agcaaaaactg gtgatggcta ctgaaaagat	60
ccattgaaaa ttatcattaa tgattttaaa tgacaagtta tcaaaaactc actcaatttt	120
cacctgtgct agcttgctaa aatgggagtt aactctagag caaatatagt atcttctgaa	180
tacagtcaat aaatgacaaa gccagggcct acaggtgggt tccagacttt ccagacccag	240
cagaaggaat ctattttatac acatggatct ccgtctgtgc tcaaaatacc taatgatatt	300
tttcgtcttt attggacttc tttgaagagt	330

&lt;210&gt; 60

&lt;211&gt; 175

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 60

accgtgggtg ccttctacat tcttgacggc tccttcacca acatctgggt ctacttcggc	60
gtcgtgggtc ccttcctctt catcctcacc cagctgggtg tgctcatcga ctttgccgac	120
tcttggaacc agcgggtgggt gggcaaggcc gaggagtgcg attcccgtgc ctggt	175

&lt;210&gt; 61

&lt;211&gt; 154

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 61

acccactttt tctcctgtg agcagctctgg accttctcact gctacatgat gaggggtgagt	60
ggttggtgct cttcaacagt atcctcccct tcccgatct gctgagccgg acagcagtgc	120
tggactgcac agccccgggg ctccacattg ctgt	154

&lt;210&gt; 62

&lt;211&gt; 30

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 62

cgctcgagcc ctatagttag tctgattaga	30
----------------------------------	----

&lt;210&gt; 63

&lt;211&gt; 89

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 63

acaagtcatt tcagcaccct ttgctcttca aaactgacca tcttttatat ttaatgcttc	60
ctgtatgaat aaaaatgggt atgtcaagt	89

&lt;210&gt; 64

&lt;211&gt; 97

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 64

accggagtaa ctgagtcggg acgctgaatc tgaatccacc aataaataaa ggttctgcag	60
aatcagtga tccaggattg gtccttggat ctgggggt	97

<210> 65  
 <211> 377  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(377)  
 <223> n = A,T,C or G

<400> 65  
 acaacaanaa ntecccttctt taggccactg atggaaacct ggaaccccct tttgatggca 60  
 gcatggcgctc ctaggccttg acacagcggc tgggggtttgg gctntcccaa accgcacacc 120  
 ccaaccctgg tctaccaca nttctggcta tgggctgtct ctgccactga acatcagggg 180  
 tcggtcataa natgaaatcc caanggggac agaggtcagt agaggaagct caatgagaaa 240  
 ggtgctgttt gctcagccag aaaacagctg cctggcattc gccgctgaac tatgaacccg 300  
 tgggggtgaa ctaccccccag gaggaatcat gcctgggcga tgcaanggtg ccaacaggag 360  
 gggcgggagg agcatgt 377

<210> 66  
 <211> 305  
 <212> DNA  
 <213> Homo sapien

<400> 66  
 acgcctttcc ctccagaattc agggaagaga ctgtcgcttg ccttcctecg ttgttgcggtg 60  
 agaaccctgt tgccccttcc caccatatcc accctcgctc catctttgaa ctcaaacacg 120  
 aggaactaac tgcaccctgg tcctctcccc agtccccagt tcaccctcca tccctcacct 180  
 tcctccactc taagggatat caacactgcc cagcacaggg gccctgaatt tatgtgggtt 240  
 ttatatattt ttttaataaga tgcactttat gtcatttttt aataaagtct gaagaattac 300  
 tggtt 305

<210> 67  
 <211> 385  
 <212> DNA  
 <213> Homo sapien

<400> 67  
 actacacaca ctccacttgc ccttgtgaga cactttgtcc cagcacttta ggaatgctga 60  
 ggtcggacca gccacatctc atgtgcaaga ttgccagca gacatcaggt ctgagagttc 120  
 cccttttaaa aaaggggact tgcttaaaaa agaagtctag ccacgattgt gtagagcagc 180  
 tgtgctgtgc tggagattca cttttgagag agttctcctc tgagacctga tctttagagg 240  
 ctgggcagtc ttgcacatga gatggggctg gctgatctc agcactcctt agtctgcttg 300  
 cctctcccag ggccccagcc tggccacacc tgcttacagg gcactctcag atgcccatac 360  
 catagtttct gtgctagtgg accgt 385

<210> 68  
 <211> 73  
 <212> DNA  
 <213> Homo sapien

<400> 68  
 acttaaccag atatattttt accccagatg gggatattct ttgtaaaaaa tgaaaataaa 60  
 gttttttttaa tgg 73

<210> 69  
 <211> 536  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(536)  
 <223> n = A,T,C or G

<400> 69  
 actagtccag tgtgggtggaa ttccattgtg ttggggggctc tcaccctcct ctctgcagc 60  
 tccagctttg tgctctgcct ctgaggagac catggcccag catctgagta ccctgctgct 120  
 cctgctggcc accctagctg tggccctggc ctggagcccc aaggaggagg ataggataat 180  
 cccgggtggc atctataacg cagacctcaa tgatgagtgg gtacagcgtg cccttcactt 240  
 cgccatcagc gagtataaca aggccaccaa agatgactac tacagacgtc cgctgcgggt 300  
 actaagagcc aggcaacaga ccgttggggg ggtgaattac ttcttcgacg tagaggtggg 360  
 ccgaaccata tgtaccaagt ccagcccaa cttggacacc tgtgccttcc atgaacagcc 420  
 agaactgcag aagaaacagt tgtgctcttt cgagatctac gaagtccctt ggggagaaca 480  
 gaangtcctt gggtgaaatc caggtgtcaa gaaatcctan ggatctgttg ccaggc 536

<210> 70  
 <211> 477  
 <212> DNA  
 <213> Homo sapien

<400> 70  
 atgacccta acaggggccc tctcagccct cctaatagacc tccggcctag ccattgtgatt 60  
 tcacttccac tccataacgc tctcataact aggcctacta accaacacac taaccatata 120  
 ccaatgatgg cgcgatgtaa cagagaaaag cacataccaa ggccaccaca caccacctgt 180  
 ccaaaaaggc cttcgatacg ggataatcct atttattacc tcagaagttt ttttcttcgc 240  
 agggattttt ctgagccttt taccactcca gcctagcccc tccccccaa ctaggagggc 300  
 actggccccc aacaggcacc accccgctaa atccctaga agtcccactc ctaaacacat 360  
 ccgtattact cgcatacagga gtatcaatca cctgagctca ccatagtcta atagaaaaca 420  
 accgaaacca aattattcaa agcactgctt attacaattt tactgggtct ctatttt 477

<210> 71  
 <211> 533  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(533)  
 <223> n = A,T,C or G

<400> 71  
 agagctatag gtacagtgtg atctcagctt tgcaaacaca ttttctacat agatagtact 60  
 aggtattaat agatatgtaa agaaagaaat cacaccatta ataatggtaa gattggttta 120  
 tgtgatttta gtggattttt tggcaccctt atatatgttt tccaaacttt cagcagtgat 180  
 attattttcca taacttaaaa agtgagtttg aaaaagaaaa tctccagcaa gcatctcatt 240  
 taaataaagg tttgtcatct ttaaaaatac agcaatatgt gactttttta aaaagctgtc 300  
 aaataggtgt gaccctacta ataattatta gaaatacatt taaaaacatc gagtacctca 360  
 agtcagtttg ccttgaaaaa tatcaaatat aactcttaga gaaatgtaca taaaagaatg 420  
 cttcgtaatt ttggagtang aggttccttc ctcaattttg tatttttaaa aagtacatgg 480  
 taaaaaaaaa aattcacaaac agtatataag gctgtaaaaat gaagaattct gcc 533

<210> 72  
 <211> 511  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(511)  
 <223> n = A,T,C or G

<400> 72  
 tattacggaa aaacacacca cataattcaa ctancaaaga anactgcttc agggcgtgta 60  
 aaatgaaagg cttccaggca gttatctgat taaagaacac taaaagaggg acaaggctaa 120  
 aagccgcagg atgtctacac tatancaggc gctatattggg ttggctggag gagctgtgga 180  
 aaacatggan agattgggtgc tgganatcgc cgtggctatt cctcattgtt attacanagt 240  
 gaggttctct gtgtgcccac tggtttgaaa accgttctnc aataatgata gaatagtaca 300  
 cacatgagaa ctgaaatggc ccaaaccag aaagaaagcc caactagatc ctcagaaanac 360  
 gcttctaggg acaataaccg atgaagaaaa gatggcctcc ttgtgcccc gtctgttatg 420  
 atttctctcc attgcagcna naaacccgtt cttctaagca aacncagggtg atgatggcna 480  
 aaatacaccc cctcttgaa naccnggag a 511

<210> 73  
 <211> 499  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(499)  
 <223> n = A,T,C or G

<400> 73  
 cagtgccagc actggtgcca gtaccagtac caataacagt gccagtgccca gtgccagcac 60  
 cagtgggtggc ttcagtgtg gtgccagcct gaccgccact ctcacatttg ggtctctcgc 120  
 tggccttggg ggagctgggt ccagcaccag tggcagctct ggtgcctgtg gtttctccta 180  
 caagtgagat tttagatatt gttaatcctg ccagtcttct tcttcaagcc aggggtgcac 240  
 ctcagaaacc tactcaacac agcactctag gcagccacta tcaatcaatt gaagtgcaca 300  
 ctctgcatta aatctatttg ccatttctga aaaaaaaaaa aaaaaaaggg cggccgctcg 360  
 antctagagg gcccgtttaa acccgctgat cagcctcgac tgtgccttct anttgccagc 420  
 catctgttgt ttgccctcc cccgntgcct tccttgacct tggaaagtgc cactccact 480  
 gtcctttcct aantaaaat 499

<210> 74  
 <211> 537  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(537)  
 <223> n = A,T,C or G

<400> 74  
 tttcatagga gaacacactg aggagatact tgaagaattt ggattcagcc gcgaagagat 60

```

ttatcagctt aactcagata aaatcattga aagtaataag gtaaaagcta gtctctaact 120
tccaggccca cggctcaagt gaatttgaat actgcattta cagtgtagag taacacataa 180
cattgtatgc atggaaacat ggaggaacag tattacagtg tcctaccact ctaatcaaga 240
aaagaattac agactctgat tctacagtga tgattgaatt ctaaaaatgg taatcattag 300
ggcttttgat ttataanact ttgggtactt atactaaatt atggtagtta tactgccttc 360
cagtttgctt gatataattg ttgatattaa gattcttgac ttataatttg aatgggttct 420
actgaaaaan gaatgatata ttcttgaaga catcgatata catttattta cactcttgat 480
tctacaatgt agaaaatgaa ggaaatgcc caaattgtat ggtgataaaa gtcccg 537

```

&lt;210&gt; 75

&lt;211&gt; 467

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(467)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 75

```

caaanacaat tgttcaaaag atgcaaatga tacactactg ctgcagctca caaacacctc 60
tgcataattac acgtacctcc tcctgctcct caagtagtgt ggtctatttt gccatcatca 120
cctgctgtct gcttagaaga acggctttct gctgcaangg agagaaatca taacagacgg 180
tggcacaagg aggccatctt ttctcatcg gttattgtcc ctagaagcgt cttctgagga 240
tctagtggg ctttctttct ggggttgggc catttcantt ctcagtgtgt tactattcta 300
tcattattgt ataacgggtt tcaaaccngt gggcacncag agaacctcac tctgtaataa 360
caatgaggaa tagccacggg gatctccagc accaaatctc tccatgttnt tccagagctc 420
ctccagccaa cccaaatagc cgctgctatn gtgtagaaca tccttgn 467

```

&lt;210&gt; 76

&lt;211&gt; 400

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(400)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 76

```

aagctgacag cattcgggcc gagatgtctc gctccgtggc cttagctgtg ctcgcgctac 60
tctctctttc tggcctggag gctatccagc gtactccaaa gattcagggt tactcacgtc 120
atccagcaga gaatggaaag tcaaatttcc tgaattgcta tgtgtctggg tttcatccat 180
ccgacattga agttgactta ctgaagaatg gagagagaat tgaaaaagtg gagcattcag 240
acttgtcttt cagcaaggac tgggtcttct atctcttgta ctacactgaa ttcaccccca 300
ctgaaaaaga tgagtatgcc tgccgtgtga accatgtgac tttgtcacag cccaagatng 360
ttnagtggga tcganacatg taagcagcan catgggaggt 400

```

&lt;210&gt; 77

&lt;211&gt; 248

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 77

```

ctggagtgcc ttggtgtttc aagcccctgc aggaagcaga atgcaccttc tgaggcacct 60

```

```

ccagctgccc cggcggggga tgcgaggctc ggagcaccct tgcccggctg tgattgctgc   120
caggcactgt tcatctcagc tttctgtcc ctttgctccc ggcaagcgct tctgctgaaa   180
gttcatatct ggagcctgat gtcttaacga ataaagggtcc catgctccac ccgaaaaaaa   240
aaaaaaaaa                                     248

```

```

<210> 78
<211> 201
<212> DNA
<213> Homo sapien

```

```

<400> 78
actagtccag tgtggtggaa ttccattgtg ttgggcccac cacaatggct acctttaaca   60
tcacccagac cccgccctgc ccgtgcccac cgctgctgct aacgacagta tgatgcttac   120
tctgctactc ggaaactatt tttatgtaat taatgtatgc tttcttggtt ataatgcct   180
gatttaaaaa aaaaaaaaaa a                                     201

```

```

<210> 79
<211> 552
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (552)
<223> n = A,T,C or G

```

```

<400> 79
tccttttgtt aggtttttga gacaacccta gacctaaact gtgtcacaga cttctgaatg   60
tttaggcagt gctagtaatt tcctcgtaat gattctgtta ttactttcct attctttatt   120
cctctttctt ctgaagatta atgaagttga aaattgaggt ggataaatac aaaaaggtag   180
tgtgatagta taagtatcta agtgcagatg aaagtgtgtt atatatatcc attcaaaatt   240
atgcaagtta gtaattactc agggttaact aaattacttt aatatgctgt tgaacctact   300
ctgttccttg gctagaaaaa attataaaca ggactttgtt agtttgggaa gccaaattga   360
taatattcta tgttctaaaa gttgggctat acataaanta tnaagaaata tggaatttta   420
ttcccaggaa tatgggggtc atttatgaat antacccggg anagaagttt tgantnaaac   480
cngttttggt taatacgta atatgtcctn aatnaacaag gcntgactta tttccaaaaa   540
aaaaaaaaa aa                                     552

```

```

<210> 80
<211> 476
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (476)
<223> n = A,T,C or G

```

```

<400> 80
acagggattt gagatgctaa ggccccagag atcgtttgat ccaaccctct tattttcaga   60
ggggaaaatg gggcctagaa gttacagagc atctagctgg tgcgctggca cccctggcct   120
cacacagact cccgagtagc tgggactaca ggcacacagt cactgaagca ggcctgttt   180
gcaattcacg ttgccacctc caacttaaac attcttcata tgtgatgtcc ttagtcaacta   240
agggtaaact ttcccaccca gaaaaggcaa cttagataaa atcttagagt accttcatac   300
tcttctaagt cctcttcag cctcactttg agtcctcctt gggggttgat aggaantntc   360

```



```
tcttggttt ctcaataaaa tctctatcca tctcatgttt aatttggtac gcntaaaaat 420
gctgaaaaaa ttaaaatgtt ctggtttcnc tttaaaaaaa aaaaaaaaaa aaaaaa 476
```

&lt;210&gt; 81

&lt;211&gt; 232

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(232)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 81

```
tttttttttg tatgcctcn ctgtgnggtt attgttgctg ccaccttga ggagcccagt 60
ttcttctgta tctttctttt ctggggggtc ttcttggtc tgccctcca tttccagcct 120
ctcatcccca tcttgcaact ttgctagggt tggaggcgt ttcttggtg cccctcagag 180
actcagtcag cgggaataag tcttaggggt ggggggtgtg gcaagccggc ct 232
```

&lt;210&gt; 82

&lt;211&gt; 383

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(383)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 82

```
aggcgggagc agaagctaaa gccaaagccc aagaagagtg gcagtgccag cactggtgcc 60
agtaccagta ccaataacat gccagtcca gtgccagcac cagtgggtggc ttcagtgtg 120
gtgccagcct gaccgccact ctacatttg ggctcttcgc tggcctcggg ggagctggtg 180
ccagcaccag tggcagctct ggtgcctgtg gttctccta caagtgagat tttagatatt 240
gttaatcctg ccagtctttc tcttcaagcc aggggtgcac ctccagaaacc tactcaacac 300
agcactctng gcagccacta tcaatcaatt gaagttgaca ctctgcatta aatctatttg 360
ccatttcaaa aaaaaaaaaa aaa 383
```

&lt;210&gt; 83

&lt;211&gt; 494

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(494)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 83

```
accgaattgg gaccgctggc ttataagcga tcatgtcctc cagtattacc tcaacgagca 60
gggagatcga gtctatacgc tgaagaaatt tgaccgatg ggacaacaga cctgctcagc 120
ccatcctgct cggttctccc cagatgacaa atactctcga caccgaatca ccatcaagaa 180
acgcttcaag gtgctcatga cccagcaacc gcgcctgtc ctctgagggt ccttaaaactg 240
atgtcttttc tgccacctgt taccctcgg agactccgta accaaaactct tcggactgtg 300
agccctgatg cctttttgcc agccatactc tttggcntcc agtctctcgt ggcgattgat 360
```

```

tatgcttggtg tgaggcaatc atgggtggcat cacccatnaa gggaacacat ttganttttt 420
tttcncatat tttaaattac naccagaata nttcagaata aatgaattga aaaactctta 480
aaaaaaaaaa aaaa 494

```

&lt;210&gt; 84

&lt;211&gt; 380

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(380)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 84

```

gctggtagcc tatggcgtgg ccacggangg gtccttgagg cacgggacag tgacttccca 60
agtatcctgc gccgcgtott ctaccgtccc tacctgcaga tcttcgggca gattccccag 120
gaggacatgg acgtggccct catggagcac agcaactgct cgtcggagcc cggcttctgg 180
gcacaccctc ctggggccca ggcgggcacc tgcgtctccc agtatgccaa ctggctgggtg 240
gtgctgctcc tcgtcatctt cctgctcgtg gccaacatcc tgctggtcac ttgctcattg 300
ccatgttcag ttacacattc ggcaaagtac agggcaacag cnatctctac tgggaaggcc 360
agcgttnccg cctcatccgg 380

```

&lt;210&gt; 85

&lt;211&gt; 481

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(481)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 85

```

gagttagctc ctccacaacc ttgatgaggt cgtctgcagt ggctctcgc ttcataccgc 60
tnccatcgtc atactgtagg tttgccacca cctcctgcat cttggggcgg ctaatatcca 120
ggaaactctc aatcaagtca ccgtcnatna aacctgtggc tggttctgtc ttccgctcgg 180
tgtgaaagga tctccagaag gagtgtcga tcttccccac acttttgatg actttattga 240
gtcgattctg catgtccagc aggaggttgt accagctctc tgacagtga gtcaccagcc 300
ctatcatgcc nttgaacgtg ccgaagaaca ccgagccttg tgtggggggg gnagtctcac 360
ccagattctg cattaccaga nagccgtggc aaaaganatt gacaactcgc ccaggngaa 420
aaagaacacc tcctggaagt gctngccgct cctcgtccnt tgggtggnngc gentnccctt 480
t 481

```

&lt;210&gt; 86

&lt;211&gt; 472

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(472)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 86

```

aacatcttcc tgtataatgc tgtgtaatat cgatccgatn ttgtctgctg agaattcatt      60
acttggaata gcaacttnaa gcctggacac tggattataa attcacaata tgcaacactt      120
taaacagtgt gtcaatctgc tcccttactt tgtcatcacc agtctgggaa taaggggtatg      180
ccctattcac acctgttaaa agggcgctaa gcatttttga ttcaacatct ttttttttga      240
cacaagtccg aaaaaagcaa aagtaaacag ttnttaattt gttagccaat tcacttttctt      300
catgggacag agccatttga tttaaaaagc aaattgcata atattgagct ttgggagctg      360
atatntgagc ggaagantag cctttctact tcaccagaca caactccttt catattggga      420
tgttnacnaa agttatgtct cttacagatg ggatgctttt gtggcaattc tg              472

```

&lt;210&gt; 87

&lt;211&gt; 413

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(413)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 87

```

agaaaccagt atctctnaaa acaacctctc ataccttgtg gacctaattt tgtgtgctg      60
tgtgtgtgcg cgcataattat atagacaggc acatcttttt tacttttcta aaagcttatg      120
cctcttttgt atctatatct gtgaaagtgt taatgatctg ccataatgtc ttggggacct      180
ttgtcttctg tgtaaattgt actagagaaa acacctatnt tatgagtcaa tctagttngt      240
tttattcgac atgaaggaaa tttccagatn acaacactna caaactctcc cttgactagg      300
ggggacaaaag aaaagcnaaa ctgaacatna gaaacaattn cctgggtgaga aattncataa      360
acagaaattg ggtngtatat tgaaananng catcattnaa acgttttttt ttt              413

```

&lt;210&gt; 88

&lt;211&gt; 448

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(448)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 88

```

cgcagcgggt cctctctatc tagctccagc ctctcgctg cccactccc cgcgtcccgc      60
gtcctagccn accatggccg ggccctgctg cgcccgctg ctctgctgg ccactctggc      120
cgtggccctg gccgtgagcc ccgcggccgg ctccagctcc ggcaagccgc cgcgcctggt      180
gggaggccca tggaccccg cgtgaagaag aaggtgtgct gcgtgactg gactttgccc      240
tcggcnanta caacaaaccc gcaacnactt ttaccnagcn cgcgctgcag gttgtgccgc      300
cccaancaaa ttgttactng gggtaanata ttcttgggaag ttgaacctgg gccaaacnng      360
tttaccagaa ccnagccaat tngaacaatt nccccctcat aacagccctt tttaaaaagg      420
gaancantcc tgntcttttc caaathtt              448

```

&lt;210&gt; 89

&lt;211&gt; 463

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(463)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 89

gaattttgtg cactggccac tgtgatggaa ccattgggcc aggatgcttt gagtttatca	60
gtagtgattc tgccaaagtt ggtgttgtaa catgagtatg taaaatgtca aaaaatttagc	120
agaggctctag gtctgcatat cagcagacag ttgtccgtg tattttgtag ccttgaagtt	180
ctcagtgaca agttnnttct gatgcgaagt tctnattcca gtgttttagt cctttgcac	240
tttnatggtt agacttgcct ctntnaaatt gcttttgtnt tctgcaggta ctatctgtgg	300
tttaacaaaa tagaannact tctctgcttn gaanatttga atatcttaca tctnaaaatn	360
aattctctcc ccatannaaa acccangccc ttggganaat ttgaaaaang gntccttcnn	420
aattcnana anttcagntn tcatacaaca naacngganc ccc	463

&lt;210&gt; 90

&lt;211&gt; 400

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(400)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 90

agggattgaa ggtctnttnt actgtcggac tgttcancca ccaactctac aagttgctgt	60
cttccactca ctgtctgtaa gcntnttaac ccagactgta tcttcataaa tagaacaaat	120
tcttcaccag tcacatcttc taggaccttt ttggattcag ttagtataag ctcttccact	180
tcctttgtta agacttcac	240
cgttctctaa caatgtcctc tccttgaagt atttggctga acaaccacc tnaagtcct	300
ttgtgcatcc attttaaata tacttaatag ggcattggtt cactagggtta aattctgcaa	360
gagtcactctg tctgcaaaag ttgcgttagt atatctgcc	400

&lt;210&gt; 91

&lt;211&gt; 480

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(480)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 91

gagctcggat ccaataatct ttgtctgagg gcagcacaca tatncagtgc catggnaact	60
ggtctacccc acatgggagc agcatgccgt agntatataa ggtcattccc tgagtcagac	120
atgcctcttt gactaccgtg tgccagtgtt ggtgattctc acacacctcc nncgcctctt	180
tgtggaaaaa ctggcacttg nctggaaacta gcaagacatc acttacaaat tcacccacga	240
gacacttgaa aggtgtaaca aagcgactct tgcattgttt tttgtccctc cggcaccagt	300
tgtcaatact aaccgcgtgg ttgacctcca tcacatttgt gatctgtagc tctggataca	360
tctcctgaca gtactgaaga acttctcttt ttgtttcaaa agcaactctt ggtgcctgtt	420
ngatcagggtt cccatttccc agtccgaatg ttcacatggc atatnttact tcccacaaaa	480

&lt;210&gt; 92

&lt;211&gt; 477

&lt;212&gt; DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(477)

<223> n = A,T,C or G

<400> 92

atacagccca natcccacca cgaagatgcg cttgttgact gagaacctga tgcggtcact	60
ggtcccgcgtg tagccccagc gactctccac ctgctggaag cggttgatgc tgcactcctt	120
cccacgcagg cagcagcggg gccggtcaat gaactccact cgtggccttg gggtgacggg	180
taantgcagg aagaggctga ccacctcgcg gtccaccagg atgcccgaact gtgcgggacc	240
tgcagcgaaa ctccctcgatg gtcctgagcg ggaagcgaat gangcccagg gccttgccca	300
gaaccttccg cctgttctct ggcgtcacct gcagctgctg ccgctnacac tcggcctcgg	360
accagcggac aaacggcggt gaacagccgc acctcacgga tggccantgt gtgcgcctcc	420
aggaacggcn ccagcgtgtc cagggtcaatg tcggtgaanc ctccgcgggt aatggcg	477

<210> 93

<211> 377

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(377)

<223> n = A,T,C or G

<400> 93

gaacggctgg accttgccct gcattgtgct gctggcagga ataccttgcc aagcagctcc	60
agtccgagca gccccagacc gctgccgccc gaagctaagc ctgcctctgg ccttccccctc	120
cgcttcaatg cagaaccant agtgggagca ctgtgttttag agttaagagt gaacactgtn	180
tgattttact tgggaatttc ctctgttata tagcttttcc caatgctaata tccaaaacaa	240
caacaacaaa ataacatggt tgcctgttna gttgtataaa agtangtgat tctgtatnta	300
aagaaaatat tactgttaca tatactgctt gcaanttcctg tatttattgg tncctcggaa	360
ataaatatat tattaata	377

<210> 94

<211> 495

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(495)

<223> n = A,T,C or G

<400> 94

ccctttgagg ggtaggggc cagttcccag tggaagaaac aggccaggag aantgcgtgc	60
cgagctgang cagatttccc acagtgacct cagagccctg ggctatagtc tctgacctct	120
ccaaggaaa accaccttct ggggacatgg gctggagggc aggacctaga ggcaccaagg	180
gaaggcccca ttccggggct gttccccgag gaggaagggg aggggctctg tgtgcccccc	240
acgaggaana ggccttgant cctgggatca nacaccctt cacgtgtatc cccacacaaa	300
tgcaagctca ccaaggctcc ctctcagtec cttccctaca ccctgaacgg nacttgcccc	360
acaccacccc agancancca cccgccatgg ggaatgtntc caaggaatcg cngggcaacg	420
tggactctng tcccnnaagg gggcagaatc tccaatagan gganngaacc cttgctnana	480

aaaaaaaaana aaaaaa

495

&lt;210&gt; 95

&lt;211&gt; 472

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(472)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 95

ggttacttgg	tttcattgcc	accacttagt	ggatgtcatt	tagaaccatt	ttgtctgctc	60
cctctggaag	ccttgccgag	agcggacttt	gtaattggtg	gagaataact	gctgaatttt	120
tagctgtttt	gagttgattc	gcaccactgc	accacaactc	aatatgaaaa	ctattnact	180
tatttattat	cttgtgaaaa	gtatacaatg	aaaattttgt	tcatactgta	tttatcaagt	240
atgatgaaaa	gcaatagata	tatattcttt	tattatgtn	aattatgatt	gccattatta	300
atcggaacaa	tgtggagtgt	atgttctttt	cacagtaata	tatgcctttt	gtaacttcac	360
ttggttattt	tattgtaaat	gaattacaaa	attcttaatt	taagaaaatg	gtangttata	420
tttanttcan	taatttcttt	ccttggtttac	gttaattttg	aaaagaatgc	at	472

&lt;210&gt; 96

&lt;211&gt; 476

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(476)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 96

ctgaagcatt	tcttcaaact	tntctacttt	tgtcattgat	acctgtagta	agttgacaat	60
gtggtgaaat	ttcaaaatta	tatgtaactt	ctactagtgt	tactttctcc	cccaagtctt	120
ttttaactca	tgattttttac	acacacaatc	cagaacttat	tatatagcct	ctaagtcttt	180
attcttcaca	gtagatgatg	aaagagtcct	ccagtgtctt	gngcanaatg	ttctagntat	240
agctggatac	atacngtggg	agttctataa	actcatacct	cagtgggact	naacccaaat	300
tgtgttagtc	tcaattccta	ccacactgag	ggagcctccc	aaatcactat	attcttatct	360
gcaggtaact	ctccagaaaa	acngacaggg	caggcttgca	tgaaaaagtn	acatctgcgt	420
tacaaagtct	atcttctcta	nangtctgtn	aaggacaat	ttaatcttct	agcttt	476

&lt;210&gt; 97

&lt;211&gt; 479

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(479)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 97

actctttcta	atgctgatat	gatcttgagt	ataagaatgc	atatgtcact	agaatggata	60
aaataatgct	gcaaaacttaa	tgttcttatg	caaaatggaa	cgctaataga	acacagctta	120

caatcgcaaa tcaaaactca caagtgtctca tctgtttag atttagtgtg ataagactta	180
gattgtgtct cttcggatat gattgtttct canatcttgg gcaatnttcc ttagtcaa	240
caggctacta gaattctgtt attggatatn tgagagcatg aaatttttaa naatacactt	300
gtgattatna aattaatcac aaatttcact tatacctgct atcagcagct agaaaaacat	360
ntnnttttta natcaaagta ttttgtgttt ggaantgtnn aaatgaaatc tgaatgtggg	420
ttcnatctta ttttttccn gacnactant tnccttttta gggncatttc tganccatc	479

&lt;210&gt; 98

&lt;211&gt; 461

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 98

agtgacttgt cctccaacaa aaccccttga tcaagtttgt ggcactgaca atcagaccta	60
tgctagtccc tgctatctat tcgctactaa atgcagactg gaggggacca aaaaggggca	120
tcaactccag ctggattatt ttggagcctg caaatctatt cctacttgta cggactttga	180
agtgattcag tttcctctac ggatgagaga ctggctcaag aatatcctca tgcagcttta	240
tgaagccact ctgaacacgc tggttatcta gatgagaaca gagaaataaa gtcagaaaat	300
ttacctggag aaaagaggct ttggctgggg accatcccat tgaaccttct ctttaaggact	360
ttaagaaaaa ctaccacatg ttgtgtatcc tgggtgccggc cgtttatgaa ctgaccaccc	420
tttggataaa tcttgacgct cctgaacttg ctccctctgcg a	461

&lt;210&gt; 99

&lt;211&gt; 171

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 99

gtggccgcgc gcaggtgttt cctcgtaccg cagggccccc tcccttcccc aggcgtccct	60
cggcgccctct gcgggcccga ggaggagcgg ctggcggggtg gggggagtgt gaccacccct	120
cggtgagaaa agccttctct agcgtatctga gaggcgtgcc ttgggggtac c	171

&lt;210&gt; 100

&lt;211&gt; 269

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 100

cggccgcaag tgcaactcca gctggggccg tgcggacgaa gattctgcca gcagttggtc	60
cgactgcgac gacggcggcg gcgacagtcg caggtgcagc gcgggcgcct ggggtcttgc	120
aaggctgagc tgacgccgca gaggtcgtgt cacgtccac gaccttgacg ccgtcgggga	180
cagccggaac agagcccgtt gaagcgggag gcctcgggga gccctcggg aaggcgggcc	240
cgagagatac gcaggtgcag gtggccgcc	269

&lt;210&gt; 101

&lt;211&gt; 405

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 101

ttttttttt ttttggatc tactgcgagc acagcaggtc agcaacaagt ttattttgca	60
gctagcaagg taacagggtg gggcatgggt acatgttcag gtcaacttcc tttgtcgtgg	120
ttgattgggt tgtctttatg ggggcggggg ggggtagggg aaacgaagca aataacatgg	180
agtgggtgca cctccctgt agaacctggt tacaaagctt ggggcagttc acctgggtctg	240
tgaccgtcat tttcttgaca tcaatgttat tagaagtcag gatattcttt agagagtcca	300

ctgttctgga gggagattag ggtttcttgc caaatccaac aaaatccact gaaaaagttg 360  
gatgatcagt acgaataccg aggcatattc tcatatcggt ggcca 405

<210> 102

<211> 470

<212> DNA

<213> Homo sapien

<400> 102

tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	60
ggcactttaat	ccattttttat	ttcaaaatgt	ctacaaattt	aatcccatta	tacggtattt	120
tcaaaatcta	aattattcaa	attagccaaa	tccttaccaa	ataataccca	aaaatcaaaa	180
atatacttct	ttcagcaaac	ttgttacata	aattaaaaaa	atatatacgg	ctggtgtttt	240
caaagtacaa	ttatcttaac	actgcaaac	ttttaaggaa	ctaaaaataa	aaaaaacact	300
ccgcaaaggt	taaaagggaac	aacaaattct	tttacaacac	cattataaaa	atcatatctc	360
aaatcttagg	ggaatatata	cttcacacgg	gatcttaact	tttactcact	ttgtttattt	420
ttttaaacca	ttgtttgggc	ccaacacaat	ggaatcccc	ctggactagt		470

<210> 103

<211> 581

<212> DNA

<213> Homo sapien

<400> 103

tttttttttt	ttttttttga	ccccctctt	ataaaaaaca	agttaccatt	ttattttact	60
tacacatatt	tattttataa	ttggtattag	atattcaaaa	ggcagctttt	aaaatcaaac	120
taaatggaaa	ctgccttaga	tacataattc	ttaggaatta	gcttaaaatc	tgccataagt	180
gaaaatcttc	tctagctctt	ttgactgtaa	atttttgact	cttgtaaaac	atccaaattc	240
atttttcttg	tctttaaaat	tatctaattc	ttccattttt	tccctattcc	aagtcaattt	300
gcttctctag	cctcatttcc	tagctcttat	ctactattag	taagtggctt	ttttcctaaa	360
agggaaaaca	ggaagagaaa	tggcacacaa	aacaaacatt	ttatattcat	atttctacct	420
acgttaataa	aatagcattt	tgtgaagcca	gctcaaaaga	aggcttagat	ccttttatgt	480
ccattttagt	cactaaacga	tatcaaagt	ccagaatgca	aaaggtttgt	gaacatttat	540
tcaaaagcta	atataagata	tttcacatac	tcatctttct	g		581

<210> 104

<211> 578

<212> DNA

<213> Homo sapien

<400> 104

tttttttttt	tttttttttt	tttttctctt	cttttttttt	gaaatgagga	tcgagttttt	60
cactctctag	atagggcatg	aagaaaactc	atctttccag	ctttaaaata	acaatcaaat	120
ctcttatgct	atatcatatt	ttaagttaaa	ctaataagtc	actggcttat	cttctcctga	180
aggaaatctg	ttcattcttc	tcattcatat	agttatatca	agtactacct	tgcatattga	240
gagggttttc	ttctctatit	acacatatat	ttccatgtga	atttgtatca	aacctttatt	300
ttcatgcaaa	ctagaaaata	atgtttcttt	tgcataagag	aagagaacaa	tatagcatta	360
caaaactgct	caaattgttt	gttaagttat	ccattataat	tagttggcag	gagctaatac	420
aaatcacatt	tacgacagca	ataataaaac	tgaagtacca	gttaaatatc	caaaataatt	480
aaaggaacat	ttttagcctg	ggtataatta	gctaattcac	tttacaagca	tttattagaa	540
tgaattcaca	tgttattatt	cctagcccaa	cacaatgg			578

<210> 105

<211> 538

<212> DNA



&lt;213&gt; Homo sapien

&lt;400&gt; 105

tttttttttt	tttttcagta	ataatcagaa	caatatattat	ttttatattt	aaaattcata	60
gaaaagtgcc	ttacatttaa	taaaagtttg	tttctcaaag	tgatcagagg	aattagatat	120
gtcttgaaca	ccaatattaa	tttgaggaaa	atacaccaaa	atacattaag	taaattattt	180
aagatcatag	agcttgtaag	tgaaaagata	aaatttgacc	tcagaaactc	tgagcattaa	240
aaatccacta	ttagcaaata	aattactatg	gacttcttgc	tttaattttg	tgatgaatat	300
ggggtgtcac	tggtaaacca	acacattctg	aaggatacat	tacttagtga	tagattctta	360
tgtactttgc	taatacgtgg	atatgagttg	acaagtttct	ctttcttcaa	tcttttaagg	420
ggcgagaaat	gaggaagaaa	agaaaaggat	tacgcatact	gttctttcta	tggaaggatt	480
agatatgttt	cctttgccaa	tattaaaaaa	ataataatgt	ttactactag	tgaaaccc	538

&lt;210&gt; 106

&lt;211&gt; 473

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 106

tttttttttt	tttttttagtc	aagtttctat	ttttattata	attaaagtct	tggtcatttc	60
atttattagc	tctgcaactt	acatatttaa	attaaagaaa	cgttttagac	aactgtacaa	120
tttataaatg	taagggtgcca	ttattgagta	atatattcct	ccaagagtgg	atgtgtccct	180
tctcccacca	actaatgaac	agcaacatta	gtttaatttt	attagtagat	atacactgct	240
gcaaacgcta	attctcttct	ccatcccat	gtgatattgt	gtatatgtgt	gagttggtag	300
aatgcatcac	aatctacaat	caacagcaag	atgaagctag	gctgggcttt	cggtgaaaat	360
agactgtgtc	tgtctgaatc	aaatgatctg	acctatcctc	ggtggcaaga	actcttcgaa	420
ccgcttctct	aaaggcgctg	ccacatttgt	ggctctttgc	acttgttcca	aaa	473

&lt;210&gt; 107

&lt;211&gt; 1621

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 107

cgccatggca	ctgcagggca	tctcggtcat	ggagctgtcc	ggcctggccc	cgggcccgctt	60
ctgtgctatg	gtcctggctg	acttcggggc	gcgtgtggta	cgcgtggacc	ggccccggctc	120
ccgctacgac	gtgagccgct	tggggccggg	caagcgctcg	ctagtgtctg	acctgaagca	180
gccgcgggga	gccgccgtgc	tgcggcgtct	gtgcaagcgg	tcggatgtgc	tgctggagcc	240
cttcgccgc	ggtgtcatgg	agaaaactcca	gctgggccc	gagattctgc	agcgggaaaa	300
tccaaggctt	atztatgcca	ggctgagtgg	atttggccag	tcagggaagct	tctgccgggtt	360
agctggccac	gatatcaact	atttggcttt	gtcaggtgtt	ctctcaaaaa	ttggcagaag	420
tggtgagaat	ccgtatgccc	cgtgaaatct	cctggctgac	tttgctgggtg	gtggccttat	480
gtgtgcactg	ggcattataa	tggctctttt	tgaccgcaca	cgcactgaca	agggtcaggt	540
cattgatgca	aatatggtgg	aaggaacagc	atatttaagt	tcttttctgt	ggaaaactca	600
gaaatcgagt	ctgtgggaag	cacctcgagg	acagaacatg	ttggatgggtg	gagcaccttt	660
ctatacgact	tacaggacag	cagatgggga	attcatggct	gttggagcaa	tagaacccca	720
gttctacgag	ctgctgatca	aaggacttgg	actaaagtct	gatgaacttc	ccaatcagat	780
gagcatggat	gattggccag	aaatgaagaa	gaagtttgca	gatgtatttg	caaagaagac	840
gaaggcagag	tgggtgtcaa	tctttgacgg	cacagatgcc	tgtgtgactc	cggttctgac	900
ttttgaggag	gttgttcata	atgatcacia	caaggaaagg	ggctcgttta	tcaccagtga	960
ggagcaggac	gtgagcccc	gccctgcacc	tctgctgtta	aacacccag	ccatcccttc	1020
tttcaaaagg	gatcctttca	taggagaaca	cactgaggag	atacttgaag	aatttggtatt	1080
cagccgcgaa	gagatttatc	agcttaactc	agataaaatc	attgaaagta	ataaggtaaa	1140
agctagtctc	taacttccag	gcccacggct	caagtgaatt	tgaatactgc	atttacagtg	1200
tagagtaaca	cataacattg	tatgcatgga	aacatggagg	aacagtatta	cagtgtccta	1260

```

ccactctaatt caagaaaaga attacagact ctgattctac agtgatgatt gaattctaaa 1320
aatgggtatc attagggctt ttgatttata aaactttggg tacttataact aaattatggt 1380
agttattctg ccttcagtt tgcttgatat atttgttgat attaagattc ttgacttata 1440
ttttgaatgg gttctagtga aaaaggaatg atatattctt gaagacatcg atatacattt 1500
attacactc ttgattctac aatgtagaaa atgaggaaat gccacaaatt gtatggtgat 1560
aaaagtcacg tgaacaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1620
a 1621

```

<210> 108  
 <211> 382  
 <212> PRT  
 <213> Homo sapien

<400> 108

```

Met Ala Leu Gln Gly Ile Ser Val Met Glu Leu Ser Gly Leu Ala Pro
 1          5          10          15
Gly Pro Phe Cys Ala Met Val Leu Ala Asp Phe Gly Ala Arg Val Val
 20          25          30
Arg Val Asp Arg Pro Gly Ser Arg Tyr Asp Val Ser Arg Leu Gly Arg
 35          40          45
Gly Lys Arg Ser Leu Val Leu Asp Leu Lys Gln Pro Arg Gly Ala Ala
 50          55          60
Val Leu Arg Arg Leu Cys Lys Arg Ser Asp Val Leu Leu Glu Pro Phe
 65          70          75          80
Arg Arg Gly Val Met Glu Lys Leu Gln Leu Gly Pro Glu Ile Leu Gln
 85          90          95
Arg Glu Asn Pro Arg Leu Ile Tyr Ala Arg Leu Ser Gly Phe Gly Gln
100          105          110
Ser Gly Ser Phe Cys Arg Leu Ala Gly His Asp Ile Asn Tyr Leu Ala
115          120          125
Leu Ser Gly Val Leu Ser Lys Ile Gly Arg Ser Gly Glu Asn Pro Tyr
130          135          140
Ala Pro Leu Asn Leu Leu Ala Asp Phe Ala Gly Gly Gly Leu Met Cys
145          150          155          160
Ala Leu Gly Ile Ile Met Ala Leu Phe Asp Arg Thr Arg Thr Asp Lys
165          170          175
Gly Gln Val Ile Asp Ala Asn Met Val Glu Gly Thr Ala Tyr Leu Ser
180          185          190
Ser Phe Leu Trp Lys Thr Gln Lys Ser Ser Leu Trp Glu Ala Pro Arg
195          200          205
Gly Gln Asn Met Leu Asp Gly Gly Ala Pro Phe Tyr Thr Thr Tyr Arg
210          215          220
Thr Ala Asp Gly Glu Phe Met Ala Val Gly Ala Ile Glu Pro Gln Phe
225          230          235          240
Tyr Glu Leu Leu Ile Lys Gly Leu Gly Leu Lys Ser Asp Glu Leu Pro
245          250          255
Asn Gln Met Ser Met Asp Asp Trp Pro Glu Met Lys Lys Lys Phe Ala
260          265          270
Asp Val Phe Ala Lys Lys Thr Lys Ala Glu Trp Cys Gln Ile Phe Asp
275          280          285
Gly Thr Asp Ala Cys Val Thr Pro Val Leu Thr Phe Glu Glu Val Val
290          295          300
His His Asp His Asn Lys Glu Arg Gly Ser Phe Ile Thr Ser Glu Glu
305          310          315          320
Gln Asp Val Ser Pro Arg Pro Ala Pro Leu Leu Leu Asn Thr Pro Ala

```

325 330 335  
 Ile Pro Ser Phe Lys Arg Asp Pro Phe Ile Gly Glu His Thr Glu Glu  
 340 345 350  
 Ile Leu Glu Glu Phe Gly Phe Ser Arg Glu Glu Ile Tyr Gln Leu Asn  
 355 360 365  
 Ser Asp Lys Ile Ile Glu Ser Asn Lys Val Lys Ala Ser Leu  
 370 375 380

&lt;210&gt; 109

&lt;211&gt; 1524

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 109

```

ggcaccgaggc tgcgccaggc cctgagcggg ggcggggggca gcctcgccag cggggggcccc      60
gggcctggcc atgcctcact gagccagcgc ctgcgcctct acctcgccga cagctggaac      120
cagtgcgacc tagtggtctt cacctgcttc ctctgggagc tgggctgccc gctgaccccg      180
ggtttgtacc acctgggccc cactgtcctc tgcacgactc tcatggtttt cagggtgcgg      240
ctgcttcaca tcttcacggc caacaaacag ctggggccca agatcgatc cgtgagcaag      300
atgatgaagg acgtgttctt ctctctcttc ttctctggcg tgtggctggc agcctatggc      360
gtggccacgg aggggctcct gaggccacgg gacagtgact tcccaagrat cctgcgcccgc      420
gtcttctacc gtccctacct gcagatcttc gggcagattc cccaggagga catggacgtg      480
gccctcatgg agcacagcaa ctgctcgtcg gagcccggtc tctgggcaca cctcctggg      540
gcccaggcgg gcacctgcgt ctcccagtat gccaaactggc tgggtgtgct gctcctcgtc      600
atcttctctg tctgtggcaa catectgctg gtcaacttgc tcattgccat gttcagttac      660
acattcggca aagtacaggc caacagcgat ctctactgga aggcgcagcg ttaccgcctc      720
atccgggaat tccactctcg gcccgcgctg gccccgcccct ttatcgatc ctcccacttg      780
cgcctcctgc tcaggcaatt gtgcaggcga ccccgagacc cccagccgtc ctcccgggcc      840
ctcgagcatt tccgggttta ctttcttaag gaagccgagc ggaagctgct aaagtgggaa      900
tcggtgcata aggagaactt tctgctggca cgcgctaggg acaagcggga gaggcactcc      960
gagcgtctga agcgcacgtc ccagaagggt gacttggcac tgaacacagc gggacacatc     1020
cgcgagtacg aacagcgctt gaaagtgtcg gagcgggagg tccagcagtg tagccgcgtc     1080
ctgggggtggg tggccgaggg cctgagccgc tctgccttgc tgccccagg tgggcccgcca     1140
ccccctgacc tgccctgggtc caaagactga gccctgctgg cggacttcaa ggagaagccc     1200
ccacagggga ttttgcctct agagtaaggc tcactctggc ctcgccccc gcacctgggtg     1260
gccttgcctt tgaggtgagc cccatgtcca tctggggcac tgtcaggacc acctttggga     1320
gtgtcatcct tacaaccac agcatgccc gctcctccca gaaccagtc cagcctggga     1380
ggatcaaggc ctggatccc ggccgttatc catctggagg ctgcagggtc cttggggtaa     1440
cagggaaccac agacccctca ccactcacag attcctcaca ctgggggaat aaagccattt     1500
cagaggaaaa aaaaaaaaaa-aaaa

```

&lt;210&gt; 110

&lt;211&gt; 3410

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 110

```

gggaaccagc ctgcacgcgc tggctccggg tgacagccgc gcgcctcggc caggatctga      60
gtgatgagac gtgtcccccac tgaggtgccc cacagcagca ggtgttgagc atgggctgag      120
aagctggacc ggcaccaaag ggctggcaga aatgggcgcc tggctgattc ctaggcagtt      180
ggcggcagca aggaggagag gccgcagctt ctggagcaga gccgagacga agcagttctg      240
gagtgcctga acggcccccct gagccctacc cgcctggccc actatggtcc agaggctgtg      300
ggtgagccgc ctgctgcggc accggaaagc ccagctcttg ctggtcaacc tgctaacctt      360
tggcctggag gtgtgtttgg ccgcaggcat cacctatgtg ccgcctctgc tgctggaagt      420
gggggttagag gagaagttca tgaccatggt gctgggcatt ggtccagtg tgggcctggt      480

```

ctgtgtcccg	ctcctaggct	cagccagtga	ccactggcgt	ggacgctatg	gccgccgccc	540
gcccttcac	tgggcactgt	ccttgggcat	cctgctgagc	ctctttctca	tcccaagggc	600
cggctggcta	gcagggctgc	tgtgcccgga	tcccagggcc	ctggagctgg	cactgctcat	660
cctgggcgtg	gggctgctgg	acttctgtgg	ccaggtgtgc	ttcactccac	tggaggccct	720
gctctctgac	ctcttcggg	acccggacca	ctgtcgccag	gcctactctg	tctatgcctt	780
catgatcagt	cttgggggct	gcctgggcta	cctcctgcct	gccattgact	gggacaccag	840
tgccttgccc	ccctacctgg	gcacccagga	ggagtgcctc	tttggcctgc	tcacctcat	900
cttcctcacc	tgcgtagcag	ccacactgct	ggtggctgag	gaggcagcgc	tgggccccac	960
cgagccagca	gaagggctgt	cggccccctc	cttgtcgccc	cactgctgtc	catgccgggc	1020
ccgcttggct	ttccggaacc	tgggcgcctt	gcttccccgg	ctgcaccagc	tgtgctgccc	1080
catgccccgc	accctgcgcc	ggctcttcgt	ggctgagctg	tgcagctgga	tggcactcat	1140
gaccttcacg	ctgttttaca	cggatttcgt	gggcgagggg	ctgtaccagg	gcgtgcccag	1200
agctgagccg	ggcaccgagg	cccggagaca	ctatgatgaa	ggcgttcgga	tgggcagcct	1260
ggggctgttc	ctgcagtgcg	ccatctccct	ggtcttctct	ctggctcatg	accggctggt	1320
gcagcgattc	ggcactcgag	cagtctatct	ggccagtgtg	gcagctttcc	ctgtggctgc	1380
cgggtgccaca	tgcctgtccc	acagtgtggc	cgtgggtgaca	gcttcagccg	ccctcaccgg	1440
gttcaccttc	tcagccctgc	agatcctgcc	ctacacactg	gcctccctct	accaccggga	1500
gaagcaggtg	ttcctgcccc	aatacngagg	ggacactgga	ggtgctagca	gtgaggacag	1560
cctgatgacc	agcttcctgc	caggccctaa	gcctggagct	cccttcctta	atggacacgt	1620
gggtgctgga	ggcagtggcc	tgtctccacc	tccacccgcg	ctctgcgggg	cctctgcctg	1680
tgar.gctctc	gtacgtgtgg	tgggtgggtga	gcccaccgag	gccaggggtg	ttccggggccg	1740
gggcactctgc	ctggacctcg	ccatcctgga	tagtgccctc	ctgctgtccc	aggtggcccc	1800
atccctgttt	atgggctcca	ttgtccagct	cagccagctc	gtcactgcct	atatggtgtc	1860
tgcgcagggc	ctgggtctgg	tcgccattta	ctttgtctaca	caggtagtat	ttgacaaga	1920
cgacttggcc	aaatactcag	cgtagaaaac	ttccagcaca	ttgggggtgga	gggcctgcct	1980
cactgggtcc	cagctccccg	ctcctgttag	ccccatgggg	ctgccgggt	ggccgccagt	2040
ttctgttgct	gccaaagtaa	tgtggctctc	tgtgtccacc	ctgtgctgct	gaggtgcgta	2100
gctgcacagc	tgggggctgg	ggcgtccctc	tcctctctcc	ccagtctcta	gggctgccc	2160
actggaggcc	ttccaagggg	gtttcagctc	ggacttatac	agcgaggcca	gaagggctcc	2220
atgcactgga	atgcggggac	tctgcagggt	gattaccacg	gctcagggtt	aacagctagc	2280
ctcctagtgt	agacacacct	agagaagggt	ttttggggag	tgaataaact	cagtcaactg	2340
gtttcccatc	tctaagcccc	ttaacctgca	gcttcgttta	atgtagctct	tgcattgggag	2400
tttctaggat	gaaacactcc	tccatgggat	ttgaacatat	gacttatttg	taggggaaga	2460
gtcctgaggg	gaaacacaca	agaaccaggt	cccctcagcc	cacagcactg	tctttttgct	2520
gatccacccc	cctcttacct	tttatcagga	tgtggcctgt	tggctcctct	gttgccatca	2580
cagagacaca	ggcattttaa	tatttaactt	atttatttaa	caaagtagaa	gggaatccat	2640
tgttagcttt	tctgtgttgg	tgtctaatat	ttgggtaggg	tgggggatac	ccaacaatca	2700
ggtccctctga	gatagctggt	cattgggctg	atcattgccca	gaatcttctt	ctcctggggg	2760
ctggcccccc	aaaatgccta	acccaggacc	ttggaaattc	tactcatccc	aaatgataat	2820
tccaaatgct	gttacccaag	gttaggggtg	tgaaggaaag	tagaggggtg	ggcttcagggt	2880
ctcaacggct	tccctaacca	cccctcttct	cttggcccag	cctggttccc	cccacttcca	2940
ctccccctta	ctctctctag	gactgggctg	atgaaggcac	tgccccaaat	ttccccctacc	3000
cccaactttc	ccctaccccc	aactttcccc	accagctcca	caaccctggt	tggagctact	3060
gcaggaccag	aagcacaaag	tgcggtttcc	caagcctttg	tccatctcag	ccccagagg	3120
atatctgtgc	ttggggaatc	tcacacagaa	actcaggagc	acccccctgc	tgagctaagg	3180
gaggtcttat	ctctcagggg	gggttttaagt	gccgttttga	ataatgtcgt	cttattttatt	3240
tagcgggggtg	aatattttat	actgtaagtg	agcaatcaga	gtataatgtt	tatggtgaca	3300
aaattaaagg	ctttcttata	tgttttaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	3360
aaaaaaaaara	aaaaaaaaaa	aaaaaaaaaa	aaaaaaataa	aaaaaaaaaa		3410

&lt;210&gt; 111

&lt;211&gt; 1289

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 111

```

agccaggcgt ccctctgcct gccactcag tggcaacacc cgggagctgt tttgtccttt      60
gtggagcctc agcagttccc tctttcagaa ctactgcca agagccctga acaggagcca      120
ccatgcagtg cttcagcttc attaagacca tgatgatcct cttcaatttg ctcatctttc      180
tgtgtggtgc agccctgttg gcagtgggca tctgggtgtc aatcgatggg gcatcctttc      240
tgaagatctt cgggccactg tcgtccagtg ccatgcagtt tgtcaacgtg ggctacttcc      300
tcatcgcagc cggcggttgt gtctttgtct ttggtttcct gggctgctat ggtgctaaga      360
ctgagagcaa gtgtgccctc gtgacgttct tcttcatact cctcctcacc ttcattgctg      420
aggttgagc tgctgtggtc gccttggtgt acaccacaat ggctgagcac ttcctgacgt      480
tgctggtagt gcctgccatc aagaaagatt atggttccca ggaagacttc actcaagtgt      540
ggaacaccac catgaaaggg ctcaagtgtc gtggcttcac caactatacg gattttgagg      600
actcacccta cttcaaagag aacagtgcct ttccccatt ctgttgcaat gacaacgtca      660
ccaacacagc caatgaaacc tgcaccaagc aaaagggtca cgacaaaaaa gtagagggtt      720
gcttcaatca gcttttgtat gacatccgaa ctaatgcagt caccgtgggt ggtgtggcag      780
ctggaattgg gggcctcgag ctggctgcca tgattgtgtc catgtatctg tactgcaatc      840
tacaataagt ccactttctg ctctgccact actgctgcca catgggaact gtgaagaggc      900
accctggcaa gcagcagtg tggtggggagg ggacaggatc taacaatgtc acttgggcca      960
gaatggacct gccctttctg ctccagactt ggggctagat agggaccact ccttttagcg     1020
atgcctgact ttccttccat tgggtgggtg atgggtgggg ggcattccag agcctctaag     1080
gtagccagtt ctgttgccca ttccccagct ctattaaacc cttgatatgc cccctaggcc     1140
tagtggatgat cccagtgtc tactggggga tgagagaaaag gcattttata gcctgggcat     1200
aagtgaatc agcagagcct ctgggtggat gtgtagaagg cacttcaaaa tgcataaacc     1260
tgttacaatg ttaaaaaaaa aaaaaaaaaa                                     1289

```

&lt;210&gt; 112

&lt;211&gt; 315

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 112

```

Met Val Phe Thr Val Arg Leu Leu His Ile Phe Thr Val Asn Lys Gln
 1              5              10              15
Leu Gly Pro Lys Ile Val Ile Val Ser Lys Met Met Lys Asp Val Phe
      20              25              30
Phe Phe Leu Phe Phe Leu Gly Val Trp Leu Val Ala Tyr Gly Val Ala
      35              40              45
Thr Glu Gly Leu Leu Arg Pro Arg Asp Ser Asp Phe Pro Ser Ile Leu
      50              55              60
Arg Arg Val Phe Tyr Arg Pro Tyr Leu Gln Ile Phe Gly Gln Ile Pro
      65              70              75              80
Gln Glu Asp Met Asp Val Ala Leu Met Glu His Ser Asn Cys Ser Ser
      85              90              95
Glu Pro Gly Phe Trp Ala His Pro Pro Gly Ala Gln Ala Gly Thr Cys
      100             105             110
Val Ser Gln Tyr Ala Asn Trp Leu Val Val Leu Leu Leu Val Ile Phe
      115             120             125
Leu Leu Val Ala Asn Ile Leu Leu Val Asn Leu Leu Ile Ala Met Phe
      130             135             140
Ser Tyr Thr Phe Gly Lys Val Gln Gly Asn Ser Asp Leu Tyr Trp Lys
      145             150             155             160
Ala Gln Arg Tyr Arg Leu Ile Arg Glu Phe His Ser Arg Pro Ala Leu
      165             170             175
Ala Pro Pro Phe Ile Val Ile Ser His Leu Arg Leu Leu Arg Gln
      180             185             190
Leu Cys Arg Arg Pro Arg Ser Pro Gln Pro Ser Ser Pro Ala Leu Glu

```

195                      200                      205  
 His Phe Arg Val Tyr Leu Ser Lys Glu Ala Glu Arg Lys Leu Leu Thr  
 210                      215                      220  
 Trp Glu Ser Val His Lys Glu Asn Phe Leu Leu Ala Arg Ala Arg Asp  
 225                      230                      235                      240  
 Lys Arg Glu Ser Asp Ser Glu Arg Leu Lys Arg Thr Ser Gln Lys Val  
 245                      250                      255  
 Asp Leu Ala Leu Lys Gln Leu Gly His Ile Arg Glu Tyr Glu Gln Arg  
 260                      265                      270  
 Leu Lys Val Leu Glu Arg Glu Val Gln Gln Cys Ser Arg Val Leu Gly  
 275                      280                      285  
 Trp Val Ala Glu Ala Leu Ser Arg Ser Ala Leu Leu Pro Pro Gly Gly  
 290                      295                      300  
 Pro Pro Pro Pro Asp Leu Pro Gly Ser Lys Asp  
 305                      310                      315

<210> 113  
 <211> 553  
 <212> PRT  
 <213> Homo sapien

<400> 113  
 Met Val Gln Arg Leu Trp Val Ser Arg Leu Leu Arg His Arg Lys Ala  
 1                      5                      10                      15  
 Gln Leu Leu Leu Val Asn Leu Leu Thr Phe Gly Leu Glu Val Cys Leu  
 20                      25                      30  
 Ala Ala Gly Ile Thr Tyr Val Pro Pro Leu Leu Leu Glu Val Gly Val  
 35                      40                      45  
 Glu Glu Lys Phe Met Thr Met Val Leu Gly Ile Gly Pro Val Leu Gly  
 50                      55                      60  
 Leu Val Cys Val Pro Leu Leu Gly Ser Ala Ser Asp His Trp Arg Gly  
 65                      70                      75                      80  
 Arg Tyr Gly Arg Arg Arg Pro Phe Ile Trp Ala Leu Ser Leu Gly Ile  
 85                      90                      95  
 Leu Leu Ser Leu Phe Leu Ile Pro Arg Ala Gly Trp Leu Ala Gly Leu  
 100                      105                      110  
 Leu Cys Pro Asp Pro Arg Pro Leu Glu Leu Ala Leu Leu Ile Leu Gly  
 115                      120                      125  
 Val Gly Leu Leu Asp Phe Cys Gly Gln Val Cys Phe Thr Pro Leu Glu  
 130                      135                      140  
 Ala Leu Leu Ser Asp Leu Phe Arg Asp Pro Asp His Cys Arg Gln Ala  
 145                      150                      155                      160  
 Tyr Ser Val Tyr Ala Phe Met Ile Ser Leu Gly Gly Cys Leu Gly Tyr  
 165                      170                      175  
 Leu Leu Pro Ala Ile Asp Trp Asp Thr Ser Ala Leu Ala Pro Tyr Leu  
 180                      185                      190  
 Gly Thr Gln Glu Glu Cys Leu Phe Gly Leu Leu Thr Leu Ile Phe Leu  
 195                      200                      205  
 Thr Cys Val Ala Ala Thr Leu Leu Val Ala Glu Glu Ala Ala Leu Gly  
 210                      215                      220  
 Pro Thr Glu Pro Ala Glu Gly Leu Ser Ala Pro Ser Leu Ser Pro His  
 225                      230                      235                      240  
 Cys Cys Pro Cys Arg Ala Arg Leu Ala Phe Arg Asn Leu Gly Ala Leu  
 245                      250                      255  
 Leu Pro Arg Leu His Gln Leu Cys Cys Arg Met Pro Arg Thr Leu Arg

260 265 270  
 Arg Leu Phe Val Ala Glu Leu Cys Ser Trp Met Ala Leu Met Thr Phe  
 275 280 285  
 Thr Leu Phe Tyr Thr Asp Phe Val Gly Glu Gly Leu Tyr Gln Gly Val  
 290 295 300  
 Pro Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg His Tyr Asp Glu Gly  
 305 310 315 320  
 Val Arg Met Gly Ser Leu Gly Leu Phe Leu Gln Cys Ala Ile Ser Leu  
 325 330 335  
 Val Phe Ser Leu Val Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg  
 340 345 350  
 Ala Val Tyr Leu Ala Ser Val Ala Ala Phe Pro Val Ala Ala Gly Ala  
 355 360 365  
 Thr Cys Leu Ser His Ser Val Ala Val Val Thr Ala Ser Ala Ala Leu  
 370 375 380  
 Thr Gly Phe Thr Phe Ser Ala Leu Gln Ile Leu Pro Tyr Thr Leu Ala  
 385 390 395 400  
 Ser Leu Tyr His Arg Glu Lys Gln Val Phe Leu Pro Lys Tyr Arg Gly  
 405 410 415  
 Asp Thr Gly Gly Ala Ser Ser Glu Asp Ser Leu Met Thr Ser Phe Leu  
 420 425 430  
 Pro Gly Pro Lys Pro Gly Ala Pro Phe Pro Asn Gly His Val Gly Ala  
 435 440 445  
 Gly Gly Ser Gly Leu Leu Pro Pro Pro Ala Leu Cys Gly Ala Ser  
 450 455 460  
 Ala Cys Asp Val Ser Val Arg Val Val Val Gly Glu Pro Thr Glu Ala  
 465 470 475 480  
 Arg Val Val Pro Gly Arg Gly Ile Cys Leu Asp Leu Ala Ile Leu Asp  
 485 490 495  
 Ser Ala Phe Leu Leu Ser Gln Val Ala Pro Ser Leu Phe Met Gly Ser  
 500 505 510  
 Ile Val Gln Leu Ser Gln Ser Val Thr Ala Tyr Met Val Ser Ala Ala  
 515 520 525  
 Gly Leu Gly Leu Val Ala Ile Tyr Phe Ala Thr Gln Val Val Phe Asp  
 530 535 540  
 Lys Ser Asp Leu Ala Lys Tyr Ser Ala  
 545 550

&lt;210&gt; 114

&lt;211&gt; 241

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 114

Met Gln Cys Phe Ser Phe Ile Lys Thr Met Met Ile Leu Phe Asn Leu  
 1 5 10 15  
 Leu Ile Phe Leu Cys Gly Ala Ala Leu Ala Val Gly Ile Trp Val  
 20 25 30  
 Ser Ile Asp Gly Ala Ser Phe Leu Lys Ile Phe Gly Pro Leu Ser Ser  
 35 40 45  
 Ser Ala Met Gln Phe Val Asn Val Gly Tyr Phe Leu Ile Ala Ala Gly  
 50 55 60  
 Val Val Val Phe Ala Leu Gly Phe Leu Gly Cys Tyr Gly Ala Lys Thr  
 65 70 75 80  
 Glu Ser Lys Cys Ala Leu Val Thr Phe Phe Phe Ile Leu Leu Leu Ile

```
<210> 115
<211> 366
<212> DNA
<213> Homo sapien
```

```
<210> 116
<211> 282
<212> DNA
<213> Homo sapien
```

```
<210> 117
<211> 305
```



<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(305)

<223> n = A,T,C or G

<400> 117

acacatgtcg cttcactgcc ttcttagatg cttctgggtca acatanagga acagggacca	60
tatttatcct ccctcctgaa acaattgcaa aataanacaa aatatatgaa acaattgcaa	120
aataaggcaa aatatatgaa acaacaggtc tcgagatatt ggaaatcagt caatgaagga	180
tactgatccc tgatcactgt cctaatagcag gatgtgggaa acagatgagg tcacctctgt	240
gactgcccc gcttactgcc tgtagagagt ttctangctg cagttcagac agggagaaat	300
tggggt	305

<210> 118

<211> 71

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(71)

<223> n = A,T,C or G

<400> 118

accaaggtgt ntgaatctct gacgtgggga tctctgattc ccgcacaatc tgagtggaaa	60
aantcctggg t	71

<210> 119

<211> 212

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(212)

<223> n = A,T,C or G

<400> 119

actccggttg gtgtcagcag cacgtggcat tgaacatngc aatgtggagc ccaaaccaca	60
gaaaatgggg tgaaattggc caactttcta tnaacttatg ttggcaantt tgccaccaac	120
agtaagctgg cccttctaataaaaagaaat tgaaagggtt ctcactaanc ggaattaant	180
aatggantca aganactccc aggcctcagc gt	212

<210> 120

<211> 90

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(90)

<223> n = A,T,C or G

<400> 120  
 actcgttgca natcaggggc cccccagagt caccgttgca ggagtccttc tggctettgcc 60  
 ctccgccggc gcagaacatg ctgggggtggt 90

<210> 121  
 <211> 218  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(218)  
 <223> n = A,T,C or G

<400> 121  
 tgtancgtga anacgacaga nagggttgct aaaaatggag aanccttgaa gtcattttga 60  
 gaataagatt tgctaaaaga tttggggcta aaacatgggt attgggagac atttctgaag 120  
 atatncangt aaattangga atgaattcat ggttcttttg ggaattcctt tacgatngcc 180  
 agcatanact tcatgtgggg atancagcta cccttgta 218

<210> 122  
 <211> 171  
 <212> DNA  
 <213> Homo sapien

<400> 122  
 taggggtgta tgcaactgta aggacaaaaa ttgagactca actggcttaa ccaataaagg 60  
 catttgtag ctcatggaac aggaagtcgg atggtggggc atcttcagtg ctgcatgagt 120  
 caccaccccg gcgggggtcat ctgtgccaca ggtccctgtt gacagtgcgg t 171

<210> 123  
 <211> 76  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(76)  
 <223> n = A,T,C or G

<400> 123  
 tgtagcgtga agacnacaga atggtgtgtg ctgtgctatc caggaacaca tttattatca 60  
 ttatcaanta ttgtgt 76

<210> 124  
 <211> 131  
 <212> DNA  
 <213> Homo sapien

<400> 124  
 acctttcccc aaggccaatg tctgtgtgct taactggccg gctgcaggac agctgcaatt 60  
 caatgtgctg ggtcatatgg aggggaggag actctaaaat agccaatttt attctcttgg 120  
 ttaagatttg t 131

<210> 125  
<211> 432  
<212> DNA  
<213> Homo sapien

<400> 125  
actttatcta ctggctatga aatagatggt ggaaaattgc gttaccaact ataccactgg 60  
cttgaaaaag aggtgatagc tcttcagagg acttgtgact tttgctcaga tgctgaagaa 120  
ctacagtctg catttggcag aaatgaagat gaatttggat taaatgagga tgctgaagat 180  
ttgcctcacc aaacaaaagt gaaacaactg agagaaaatt ttcaggaaaa aagacagtgg 240  
ctcttgaagt atcagtcact tttgagaatg tttcttagtt actgcatact tcatggatcc 300  
catgggtggg gtcttgcacg tgtaagaatg gaattgattt tgcttttgca agaatctcag 360  
caggaaacat cagaaccact attttctagc cctctgtcag agcaaacctc agtgcctctc 420  
ctctttgctt gt 432

<210> 126  
<211> 112  
<212> DNA  
<213> Homo sapien

<400> 126  
acacaacttg aatagtaaaa tagaaactga gctgaaattt ctaattcact ttctaaccat 60  
agtaagaatg atatttcccc ccagggatca ccaaatattt ataaaaattt gt 112

<210> 127  
<211> 54  
<212> DNA  
<213> Homo sapien

<400> 127  
accacgaaac cacaacaag atggaagcat caatccactt gccaaagcaca gcag 54

<210> 128  
<211> 323  
<212> DNA  
<213> Homo sapien

<400> 128  
acctcattag taattgtttt gttgtttcat ttttttctaa tgtctcccct ctaccagctc 60  
acctgagata acagaatgaa aatggaagga cagccagatt tctcctttgc tctctgctca 120  
ttctctctga agtctagggt acccattttg gggacccatt ataggcaata aacacagttc 180  
ccaaagcatt tggacagttt cttgttgtgt tttagaatgg ttttcctttt tcttagcctt 240  
ttcctgcaaa aggtcactc agtcccttgc ttgctcagtg gactgggctc cccagggcct 300  
aggctgcctt cttttccatg tcc 323

<210> 129  
<211> 192  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(192)  
<223> n = A,T,C or G

<400> 129  
acatacatgt gtgtatatatt ttaaatatca cttttgtatc actctgactt tttagcatac 60  
tgaaaacaca ctaacataat ttntgtgaac catgatcaga tacaacccaa atcattcatc 120  
tagcacattc atctgtgata naaagatagg tgagtttcat ttccttcacg ttggccaatg 180  
gataaacaaa gt 192

<210> 130  
<211> 362  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(362)  
<223> n = A,T,C or G

<400> 130  
ccctttttta tgggaatgagt agactgtatg tttgaanatt tanccacaac ctctttgaca 60  
tataatgacg caacaaaaag gtgctgttta gtcctatggg tcagtttatg cccctgacaa 120  
gtttccattg tgttttgccg atcttctggc taatcgtggg atcctccatg ttattagtaa 180  
ttctgtattc cattttgtta acgcctggta gatgtaacct gctangaggc taactttata 240  
cttattttaa agctcttatt ttgtgggtcat taaaatggca atttatgtgc agcactttat 300  
tgcagcagga agcacgtgtg ggttgggtgt aaagctcttt gctaatttta aaaagtaatg 360  
gg 362

<210> 131  
<211> 332  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(332)  
<223> n = A,T,C or G

<400> 131  
ctttttgaaa gatcgtgtcc actcctgtgg acatcttgtt ttaatggagt ttcccatgca 60  
gtangactgg tatggttgca gctgtccaga taaaaacatt tgaagagctc caaaatgaga 120  
gttctcccag gttcgccctg ctgctccaag tctcagcagc agcctctttt aggaggcatc 180  
ttctgaacta gattaaggca gcttgtaaat ctgatgtgat ttggtttatt atccaactaa 240  
cttccatctg ttatcactgg agaaagccca gactcccan gacnggtacg gattgtgggc 300  
atanaaggat tgggtgaagc tggcgttgtg gt 332

<210> 132  
<211> 322  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(322)  
<223> n = A,T,C or G

<400> 132  
acttttgcca ttttgtatat ataaacaatc ttgggacatt ctctgaaaa ctaggtgtcc 60

```

agtggctaag agaactcgat ttcaagcaat tctgaaagga aaaccagcat gacacagaat   120
ctcaaattcc caaacagggg ctctgtggga aaaatgaggg aggacctttg tatctcgggt   180
tttagcaagt taaaatgaan atgacaggaa aggcttattt atcaacaaag agaagagttg   240
ggatgcttct aaaaaaaact ttggtagaga aaataggaat gctnaatcct aggggaagcct   300
gtaacaatct acaattgggc ca                                           322

```

&lt;210&gt; 133

&lt;211&gt; 278

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(278)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 133

```

acaagccttc acaagtttaa ctaaattggg attaatcttt ctgtanttat ctgcataatt   60
cttggttttc ttccatctg gctcctgggt tgacaatttg tggaaacaac tctattgcta   120
ctatttaaaa aaaatcacia atctttccct ttaagctatg ttnaattcaa actattcctg   180
ctattcctgt tttgtcaaag aaattatatt ttcaaaaata tgtntatttg ttgatgggt   240
cccacgaaac actaataaaa accacagaga ccagcctg                               278

```

&lt;210&gt; 134

&lt;211&gt; 121

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(121)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 134

```

gtttanaaaa cttgtttagc tccatagagg aaagaatggt aaactttgta ttttaaaaca   60
tgattctctg aggttaaact tgggtttcaa atgttatttt tacttgtatt ttgcttttgg   120
t                                                                    121

```

&lt;210&gt; 135

&lt;211&gt; 350

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(350)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 135

```

acttanaacc atgcctagca catcagaatc cctcaaagaa catcagtata atcctataacc   60
atancaagtg gtgactgggt aagcgtgcga caaaggctcag ctggcacatt acttgtgtgc   120
aaacttgata cttttgttct aagtaggaac tagtatacag tncctaggan tggtaactcca   180
gggtgcccc caactcctgc agccgctcct ctgtgccagn ccctgnaagg aactttcgct   240
ccacctcaat caagccctgg gccatgctac ctgcaattgg ctgaacaaac gtttgctgag   300
ttcccaagga tgcaaagcct ggtgctcaac tccctggggcg tcaactcagt           350

```

<210> 136  
 <211> 399  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(399)  
 <223> n = A,T,C or G

<400> 136  
 tgtaccgtga agacgacaga agttgcatgg cagggacagg gcagggccga ggccagggtt 60  
 gctgtgattg tatccgaata ntccctcgtga gaaaagataa tgagatgacg tgagcagcct 120  
 gcagacttgt gtctgccttc aanaagccag acaggaaggc cctgcctgcc ttggctctga 180  
 cctggcggcc agccagccag ccacagggtg gcttcttcct ttgtgtgtga caacnccaag 240  
 aaaactgcag aggccagggg tcagggtgna gtgggtangt gaccataaaa caccagggtgc 300  
 tcccaggaac ccgggcaaag gccatcccca cctacagcca gcatgcccac tggcgtgatg 360  
 ggtgcagang gatgaagcag ccagntgttc tgctgtggt 399

<210> 137  
 <211> 165  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(165)  
 <223> n = A,T,C or G

<400> 137  
 actggtgtgg tnggggggtga tgctgggtgg anaagttgan gtgacttcan gatggtgtgt 60  
 ggaggaagtg tgtgaacgta gggatgtaga ngttttggcc gtgctaaatg agcttcggga 120  
 ttggctggtc ccactgggtg tcaactgtcat tgggtggggt cctgt 165

<210> 138  
 <211> 338  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(338)  
 <223> n = A,T,C or G

<400> 138  
 actcactgga atgccacatt cacaacagaa tcagaggtct gtgaaaacat taatggctcc 60  
 ttaacttctc cagtaagaat cagggacttg aaatggaaac gttaacagcc acatgcccaa 120  
 tgctgggcag tctcccatgc ctccacagt gaaagggtt gagaaaaatc acatccaatg 180  
 tcatgtgttt ccagccacac caaaagggtg ttgggggtgga gggctggggg catananggt 240  
 cangcctcag gaagcctcaa gttccattca gctttgccac tgracattcc ccatntttaa 300  
 aaaaactgat gccttttttt tttttttttt taaaattc 338

<210> 139  
 <211> 382

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 139

gggaatcttg	gtttttggca	tctggtttgc	ctatagccga	ggccactttg	acagaacaaa	60
gaaagggact	tcgagtaaga	aggtgattta	cagccagcct	agtgcccga	gtgaaggaga	120
attcaaacag	acctcgatcat	tcctgggtgtg	agcctgggtcg	gctcaccgcc	tatcatctgc	180
atttgccctta	ctcaggtgct	accggactct	ggccccgat	gtctgtagtt	tcacaggatg	240
ccttatttgt	cttctacacc	ccacagggcc	ccctacttct	tcggatgtgt	ttttaataat	300
gtcagctatg	tgccccatcc	tccttcatgc	cctccctccc	tttccctacca	ctgctgagtg	360
gcctggaact	tgtttaaagt	gt				382

&lt;210&gt; 140

&lt;211&gt; 200

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (200)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 140

accaaancctt	ctttctgttg	tgctngattt	tactataggg	gttngcttn	ttctaaanat	60
acttttcatt	taacancttt	tgtaagtgt	caggctgcac	tttgtccat	anaattattg	120
ttttcacatt	tcaacttgta	tggtgtgtgc	tcttanagca	ttggtgaaat	cacatatttt	180
atattcagca	taaaggagaa					200

&lt;210&gt; 141

&lt;211&gt; 335

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (335)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 141

actttatttt	caaaacactc	atatgttgca	aaaaacacat	agaaaaataa	agtttggtgg	60
gggtgctgac	taaaactcaa	gtcacagact	tttatgtgac	agattggagc	agggtttggt	120
atgcatgtag	agaacccaaa	ctaatttatt	aaacaggata	gaaacaggct	gtctgggtga	180
aatggttctg	agaaccatcc	aattcacctg	tcagatgctg	atanactagc	tcttcagatg	240
tttttctacc	agttcagaga	tnggttaatg	actanttcca	atgggggaaa	agcaagatgg	300
attcacaac	caagtaattt	taaacaaaga	cactt			335

&lt;210&gt; 142

&lt;211&gt; 459

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (459)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 142

accagggttaa	tattgccaca	tatatccttt	ccaattgegg	gctaaacaga	cggtgattta	60
gggttggtta	aagacaaccc	agcttaatat	caagagaaat	tgtgaccttt	catggagtat	120
ctgatggaga	aaacactgag	ttttgacaaa	tcttatttta	ttcagatagc	agtctgatca	180
cacatgggtcc	aacaacactc	aaataataaa	tcaaatatna	tcagatgtta	aagattggtc	240
ttcaaacatc	atagccaatg	atgccccgct	tgcctataat	ctctccgaca	taaaaccaca	300
tcaacacctc	agtggccacc	aaaccattca	gcacagcttc	cttaactgtg	agctgtttga	360
agctaccagt	ctgagcacta	ttgactatnt	ttttcangct	ctgaatagct	ctagggatct	420
cagcangggg	gggaggaacc	agctcaacct	tggcgctant			459

&lt;210&gt; 143

&lt;211&gt; 140

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 143

acatttcctt	ccaccaagtc	aggactcctg	gcttctgtgg	gagttcttat	cacctgaggg	60
aaatccaaac	agtctctcct	agaaaggaat	agtgtcacca	acccaccca	tctcctgag	120
accatccgac	ttcctgtgt					140

&lt;210&gt; 144

&lt;211&gt; 164

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(164)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 144

acttcagtaa	caacatacaa	taacaacatt	aagtgtatat	tgccatcttt	gtcattttct	60
atctatacca	ctctcccttc	tgaaaacaan	aatcactanc	caatcactta	tacaaatttg	120
aggcaattaa	tccatatttg	ttttcaataa	ggaaaaaaag	atgt		164

&lt;210&gt; 145

&lt;211&gt; 303

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(303)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 145

acgtagacca	tccaactttg	tatttgtaat	ggcaaacatc	cagnagcaat	tcctaaacaa	60
actggagggt	atttatacce	aattatccca	ttcattaaca	tgccctcttc	ctcaggctat	120
gcaggacagc	tatcataagt	cgggccaggc	atccagatac	taccatttgt	ataaacttca	180
gtaggggagt	ccatccaagt	gacaggtcta	atcaaaggag	gaaatggaac	ataagcccag	240
tagtaaaatn	ttgcttagct	gaaacagcca	caaaagactt	accgccgtgg	tgattaccat	300
caa						303

&lt;210&gt; 146



<211> 327  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(327)  
 <223> n = A,T,C or G

<400> 146  
 actgcagctc aattagaagt ggtctctgac ttcatcanc ttctccctgg gctccatgac 60  
 actggcctgg agtgactcat tgcctctggt gggtgagaga gctcctttgc caacaggcct 120  
 ccaagtcagg gctgggattt gtttcctttc cacattctag caacaatatg ctggccactt 180  
 cctgaacagg gaggggtgga ggagccagca tggaacaagc tgccactttc taaagtagcc 240  
 agacttgccc ctgggcctgt cacacctact gatgaccttc tgtgcctgca ggatggaatg 300  
 taggggtgag ctgtgtgact ctatggt 327

<210> 147  
 <211> 173  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(173)  
 <223> n = A,T,C or G

<400> 147  
 acattgtttt tttagataa agcattgana gagctctect taacgtgaca caatggaagg 60  
 actggaacac ataccacat cttgttctg agggataatt ttctgataaa gtcttgctgt 120  
 atattcaagc acatatgtta tatattattc agttccatgt ttatagccta gtt 173

<210> 148  
 <211> 477  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(477)  
 <223> n = A,T,C or G

<400> 148  
 acaaccactt tatctcatcg aatttttaac ccaaactcac tcaactgtgcc ttctatcct 60  
 atgggatata ttatttgatg ctccatttca tcacacatat atgaataata cactcatact 120  
 gccctactac ctgctgcaat aatcacattc ccttctgtc ctgaccctga agccattggg 180  
 gtggctctag tggccatcag tccangcctg caccttgagc ccttgagctc cattgctcac 240  
 nccanccac ctacccgacc ccatacctct acacagctac ctcttgctc tctaacccca 300  
 tagattatnt ccaaattcag tcaattaagt tactattaac actctaccg acatgtccag 360  
 caccactggg aagccttctc cagccaacac acacacacac acacncacac acacacatat 420  
 ccaggcacag gctacctcat ctccacaatc acccctttaa ttaccatgct atggtgg 477

<210> 149  
 <211> 207  
 <212> DNA

<213> Homo sapien

<400> 149

acagttgtat tataatatca agaaataaac ttgcaatgag agcattttaag agggaagaac	60
taacgtatatt tagagagcca aggaagggtt ctgtggggag tgggatgtaa ggtggggcct	120
gatgataaat aagagtcagc caggtaagtg ggtggtgtgg tatgggcaca gtgaagaaca	180
tttcaggcag agggaacagc agtgaaa	207

<210> 150

<211> 111

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(111)

<223> n = A,T,C or G

<400> 150

accttgattt cattgctgct ctgatggaaa cccaactatc taatttagct aaaacatggg	60
cacttaaagt tggtcagtgt ttggacttgt taactantgg catctttggg t	111

<210> 151

<211> 196

<212> DNA

<213> Homo sapien

<400> 151

agcgcggcag gtcatatga acattccaga tacctatcat tactcgatgc tgttgataac	60
agcaagatgg ctttgaactc agggtcacca ccagctattg gaccttacta tgaaaaccat	120
ggataccaac cggaaaacc cttcccgcga cagcccactg tgggtcccac tgtctacgag	180
gtgcatccgg ctcagt	196

<210> 152

<211> 132

<212> DNA

<213> Homo sapien

<400> 152

acagcacttt cacatgtaag aagggagaaa ttcctaaatg taggagaaag ataacagaac	60
cttccccctt tcatctagtg gtggaaacct gatgctttat gttgacagga atagaaccag	120
gagggagttt gt	132

<210> 153

<211> 285

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(285)

<223> n = A,T,C or G

<400> 153

acaanacca nganaggcca ctggccgtgg tgtcatggcc tccaaacatg aaagtgtcag	60
--	----

```

cttctgctct tatgtcctca tctgacaact ctttaccatt tttatcctcg ctcagcagga    120
gcacatcaat aaagtccaaa gtcttggact tggccttggc ttggagggaag tcatcaacac    180
cctggctagt gaggggtgcgg cgccgtcctt ggatgacggc atctgtgaag tcgtgcacca    240
gtctgcaggc cctgtggaag cgccgtccac acggagtnag gaatt                      285

```

```

<210> 154
<211> 333
<212> DNA
<213> Homo sapien

```

```

<400> 154
accacagtcc tgttgggcca gggcttcatg accctttctg tgaaaagcca tattatcacc    60
accccaaat tttccttaaa tatctttaac tgaaggggtc agcctcttga ctgcaaagac    120
cctaagccgg ttacacagct aactccactt ggccttgatt tgtgaaattg ctgctgcctg    180
attggcacag gagtcgaagg tgttcagctc cctcctccg tggaaagaga ctctgatttg    240
agtttcacaa attctcgggc cacctcgtca ttgtcctctt gaaataaaaat ccggagaatg    300
gtcaggcctg tctcatccat atggatcttc cgg                      333

```

```

<210> 155
<211> 308
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(308)
<223> n = A,T,C or G

```

```

<400> 155
actggaaata ataaaaccca catcacagtg ttgtgtcaaa gatcatcagg gcatggatgg    60
gaaagtgttt tgggaactgt aaagtgccta acacatgata gatgattttt gttataatat    120
ttgaatcacg gtgcatacaa actctcctgc ctgctcctcc tgggccccag cccagacccc    180
atcacagctc actgctctgt tcatccaggc ccagcatgta gtggctgatt cttcttggtt    240
gcttttagcc tccanaagtt tctctgaagc caaccaaacc tctangtgta aggcattgctg    300
gccttggt                      308

```

```

<210> 156
<211> 295
<212> DNA
<213> Homo sapien

```

```

<400> 156
accttgctcg gtgcttggaa catattagga actcaaaata tgagatgata acagtgccta    60
ttattgatta ctgagagaac tgttagacat ttagttgaag attttctaca caggaactga    120
gaataggaga ttatgttttg cctcatattt ctctcctatc ctcttgctct cattctatgt    180
ctaatatatt ctcaatcaaa taaggtttagc ataatcagga aatcgaccaa ataccaatat    240
aaaaccagat gtctatcctt aagattttca aatagaaaac aaattaacag actat          295

```

```

<210> 157
<211> 126
<212> DNA
<213> Homo sapien

```

```

<400> 157
acaagtttaa atagtgtgtg cactgtgcat gtgctgaaat gtgaaatcca ccacatttct    60

```

gaagagcaaa acaaattctg tcatgtaatc tctatcttgg gtcgtgggta tatctgtccc 120  
cttagt 126

<210> 158  
<211> 442  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(442)  
<223> n = A,T,C or G

<400> 158  
accactggt cttggaaca cccatcctta atacgatgat ttttctgtcg tgtgaaaatg 60  
aanccagcag gctgccccta gtcagtcctt ccttccagag aaaaagagat ttgagaaagt 120  
gcctgggttaa ttcaccatta atttcctccc ccaaactctc tgagtcttcc cttaatatatt 180  
ctggtggttc tgaccaaagc aggtcatggt ttgttgagca tttgggatcc cagtgaagta 240  
natgtttgta gccttgcata cttagccctt cccacgcaca aacggagtgg cagagtgggtg 300  
ccaacctgt tttccagtc cagctagaca gattcacagt gcggaattct ggaagctgga 360  
nacagacggg ctctttgcag agccgggact ctgagangga catgagggcc tctgcctctg 420  
tgttcattct ctgatgtcct gt 442

<210> 159  
<211> 498  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(498)  
<223> n = A,T,C or G

<400> 159  
acttccaggt aacgttggtt tttccgttga gcctgaactg atgggtgacg ttgtagggttc 60  
tccaacaaga actgagggtg cagagcgggt agggaaagagt gctgttccag ttgcacctgg 120  
gctgctgtgg actgttggtt attcctcact acggcccaag gttgtggaac tggcanaaag 180  
gtgtgtgtgt gganttgagc tcgggcggct gtggtagggt gtgggtctct caacaggggc 240  
tgctgtgggt cggggangtg aangtggtgt gtcacttgag ctgggccagc tctggaaagt 300  
antanattct tcctgaaggc cagcgttgtt ggagctggca ngggtcantg ttgtgtgtaa 360  
cgaaccagt ctgctgtggg tgggtgtana tcctccacaa agcctgaagt tatggtgtcn 420  
tcaggtaana atgtggtttc agtgtccctg ggcngctgtg gaaggttgta nattgtcacc 480  
aagggaataa gctgtggt 498

<210> 160  
<211> 380  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(380)  
<223> n = A,T,C or G

<400> 160

```

acctgcatcc agcttccttg ccaaactcac aaggagacat caacctctag acagggaaac      60
agcttcagga tacttccagg agacagagcc accagcagca aaacaaatat tcccatgcct      120
ggagcatggc atagaggaag ctganaaatg tggggtctga ggaagccatt tgagtctggc      180
cactagacat ctcatcagcc acttgtgtga agagatgccc catgacccca gatgcctctc      240
ccacccttac ctccatctca cacacttgag ctttccactc tgtataattc taacatcctg      300
gagaaaaatg gcagtttgac cgaacctgtt cacaacggta gaggctgatt tctaacgaaa      360
cttgtagaat gaagcctgga                                     380

```

```

<210> 161
<211> 114
<212> DNA
<213> Homo sapien

```

```

<400> 161
actccacatc cctctgagc aggcgggtgt cgttcaagggt gtatttggcc ttgcctgtca      60
cactgtccac tgcccctta tccacttggt gcttaatccc tcgaaagagc atgt          114

```

```

<210> 162
<211> 177
<212> DNA
<213> Homo sapien

```

```

<400> 162
actttctgaa tcgaatcaaa tgatacttag tgtagtttta atatcctcat atatatcaaa      60
gttttactac tctgataatt ttgtaaacca ggtaaccaga acatccagtc atacagcttt      120
tggatgata taacttggca ataaccagc ctggtgatac ataaaactac tcactgt        177

```

```

<210> 163
<211> 137
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(137)
<223> n = A,T,C or G

```

```

<400> 163
catttataca gacaggcgtg aagacattca cgacaaaaac gcgaaattct atcccgtgac      60
canagaaggc agctacggct actcctacat cctggcgtgg gtggccttcg cctgcacctt      120
catcagcggc atgatgt                                     137

```

```

<210> 164
<211> 469
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(469)
<223> n = A,T,C or G

```

```

<400> 164
cttatcacia tgaatgttct cctgggcagc gttgtgatct ttgccacctt cgtgacttta      60
tgcaatgcat catgctatct catacctaag gagggagttc caggagattc aaccaggaaa      120

```

```

tgcattggatc tcaaaggaaa caaacaccca ataaactcgg agtggcagac tgacaactgt      180
gagacatgca cttgttacga aacagaaatt tcatgttgca cccttggttc tacacctgtg      240
ggttatgaca aagacaactg ccaaagaatc ttcaagaagg aggactgcaa gtatatcgtg      300
gtggagaaga aggacccaaa aaagacctgt tctgtcagtg aatggataat ctaatgtgct      360
tctagtaggc acagggtccc caggccaggc ctcattctcc tctggcctct aatagtcaat      420
gattgtgtag ccatgcctat cagtaaaaag atntttgagc aaacacttt      469

```

<210> 165

<211> 195

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(195)

<223> n = A,T,C or G

<400> 165

```

acagtttttt atanatateg acattgccgg cacttggtgt cagtttcata aagctgggtg      60
atccgctgtc atccactatt ccttggttag agtaaaaatt attcttatag cccatgtccc      120
tgcaggccgc ccgcccgtag ttctcgttcc agtcgtcttg gcacacaggg tgccaggact      180
tcctctgaga tgagt      195

```

<210> 166

<211> 383

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(383)

<223> n = A,T,C or G

<400> 166

```

acatcttagt agtgtggcac atcagggggc catcagggtc acagtcactc atagcctcgc      60
cgaggtcgga gtccacacca ccggtgtagg tgtgtcfaat cttgggcttg gcgcccacct      120
ttggagaagg gatatgctgc acacacatgt ccacaaagcc tgtgaactcg ccaaagaatt      180
tttgagacc agcctgagca aggggaggat gttcagcttc agtcctcctc tcgtcagggtg      240
gatgccaacc tcgtctangg tccgtgggaa gctggtgtcc acntcaccta caacctgggc      300
gangatctta taaaggagct ccnagataaa ctccacgaaa cttctctggg agctgctagt      360
nggggccttt ttggtgaact ttc      383

```

<210> 167

<211> 247

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(247)

<223> n = A,T,C or G

<400> 167

```

acagagccag accttggcca taaatgaanc agagattaag actaaacccc aagtcganat      60
tggagcagaa actggagcaa gaagtgggccc tggggctgaa gtagagacca agggcactgc      120

```

tatanccata cacagagcca actctcaggc caaggcnatg gttggggcag anccagagac	180
tcaatctgan tccaaagtgg tggctggaac actggtcatg acanaggcag tgactctgac	240
tgangtc	247

&lt;210&gt; 168

&lt;211&gt; 273

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(273)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 168

acttctaagt tttctagaag tggaaggatt gtantcatcc tgaaaatggg tttacttcaa	60
aatccctcan ccttggtctt cacnactgtc tatactgana gtgtcatgtt tccacaaagg	120
gctgacacct gagcctgnat tttcactcat ccctgagaag ccctttccag taggggtgggc	180
aattcccaac ttccttgcca caagcttccc aggctttctc ccctggaaaa ctccagcttg	240
agtcccagat acactcatgg gctgccctgg gca	273

&lt;210&gt; 169

&lt;211&gt; 431

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(431)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 169

acagccttgg cttcccaaaa ctccacagtc tcagtgcaga aagatcatct tccagcagtc	60
agctcagacc agggtcaaaag gatgtgacat caacagtctc tggtttcaga acaggttcta	120
ctactgtcaa atgacccccc atacttctc aaaggctgtg gtaagttttg cacagggtgag	180
ggcagcagaa aggggggtant tactgatgga caccatcttc tctgataact ccacactgac	240
cttgccatgg gcaaaggccc ctaccacaaa aacaatagga tcactgctgg gcaccagctc	300
acgcacatca ctgacaaccg ggatggaaaa agaantgcca actttcatac atccaactgg	360
aaagtgatct gatactggat tcttaattac cttcaaaagc ttctgggggc catcagctgc	420
tcgaacactg a	431

&lt;210&gt; 170

&lt;211&gt; 266

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(266)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 170

acctgtgggc tgggctgtta tgctgtgcc ggctgctgaa agggagttca gaggtggagc	60
tcaaggagct ctgcaggcat tttgccaanc ctctccanag canagggagc aacctacact	120
ccccgctaga aagacaccag attggagtcc tgggaggggg agttgggggtg ggcatttgat	180

gtatacttgt cacctgaatg aangagccag agaggaanga gacgaanatg anattggcct 240  
tcaaagctag gggctctggca ggtgga 266

<210> 171

<211> 1248

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1) ... (1248)

<223> n = A,T,C or G

<400> 171

```

ggcagccaaa tcataaacgg cgaggactgc agcccgcaact cgcagccctg gcaggcggca      60
ctgggtcatgg aaaacgaatt gttctgctcg ggcgtcctgg tgcataccga gtgggtgctg      120
tcagccgcac actgtttcca gaagtgagtg cagagctcct acaccatcgg gctgggcctg      180
cacagtcttg aggccgacca agagccaggg agccagatgg tggaggccag cctctccgta      240
cggcaccacag agtacaacag acccttgctc gctaacgacc tcatgtctcat caagttggac      300
gaatccgtgt ccgagtctga caccatccgg agcatcagca ttgcttcgca gtgccctacc      360
gcggggaact cttgcctcgt ttctggtggtg ggtctgctgg cgaacggcag aatgcctacc      420
gtgctgcagt gcgtgaacgt gtcggtggtg tctgaggagg tctgcagtaa gctctatgac      480
ccgctgtacc accccagcat gttctgcgcc ggcggaggggc aagaccagaa ggactcctgc      540
aacggtgact ctggggggcc cctgatctgc aacgggtact tgcagggcct tgtgtctttc      600
ggaaaagccc cgtgtggcca agttggcgtg ccagggtgtc acaccaacct ctgcaaatc      660
actgagtggg tagagaaaac cgtccaggcc agttaactct ggggactggg aacctatgaa      720
attgaccccc aaatacatcc tgcggaagga attcaggaat atctgttccc agccccctct      780
ccctcaggcc caggagtcca ggccccagc cctcctctcc tcaaaccaag ggtacagatc      840
cccagccctt cctccctcag acccaggagt ccagaccccc cagccctctc tccctcagac      900
ccaggagtcc agccccctct cctcagacc caggagtcca gacccccag cccctcctcc      960
ctcagaccca ggggtccagg cccccaaccc ctccctccctc agactcagag gtccaagccc     1020
ccaaccntc attcccaga cccagaggtc cagggtccag cccctcntcc ctcagaccca     1080
gcgggtccaat gccacctaga ctntccctgt acacagtgcc cccttggtggc acgttgacct     1140
aaccttacca gttggttttt cattttngt ccctttcccc tagatccaga aataaagttt     1200
aagagaagng caaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa     1248

```

<210> 172

<211> 159

<212> PRT

<213> Homo sapien

<220>

<221> VARIANT

<222> (1) ... (159)

<223> Xaa = Any Amino Acid

<400> 172

```

Met Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro
 1             5             10             15
Leu Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser
             20             25             30
Glu Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr
             35             40             45
Ala Gly Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly
 50             55             60

```



Arg Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu  
 65 70 75 80  
 Glu Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe  
 85 90 95  
 Cys Ala Gly Gly Gly Gln Xaa Gln Xaa Asp Ser Cys Asn Gly Asp Ser  
 100 105 110  
 Gly Gly Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe  
 115 120 125  
 Gly Lys Ala Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn  
 130 135 140  
 Leu Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser  
 145 150 155

<210> 173

<211> 1265

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(1265)

<223> n = A,T,C or G

<400> 173

ggcagcccgcc actcgccagcc ctggcaggcg gcactgggtca tggaaaacga attgttctgc 60  
 tcgggcgctcc tgggtgcatcc gcagtgggtg ctgtcagccg cacactgttt ccagaactcc 120  
 tacaccatcg ggctgggccc gcacagctt gaggccgacc aagagccagg gagccagatg 180  
 gtggaggcca gcctctccgt acggcaccca gactacaaca gacccttgct cgttaacgac 240  
 ctcatgtcca tcaagtggga cgaatccgtg tccgagtctg acaccatccg gagcatcagc 300  
 attgtctcgc agtgccctac cgcggggaac tcttgccctg tttctggctg gggctctgctg 360  
 gcgaacgggtg agctcacggg tgtgtgtctg cctcttcca ggaggctctc tgcccagtcg 420  
 cgggggctga ccagagctc tgcgtccag gcagaatgcc taccgtgctg cagtgcgtga 480  
 acgtgtcggg ggtgtctgag gaggtctgca gtaagctcta tgaccgctg taccacccca 540  
 gcatgttctg cgcggcgga gggcaagacc agaaggactc ctgcaacggg gactctgggg 600  
 ggccctgat ctgcaacggg tacttgagg gccttggtc ttcggaaaa gcccgtgtg 660  
 gccaggtgg cgtgccagg gtctacacca acctctgcaa attcactgag tggatagaga 720  
 aaaccgtcca ggccagttaa ctctggggac tgggaaccca tgaaattgac ccccaaatc 780  
 atctgcccga aggaattcag gaatatctgt tcccagcccc tctcctccta ggcccaggag 840  
 tccaggcccc cagccctcc tccctcaaac caagggtaca gatccccagc cctcctccc 900  
 tcagaccag gagtccagac cccccagccc ctctccctc agaccagga gtccagcccc 960  
 tctcctccta gaccagagg tccagacccc ccagcccctc ctccctcaga cccaggggtt 1020  
 gagggcccca acccctcctc ctccagagtc agagggtcaa gcccccaacc cctcgttccc 1080  
 cagaccaga ggtinnaggtc ccagcccctc ttcctcaga cccagnggtc caatgccacc 1140  
 tagattttcc ctgnacacag tcccccttg tggngangtt acccaacctt accagttggt 1200  
 ttttcatttt tngtcccttt cccctagatc cagaaataaa gttaaagaga ngngcaaaaa 1260  
 aaaaa 1265

<210> 174

<211> 1459

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(1459)

<223> n = A,T,C or G

<400> 174

ggtcagccgc	acactgtttc	cagaagtgag	tgcagagctc	ctacaccatc	gggctggggc	60
tgcacagtct	tgaggccgac	caagagccag	ggagccagat	ggaggaggcc	agcctctccg	120
tacggcaccc	agagtacaac	agacccttgc	tcgctaacga	cctcatgctc	atcaagttgg	180
acgaatccgt	gtccgagttc	gacaccatcc	ggagcatcag	cattgcttcg	cagtgcctta	240
ccgcggggaa	ctcttgccct	gtttctggct	ggggtctgct	ggcgaacggg	gagctcacgg	300
gtgtgtgtct	gcccctcttca	aggaggtcct	ctgcccagtc	gcgggggctg	acccagagct	360
ctgcgtccca	ggcagaatgc	ctaccgtgct	gcagtgcgtg	aacgtgtcgg	tggtgtctga	420
ngaggtctgc	antaagctct	atgaccgcgt	gtaccacccc	ancatgttct	gcgccggcgg	480
agggcaagac	cagaaggact	cctgcaacgt	gagagagggg	aaaggggagg	gcaggcgact	540
cagggaaggg	tggagaaggg	ggagacagag	acacacaggg	ccgcatggcg	agatgcagag	600
atggagagac	acacagggag	acagtgacaa	ctagagagag	aaactgagag	aaacagagaa	660
ataaacacag	gaataaagag	aagcaaagga	agagagaaac	agaaacagac	atggggaggc	720
agaaacacac	acacatagaa	atgcagttga	ccttccaaca	gcattggggc	tgaggcgctg	780
gacctccacc	caatagaaaa	tcctcttata	acttttgact	ccccaaaaac	ctgactagaa	840
atagcctact	gttgacgggg	agccttacca	ataacataaa	tagtcgattt	atgcatacgt	900
tttatgcatt	catgatatac	ctttgttga	attttttgat	atttctaagc	tacacagttc	960
gtctgtgaat	ttttttaaat	tgttgcaact	ctcctaaaat	ttttctgatg	tgtttattga	1020
aaaaatccaa	gtataagtgg	acttgtgcat	tcaaaccagg	gttgttcaag	ggccaactgt	1080
gtacccagag	ggaaacagtg	acacagattc	atagaggtga	aacacgaaga	gaaacaggaa	1140
aaatcaagac	tctacaaaag	ggctgggcag	gggtggctcat	gcctgtaate	ccagcacttt	1200
gggaggcgag	gcaggcagat	cacttgaggt	aaggagttca	agaccagcct	ggccaaaatg	1260
gtgaaatcct	gtctgtacta	aaaatacaaa	agttagctgg	atatggtggc	aggcgctgtg	1320
aatcccagct	acttgggagg	ctgaggcagg	agaattgctt	gaatatggga	ggcagagggt	1380
gaagtgagtt	gagatcacac	cactatactc	cagctggggc	aacagagtaa	gactctgtct	1440
caaaaaaaaa	aaaaaaaaaa					1459

<210> 175

<211> 1167

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(1167)

<223> n = A,T,C or G

<400> 175

gcgcagccct	ggcaggcggc	actggctcatg	gaaaaagaa	tgttctgctc	gggcgtcctg	60
gtgcatccgc	agtgggtgct	gtcagccgca	cactgtttcc	agaactccta	caccatcggg	120
ctgggcctgc	acagtcttga	ggccgaccaa	gagccaggga	gccagatggt	ggaggccagc	180
ctctccgtac	ggcaccacaga	gtacaacaga	ctcttgctcg	ctaaccgacct	catgctcacc	240
aagttggacg	aatccgtgtc	cgagtctgac	accatccgga	gcatacagcat	tgcttcgcag	300
tgcctaccg	cggggaactc	ttgcctcgtn	tctggctggg	gtctgctggc	gaacggcaga	360
atgcctaccg	tgctgcaactg	cgtgaacgtg	tcgggtgggt	ctgaggangt	ctgcagtaag	420
ctctatgacc	cgctgtacca	ccccagcatg	ttctgcgccg	gcggaggggca	agaccagaag	480
gactcctgca	acggtgactc	tggggggccc	ctgatctgca	acgggtactt	gcagggcctt	540
gtgtctttcg	gaaaaagccc	gtgtggccaa	cttggcgtgc	cagggtgtcta	caccaacctc	600
tgcaaatcca	ctgagtggat	agagaaaacc	gtccagncca	gttaactctg	gggactggga	660
acccatgaaa	ttgaccccca	aatacatcct	gcggaangaa	ttcaggaata	tctgttccca	720
gcccctcttc	cctcaggccc	aggagtccag	gccccagcc	cctcctccct	caaaccaagg	780
gtacagatcc	ccagccccct	ctccctcaga	cccaggagtc	cagaccccc	agccccctct	840
ccntcagacc	caggagtcca	gcccctcttc	cntcagacgc	aggagtccag	acccccccagc	900

```

ccntctctcg tcagacccag ggggtgcaggc ccccaacccc tcntctntca gagtcagagg      960
tccaagcccc caacccctcg tccccagac ccagaggtnc aggtcccagc cctctctccc      1020
tcagacccag cgggtccaatg ccacctagan tntccctgta cacagtgcc ccttggtggca      1080
ngttgaccca accttaccag ttggtttttc attttttgtc cctttcccct agatccagaa      1140
ataaagtnta agagaagcgc aaaaaaa                                1167

```

&lt;210&gt; 176

&lt;211&gt; 205

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; VARIANT

&lt;222&gt; (1) ... (205)

&lt;223&gt; Xaa = Any Amino Acid

&lt;400&gt; 176

```

Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
 1          5          10          15
Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
      20          25          30
Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
      35          40          45
Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Leu Leu Leu
      50          55          60
Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
      65          70          75          80
Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
      85          90          95
Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met
      100          105          110
Pro Thr Val Leu His Cys Val Asn Val Ser Val Val Ser Glu Xaa Val
      115          120          125
Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala
      130          135          140
Gly Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly
      145          150          155          160
Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys
      165          170          175
Ala Pro Cys Gly Gln Leu Gly Val Pro Gly Val Tyr Thr Asn Leu Cys
      180          185          190
Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Xaa Ser
      195          200          205

```

&lt;210&gt; 177

&lt;211&gt; 1119

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 177

```

gcgcaactcgc agccctggca ggcggcactg gtcattgaaa acgaattggt ctgctcgggc      60
gtcctgggtgc atccgcagtg ggtgctgtca gccgcacact gtttccagaa ctctacacc      120
atcgggctgg gcctgcacag tcttgaggcc gaccaagagc cagggagcca gatgggtggag      180
gccagcctct ccgtacggca cccagagtac aacagaccct tgctcgctaa cgacctcatg      240
ctcatcaagt tggacgaatc cgtgtccgag tctgacacca tccggagcat cagcattgct      300

```

```

tcgcagtgcc ctaccgcggg gaactcttgc ctcgtttctg gctgggggtct gctggcggaac 360
gatgctgtga ttgccatcca gtcccagact gtgggaggct gggagtgtga gaagctttcc 420
caaccctggc aggttggtac catttcggca acttccagtg caaggacgtc ctgctgcac 480
ctcactgggt gctcactact gctcactgca tcacccggaa cactgtgac aactagccag 540
caccatagtt ctccgaagtc agactatcat gattactgtg ttgactgtgc tgtctattgt 600
actaaccatg ccgatgttta ggtgaaatta gcgtcacttg gcctcaacca tcttggtatc 660
cagttatcct cactgaattg agatttcctg cttcagtgtc agccattccc acataatttc 720
tgacctacag aggtgagggg tcatatagct cttcaaggat gctgggtactc ccctcacaaa 780
ttcattttct ctgttgtagt gaaagggtgc cctctggag cctcccaggg tgggtgtgca 840
ggtcacaatg atgaatgtat gatcgtgttc ccattaccca aagcctttaa atccctcatg 900
ctcagtacac cagggcaggt ctagcatttc ttcatttagt gtatgctgtc cattcatgca 960
accacctcag gactcctgga ttctctgcct agttgagctc ctgcatgctg cctccttggg 1020
gaggtgaggg agagggccca tggttcaatg ggatctgtgc agttgtaaca cattaggtgc 1080
ttaataaaca gaagctgtga tgttaaaaaa aaaaaaaaaa 1119

```

&lt;210&gt; 178

&lt;211&gt; 164

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; VARIANT

&lt;222&gt; (1)...(164)

&lt;223&gt; Xaa = Any Amino Acid

&lt;400&gt; 178

```

Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
 1           5           10           15
Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
 20           25           30
Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
 35           40           45
Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu
 50           55           60
Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
 65           70           75           80
Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
 85           90           95
Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Asp Ala Val
100           105           110
Ile Ala Ile Gln Ser Xaa Thr Val Gly Gly Trp Glu Cys Glu Lys Leu
115           120           125
Ser Gln Pro Trp Gln Gly Cys Thr Ile Ser Ala Thr Ser Ser Ala Arg
130           135           140
Thr Ser Cys Cys Ile Leu Thr Gly Cys Ser Leu Leu Leu Thr Ala Ser
145           150           155           160
Pro Gly Thr Leu

```

&lt;210&gt; 179

&lt;211&gt; 250

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 179

```

ctggagtgcc ttggtgtttc aagccccctgc aggaagcaga atgcaccttc tgaggcacct      60
ccagctgccc ccggccgggg gatgcgaggg tcggagcacc cttgcccggc tgtgattgct      120
gccaggcact gttcatctca gcttttctgt ccctttgctc ccggcaagcg cttctgctga      180
aagtccatat ctggagcctg atgtcttaac gaataaaggt cccatgctcc acccgaaaaa      240
aaaaaaaaaa                                     250

```

```

<210> 180
<211> 202
<212> DNA
<213> Homo sapien

```

```

<400> 180
actagtccag tgtggtggaa ttccattgtg ttggggcccaa cacaatggct acctttaaca      60
tcacccagac ccgccccctg cccgtgcccc acgctgctgc taacgacagt atgatgctta      120
ctctgctact cggaactat ttttatgtaa ttaatgtatg ctttcttggt tataaatgcc      180
tgatttaaaa aaaaaaaaaa aa                                     202

```

```

<210> 181
<211> 558
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(558)
<223> n = A,T,C or G

```

```

<400> 181
tccytttgkt naggtttkkg agacamceek agacctwaan ctgtgtcaca gacttcyngg      60
aatgtttagg cagtgctagt aatttcytcg taatgattct gttattactt tcctnattct      120
ttattcctct ttcttctgaa gattaatgaa gttgaaaatt gaggtggata aatacaaaaa      180
ggtagtgtga tagtataagt atctaagtcg agatgaaagt gtgttatata tatccattca      240
aaattatgca agttagtaat tactcagggg taactaaatt actttaatat gctgttgaaac      300
ctactctgtt ccttggctag aaaaaattat aaacaggact ttgttagttt gggaagccaa      360
attgataata ttctatgttc taaaagttgg gctatacata aattattaag aaatatggaw      420
ttttattccc aggaatatgg kgttcatttt atgaatatta cscrggatag awgtwtgagt      480
aaaaycagtt ttggtwaata ygtwaatatg tcmtaaataa acaakgcttt gacttatttc      540
caaaaaaaaa aaaaaaaaaa                                     558

```

```

<210> 182
<211> 479
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(479)
<223> n = A,T,C or G

```

```

<400> 182
acagggwttk grggatgcta agsecccrge rwtggtttga tccaaccctg gcttwttttc      60
agaggggaaa atggggccta gaagttacag mscatytagy tgggtgcgmg gcacccctgg      120
cstcacacag astcccaggt agctgggact acaggcacac agtcaactgaa gcaggccctg      180
ttwgcaattc acgttgccac ctccaactta aacattcttc atatgtgatg tccttagtca      240
ctaagggttaa actttcccac ccagaaaagg caacttagat aaaatcttag agtactttca      300

```

tactmttcta agtctctctc cagcctcact kkgagtcctm cytggggggt gataggaant	360
ntctcttggc tttctcaata aartctctat ycatctcatg ttttaatttg tacgcataa	420
awtgstgara aaattaaaat gttctgggty macttttaaaa araaaaaaaa aaaaaaaaa	479

<210> 183  
 <211> 384  
 <212> DNA  
 <213> Homo sapien

<400> 183	
aggcgggagc agaagctaaa gccaaagccc aagaagagtg gcagtgccag cactgggtgcc	60
agtaccagta ccaataacag tgccagtgcc agtgccagca ccagtgggtg cttcagtgt	120
gggtgccagcc tgaccgccac tctcacattt gggctcttcg ctggccttgg tggagctgg	180
gccagcacca gtggcagctc tgggtgcctgt ggtttctcct acaagtgaga ttttagatat	240
tgtaaatcct gccagtcttt ctcttcaagc cagggtgcat cctcagaaac ctactcaaca	300
cagcactcta ggcagccact atcaatcaat tgaagttgac actctgcatt aratctattt	360
gccatttcaa aaaaaaaaaa aaaa	384

<210> 184  
 <211> 496  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(496)  
 <223> n = A,T,C or G

<400> 184	
accgaattgg gaccgctggc ttataagcga tcatgttynt ccrgtatcac ctcaacgagc	60
agggagatcg agtctatacg ctgaagaaat ttgacccgat gggacaacag acctgctcag	120
cccacctcgc tgggttctcc ccagatgaca aatactctsg acaccgaatc accatcaaga	180
aacgcttcaa ggtgctcatg acccagcaac cgcgcctctg cctctgaggg tcccttaaac	240
tgatgtcttt tctgccacct gttacccctc ggagactccg taaccaaact cttcggaactg	300
tgagccctga tgcttttttg ccagccatac tctttggcat ccagtctctc gtggcgattg	360
attatgcttg tgtgaggcaa tcatgggtggc atcaccataa aagggaacac atttgacttt	420
tttttctcat attttaaatt actacmagaw tattwmagaw waaatgawtt gaaaaactst	480
taaaaaaaaa aaaaaa	496

<210> 185  
 <211> 384  
 <212> DNA  
 <213> Homo sapien

<400> 185	
gctggtagcc tatggcgkgg cccacggagg ggctcctgag gccacggrac agtgacttcc	60
caagtatcyt gcgcsgcgtc ttctaccgtc cctacctgca gatcttcggg cagattcccc	120
aggaggacat ggacgtggcc ctcatggagc acagcaactg ytcgtcggag cccggcttct	180
gggcacaccc tcttggggcc caggcgggca cctgcgtctc ccagtatgcc aactggcttg	240
tgggtgctgt cctcgtcctc ttctgctcgt tggccaacat cctgctggtc aacttgctca	300
ttgccatgtt cagttacaca ttccggcaaag tacagggcaa cagcgatctc tactgggaag	360
gcgcagcgtt accgcctcat ccgg	384

<210> 186  
 <211> 577

<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(577)  
<223> n = A,T,C or G

<400> 186  
gagtttagctc ctccacaacc ttgatgaggt cgtctgcagt ggcctctcgc ttcataccgc 60  
tnccatcgtc atactgtagg ttggccacca cytcctggca tcttggggcg gcntaatatt 120  
ccaggaaact ctcaatcaag tcaccgtcga tgaaacctgt gggctggttc tgtcttcgcg 180  
tcgggtgtgaa aggatctccc agaaggagt ctcgatcttc cccacacttt tgatgacttt 240  
attgagtcga ttctgcatgt ccagcaggag gttgtaccag ctctctgaca gtgaggtcac 300  
cagccctatc atgcccgtga mcgtgccgaa garcaccgag ccttgtgtgg gggkkgaagt 360  
ctcaccacaga ttctgcatta ccagagagcc gtggcaaaag acattgacaa actcgcccag 420  
gtggaaaaag amcamctcct ggargtgctn gccgctcttc gtcmgttggg ggcagcgctw 480  
tccttttgac acacaaacaa gttaaaggca ttttcagccc ccagaaantt gtcatcatcc 540  
aagatntcgc acagcactna tccagtggg attaaat 577

<210> 187  
<211> 534  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(534)  
<223> n = A,T,C or G

<400> 187  
aacatcttcc tgtataatgc tgtgtaatat cgatccgatn ttgtctgstg agaatycatw 60  
actkggaaaa gmaacattaa agcctggaca ctggtattaa aattcacaat atgcaacact 120  
ttaaacagtg tgtcaatctg ctcccyynac tttgtcatca ccagtctggg aakaagggtg 180  
tgccctattc acacctgtta aaagggcgct aagcattttt gattcaacat cttttttttt 240  
gacacaagtc cgaaaaaagc aaaagtaaac agttatyaat ttgttagcca attcactttc 300  
ttcatgggac agagccatyt gatttaaaaa gcaaattgca taatattgag ctttggggagc 360  
tgatatttga gcggaagagt agccttttcta ctccaccaga cacaactccc ttcatattg 420  
ggatgttnac naaagtwatg tctctwacag atgggatgct tttgtggcaa ttctgttctg 480  
aggatctccc agttttattta ccacttgac aagaaggcgt tttcttcttc aggc 534

<210> 188  
<211> 761  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(761)  
<223> n = A,T,C or G

<400> 188  
agaaaccagt atctctnaaa acaacctctc ataccttggt gacctaatte tgtgtgcgtg 60  
tgtgtgtgcg cgcataattat atagacaggc acatcttttt tacttttgta aaagcttatg 120  
cctctttggg atctatatct gtgaaagttt taatgatctg ccataatgtc ttggggacct 180

```

ttgtcttctg tgtaaatggt actagagaaa acacctatnt tatgagtcaa tctagttngt      240
ttttattcgac atgaaggaaa tttccagatn acaacactna caaactctcc ctkgackarg      300
ggggacaaaag aaaagcaaaa ctgamcataa raaacaatwa cctggtgaga arttgcataa      360
acagaaatwr ggtagtatat tgaarnacag catcattaaa rmgttwtktt wttctccctt      420
gcaaaaaaca tgtacngact tcccgttgag taatgccaaag ttgttttttt tatnataaaa      480
cttgcccttc attacatggt tnaaagtggg gtggtggggc aaaatattga aatgatggaa      540
ctgactgata aagctgtaca aataagcagt gtgcctaaca agcaacacag taatgttgac      600
atgcttaatt cacaaatgct aatttcatta taaatgtttg ctaaaataca ctttgaacta      660
tttttctgtn ttcccagagc tgagatntta gattttatgt agtatnaagt gaaaaantac      720
gaaaaataata acattgaaga aaaaananaa aaanaaaaaa a                          761

```

&lt;210&gt; 189

&lt;211&gt; 482

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(482)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 189

```

tttttttttt tttgccgatn ctactatntt attgcaggan gtgggggtgt atgcaccgca      60
caccgggggt atnagaagca agaaggaagg agggaggggc cagccccctg ctgagcaaca      120
aagccgcctg ctgccttctc tgtctgtctc ctggtgcagg cacatgggga gaccttcccc      180
aaggcagggg ccaccagtcc aggggtggga atacaggggg tgggagtgt gcataagaag      240
tgataggcac aggccacccc gtacagaccc ctgggtctct gacaggtnga ttctgaccag      300
gtcattgtgc cctgcccagg cacagcgtn atctggaaaa gacagaatgc ttctcttttc      360
aaatttggtc ngtcantgaa ngggcanttt tccaanttng gctnggtctt ggtacnctt      420
gttcggccca gctccnctc caaaaantat tcacccnct ccnaattgct tgcnggcccc      480
cc

```

&lt;210&gt; 190

&lt;211&gt; 471

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(471)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 190

```

tttttttttt ttttaaaaca gtttttcaca aaaaaattta ttagaagaat agtggttttg      60
aaaactctcg catccagtga gaactaccat acaccacatt acagctngga atgtntctca      120
aatgtctggt caaatgatac aatggaacca ttcaatctta cacatgcacg aaagaacaag      180
cgcttttgac atacaatgca caaaaaaaaa aggggggggg gaccacatgg attaaaattt      240
taagtactca tcacatacat taagacacag ttctagtcca gtcnaaaatc agaactgcnt      300
tgaaaaattt catgtatgca atccaaccaa agaacttnat tggatgatcat gantnctcta      360
ctacatcnac cttgatcatt gccaggaacn aaaagttnaa ancacncngt acaaaaaanaa      420
tctgtaattn anttcaacct ccgtacngaa aaatntntnt tatacactcc c                          471

```

&lt;210&gt; 191

&lt;211&gt; 402

&lt;212&gt; DNA



<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(402)

<223> n = A,T,C or G

<400> 191

gagggattga aggtctgttc tastgtcggm ctgttcagcc accaactcta acaagttgct	60
gtcttccact cactgtctgt aagcttttta acccagacwg tatcttcata aatagaacaa	120
attcttcacc agtcacatct tctaggacct ttttggattc agttagtata agctcttcca	180
cttcctttgt taagacttca tctggtaaag tcttaagttt tgtagaaagg aattyaattg	240
ctcgttctct aacaatgtcc tctccttgaa gtatttggct gaacaaccca cctaaagtcc	300
ctttgtgcat ccattttaaa tatacttaat agggcattgk tncactaggt taaattctgc	360
aagagtcacg tgtctgcaaa agttgcgtta gtatatctgc ca	402

<210> 192

<211> 601

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(601)

<223> n = A,T,C or G

<400> 192

gagctcggat ccaataatct ttgtctgagg gcagcacaca tatncagtgc catggnaact	60
ggtctacccc acatgggagc agcatgccgt agntatataa ggctattccc tgagtcagac	120
atgcytyttt gaytaccgtg tgccaagtgc tggtagattct yaacacacyt ccatcccgyt	180
cttttgtgga aaaactggca cttktctgga actagcarga catcacttac aaattcaccc	240
acgagacact tgaaagggtg aacaaagcga ytcttgcatg gctttttgtc cctccggcac	300
cagttgtcaa tactaaccg ctggtttgcc tccatcacat ttgtgatctg tagctctgga	360
tacatctcct gacagtactg aagaacttct tcttttgttt caaaagcarg tcttggtgcc	420
tggtggatca ggttcccatt tccagtcyg aatgttcaca tggcatattt wacttcccac	480
aaaacattgc gatttgaggc tcagcaacag caaatcctgt tccggcattg gctgcaagag	540
cctcgatgta gccggccagc gccaaaggcag gcgccgtgag cccaccagc agcagaagca	600
g	601

<210> 193

<211> 608

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(608)

<223> n = A,T,C or G

<400> 193

atacagecca nateccacca cgaagatgcg cttgttgact gagaacctga tgcggtcact	60
ggteccgctg tagcccccagc gactctccac ctgctggaag cggttgatgc tgcactcytt	120
cccaacgcag gcagmagcgg gscgggtcaa tgaactccay tcgtggcttg gggtkgacgg	180
tkaagtgcag gaagaggctg accacctcgc ggtccaccag gatgcccagc tgtgcgggac	240
ctgcagcgaa actcctcgat ggtcatgagc gggaagcgaa tgaggcccag ggccttgccc	300

```

agaaccttcc gcctgttctc tggcgtcacc tgcagctgct gccgctgaca ctgggcctcg   360
gaccagcgga caaacggcrt tgaacagccg cacctcacgg atgcccagtg tgcgcgctc   420
caggamrgsc accagcgtgt ccagggtcaat gtcggtgaag ccctccgagg gtrattggcgt   480
ctgcagtgtt tttgtcgatg ttctccaggc acagggtggc cagctgcggg tcatcgaaga   540
gtcgcgcctg cgtgagcagc atgaaggcgt tgcggtctcg cagttcttct tcaggaaactc   600
cacgcaat                                     608

```

&lt;210&gt; 194

&lt;211&gt; 392

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(392)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 194

```

gaacggctgg accttgccct gcattgtgct tgctggcagg gaataccttg gcaagcagyt   60
ccagtcgag cagccccaga ccgctgccgc ccgaagctaa gcctgcctct ggccctcccc   120
tccgcctcaa tgcagaacca gtatggggag cactgtgttt agagttaaga gtgaacactg   180
tttgatttta cttgggaatt tcctctgtta tatagctttt cccaatgcta atttccaaac   240
aacaacaaca aaataacatg tttgcctgtt aagttgtata aaagtaggtg attctgtatt   300
taaagaaaat attactgtta catatactgc ttgcaatttc tgtatttatt gktnctstgg   360
aaataaatat agttattaaa ggttgtcant cc                                     392

```

&lt;210&gt; 195

&lt;211&gt; 502

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(502)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 195

```

ccsttkgagg ggkagggkyc cagttyccga gtggaagaaa caggccagga gaagtgcgtg   60
ccgagctgag gcagatgttc ccacagtgc cccagagacc stgggstata gtytctgacc   120
cctcncaagg aaagaccacs ttctggggac atgggctgga gggcaggacc tagaggcacc   180
aagggaaagg cccattccgg ggstgttccc cgaggaggaa gggaaagggc tctgtgtgcc   240
ccccagagg aagaggccct gagtcctggg atcagacacc ccttcacgtg tatccccaca   300
caaattgcaag ctcaccaagg tcccctctca gtccccttcc stacacctg amcgggccact   360
gscscacacc caccagagc acgccacccg ccatggggar tgtgctcaag gartcgcnng   420
gcarcgtgga catctngtcc cagaaggggg cagaatctcc aatagangga ctgarcmstt   480
gctnanaaaa aaaaaaaaaa aa                                     502

```

&lt;210&gt; 196

&lt;211&gt; 665

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(665)

<223> n = A,T,C or G

<400> 196

```

ggttacttgg tttcattgcc accacttagt ggatgtcatt tagaaccatt ttgtctgctc      60
cctctggaag ccttgccgag agcggacttt gtaattgttg gagaataact gctgaatttt      120
wagctgtttk gagttgatts gcaccactgc acccacaact tcaatatgaa aacyawttga      180
actwatttat tatcttgtga aaagtataac aatgaaaatt ttgttcatac tgtattkac      240
aagtatgatg aaaagcaawa gatatatatt cttttattat gttaaattat gattgccatt      300
attaatcggc aaaatgtgga gtgtatgttc ttttcacagt aatatatgcc ttttgtaact      360
tcacttgggt attttattgt aaatgattta caaaattctt aatttaagar aatggtagt      420
watatttatt tcattaattt ctttcctkgt ttacgtwaat ttgaaaaga wtgcatgatt      480
tcttgacaga aatcgatctt gatgctgttg aagtagtttg acccacatcc ctatgagttt      540
ttcttagaat gtataaaggt tgtagcccat cnaacttcaa agaaaaaat gaccacatac      600
tttgcaatca ggctgaaatg tggcatgctn ttctaattcc aactttataa actagcaaan      660
aagtg

```

<210> 197

<211> 492

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1) ... (492)

<223> n = A,T,C or G

<400> 197

```

tttntttttt ttttttttgc aggaaggatt ccattttattg tggatgcatt ttcacaatat      60
atgtttattg gagegatcca ttatcagtga aaagtatcaa gtgtttataa natttttagg      120
aaggcagatt cacagaacat gctngtcngc ttgcagtttt acctcgtana gatnacagag      180
aattatagtc naaccagtaa acnaggaatt tactttttcaa aagattaaat ccaaactgaa      240
caaaattcta ccttgaaact tactccatcc aaatattgga ataanagtca gcagtgtatc      300
attctcttct gaactttaga ttttctagaa aaatatgtaa tagtgatcag gaagagctct      360
tgttcaaaag tacaacnaag caatgttccc ttaccatagg ccttaattca aactttgatc      420
catttcactc ccatacggg agtcaatgct acctgggaca cttgtatttt gtcatnctg      480
ancntggctt aa

```

<210> 198

<211> 478

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1) ... (478)

<223> n = A,T,C or G

<400> 198

```

tttnttttgn atttcantct gtannaanta ttttcattat gtttattana aaaatatnaa      60
tgtntccacn acaaatcatn ttacntnagt aagaggccan ctacattgta caacatacac      120
tgagtatatt ttgaaaagga caagttttaa gtanacncat attgccganc atancacatt      180
tatacatggc ttgattgata tttagcacag canaaactga gtgagttacc agaaanaaat      240
natatatgtc aatcngattt aagatacaaa acagatccta tggtagatan catcntgtag      300
gagttgtggc tttatgttta ctgaaagtca atgcagttcc tgtacaaaaga gatggccgta      360
agcattctag tacctctact ccatggttaa gaatcgtaca cttatgttta catatgtnc      420

```

gggtaagaat tgtgttaagt naanttatgg agaggtccan gagaaaaatt tgatncaa 478

<210> 199

<211> 482

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(482)

<223> n = A,T,C or G

<400> 199

agtgacttgt cctccaacaa aaccccttga tcaagtttgt ggcaactgaca atcagacctt	60
tgctagtccc tgctacttat tcgctactaa atgcagactg gaggggacca aaaaggggca	120
tcaactccag ctggattatt ttggagcctg caaatctatt cctacttgta cggactttga	180
agtgattcag tttcctctac ggatgagaga ctggctcaag aatattcctca tgcagcttta	240
tgaagccnac tctgaacacg ctggttatct nagatgagaa ncagagaaat aaagtcnaga	300
aaatttacct ggangaaaag aggcctttngg ctggggacca tcccattgaa ccttctctta	360
anggacttta agaanaaact accacatgtn tgtngtatcc tgggtgccngg ccggtttantg	420
aacntngacn ncacccttnt ggaatanant cttgacngcn tcctgaactt gctcctctgc	480
ga	482

<210> 200

<211> 270

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(270)

<223> n = A,T,C or G

<400> 200

cggccgcaag tgcaactcca gctggggccg tgcggacgaa gattctgccca gcagttgggc	60
cgactgcgac gacggcggcg gcgacagtcg cagggtgcagc gcgggcgcct ggggtcttgc	120
aaggctgagc tgacgccgca gaggtcgtgt cacgtccac gaccttgacg ccgtcgggga	180
cagccggaac agagcccggg gaangcggga ggcctcgggg agcccctcgg gaaggcgggc	240
ccgagagata cgcaggtgca ggtggccgcc	270

<210> 201

<211> 419

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(419)

<223> n = A,T,C or G

<400> 201

tttttttttt ttttggaaac tactgcgagc acagcaggtc agcaacaagt ttattttgca	60
gctagcaagg taacagggta gggcatggtt acatgttcag gtcaacttcc ttgtcgtgg	120
ttgattgggt tgtctttatg gggcggggt ggggtaggg aaancgaagc anaantaaca	180
tggagtgggt gcaccctccc tgtagaacct ggttacnaaa gcttggggca gtccacctgg	240

tctgtgaccg	tcattttctt	gacatcaatg	ttattagaag	tcaggatata	ttttagagag	300
tccactgtnt	ctggagggag	attaggggtt	cttgccaana	tccaancaa	atccacntga	360
aaaagttaga	tgatncangt	acngaatacc	ganggcatan	ttctcatant	cgggtggcca	419

&lt;210&gt; 202

&lt;211&gt; 509

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(509)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 202

tttntttttt	ttttttttt	ttttttttt	ttttttttt	ttttttttt	ttttttttt	60
tggcacttaa	tccattttta	tttcaaaatg	tctacaaant	ttnaatncnc	cattatacng	120
gtnattttnc	aaaatctaaa	nnttattcaa	atntnagcca	aantccttac	ncaaatnnna	180
tacnncaaa	aatcaaaaat	atacntntct	ttcagcaaac	ttngttacat	aaattaaaaa	240
aatatatacg	gctggtgttt	tcaaagtaca	attatcttaa	cactgcaaac	atnttttnna	300
ggaactaaaa	taaaaaaaaa	cactnccgca	aaggttaaag	ggaacaacaa	attcntttta	360
caacancnnc	nattataaaa	atcatacttc	aaatcttagg	ggaatatata	cttcacacng	420
ggatcttaac	ttttactnca	ctttgtttat	ttttttanaa	ccattgtntt	gggccaacaa	480
caatggnaat	ncncncncnc	tggaactagt				509

&lt;210&gt; 203

&lt;211&gt; 583

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(583)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 203

tttttttttt	ttttttttga	ccccctctt	ataaaaaaca	agttaccatt	ttattttact	60
tacacatatt	tattttataa	ttggtattag	atattcaaaa	ggcagctttt	aaaatcaaac	120
taaatggaaa	ctgccttaga	tacataattc	ttaggaatta	gcttaaaaac	tgcttaaagt	180
gaaaatcttc	tctagctctt	ttgactgtaa	atttttgact	cttgtaaaac	atccaaattc	240
atttttcttg	tctttaaaat	tatctaattc	ttccattttt	tccctattcc	aagtcaattt	300
gcttctctag	cctcattttc	tagctcttat	ctactattag	taagtggctt	ttttcctaaa	360
agggaaaaca	ggaagagana	atggcacaca	aaacaaacat	tttatattca	tattttctacc	420
tacgttaata	aaatagcatt	ttgtgaagcc	agctcaaaaag	aaggcttaga	tccttttatg	480
tccatttttag	tcactaaacg	atatcnaaag	tgccagaatg	caaaagggtt	gtgaacattt	540
attcaaaagc	taatataaga	tatttcacat	actcatcttt	ctg		583

&lt;210&gt; 204

&lt;211&gt; 589

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(589)

<223> n = A,T,C or G

<400> 204

ttttttttnt	tttttttttt	tttttttctc	tttttttttt	ttganaatga	ggatcgagtt	60
tttcaactctc	tagatagggc	atgaagaaaa	ctcatctttc	cagctttaaa	ataacaatca	120
aatctcttat	gctatatcat	attttaagtt	aaactaatga	gtcactggct	tatcttctcc	180
tgaaggaaat	ctgttcattc	ttctcattca	tatagttata	tcaagtacta	ccttgcatat	240
tgagagggtt	ttcttctcta	tttacacata	tatttccatg	tgaatttgta	tcaaaccctt	300
attttcatgc	aaactagaaa	ataatgtntt	cttttgcata	agagaagaga	acaatatnag	360
cattacaaaa	ctgctcaaat	tgtttgtaa	gnttatccat	tataattagt	tnggcaggag	420
ctaatacaaa	tcacatttac	ngacnagcaa	taataaaaact	gaagtaccag	ttaaatatcc	480
aaaataatta	aaggaacatt	tttagcctgg	gtataattag	ctaattcact	ttacaagcat	540
ttattnagaa	tgaattcaca	tgttattatt	ccntagccca	acacaatgg		589

<210> 205

<211> 545

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(545)

<223> n = A,T,C or G

<400> 205

tttttttttt	tttttttcagt	aataatcaga	acaatattta	tttttatatt	taaaattcat	60
agaaaagtgc	cttacattta	ataaaagttt	gtttctcaaa	gtgatcagag	gaattagata	120
tngtcttgaa	caccaatatt	aatttgagga	aaatacacca	aaatacatta	agtaaattat	180
ttaagatcat	agagcttgta	agtgaaaaga	taaaatttga	cctcagaaac	tctgagcatt	240
aaaaatccac	tattagcaaa	taaattacta	tggacttctt	gctttaattt	tgtgatgaat	300
atgggggtgc	actggtaaac	caacacattc	tgaaggatac	atracttagt	gatagattct	360
tatgtacttt	gctanatnac	gtggatatga	gttgacaagt	ttctctttct	tcaatctttt	420
aaggggcnga	ngaaatgagg	aagaaaagaa	aaggattacg	catactgttc	tttctatngg	480
aaggattaga	tatgtttcct	ttgccaatat	taaaaaaata	ataatgttta	ctactagtga	540
aacct						545

<210> 206

<211> 487

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(487)

<223> n = A,T,C or G

<400> 206

tttttttttt	tttttttagtc	aagtttctna	tttttattat	aattaaagtc	ttggtcattt	60
catttatttag	ctctgcaact	tacatattta	aattaaagaa	acgttnttag	acaactgtna	120
caatttataa	atgtaagggtg	ccattattga	gtanatatat	tcctccaaga	gtggatgtgt	180
cccttctccc	accaactaat	gaancagcaa	cattagttta	attttattag	tagatnatac	240
actgctgcaa	acgctaattc	tcttctccat	ccccatgtng	atattgtgta	tatgtgtgag	300
ttggtnagaa	tgcatcanca	atctnacaat	caacagcaag	atgaagctag	gcntgggctt	360
tcggtgaaaa	tagactgtgt	ctgtctgaat	caaagtatct	gacctatcct	cggtggcaag	420
aactcttcga	accgcttcc	caaaggcngc	tgccacattt	gtggcntctn	ttgcacttgt	480

ttcaaaa

487

&lt;210&gt; 207

&lt;211&gt; 332

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(332)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 207

tgaattggct	aaaagactgc	atTTTTanaa	ctagcaactc	ttatttcctt	cctttaaaaa	60
tacatagcat	taaatcccaa	atcctattta	aagacctgac	agcttgagaa	ggtcactact	120
gcatttatag	gaccttctgg	tggttctgct	gttacntttg	aantctgaca	atccttgana	180
atcctttgcat	gcagaggagg	taaaaggtat	tggattttca	cagaggaana	acacagcgca	240
gaaatgaagg	ggccaggctt	actgagcttg	tccactggag	ggctcatggg	tgggacatgg	300
aaaagaaggc	agcctaggcc	ctggggagcc	ca			332

&lt;210&gt; 208

&lt;211&gt; 524

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(524)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 208

agggcggtgt	gcgaggggcg	ttactgtttt	gtctcagtaa	caataaatac	aaaaagactg	60
gttggtgtcc	ggcccccacc	aaccacgaag	ttgatttctc	ttgtgtgcag	agtgactgat	120
tttaaaggac	atggagcttg	tcacaatgtc	acaatgtcac	agtgtgaagg	gcacactcac	180
tcccgcgtga	ttcacattta	gcaaccaaca	atagctcatg	agtccatact	tgtaaatact	240
tttggcagaa	tacttnttga	aacttgcaga	tgataactaa	gatccaagat	atttcccaaa	300
gtaaaatagaa	gtgggtcata	atattaatta	cctgttcaca	tcagcttcca	tttacaagtc	360
atgagcccgag	acactgacat	caaactaagc	ccacttagac	tcctcaccac	cagtctgtcc	420
tgtcatcaga	caggaggctg	tcaccttgac	caaattctca	ccagtcaatc	atctatccaa	480
aaaccattac	ctgatccact	tccggtaatg	caccaccttg	gtga		524

&lt;210&gt; 209

&lt;211&gt; 159

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 209

gggtgaggaa	atccagagtt	gccatggaga	aaattccagt	gtcagcattc	ttgctccttg	60
tggccctctc	ctacactctg	gccagagata	ccacagtcaa	acctggagcc	aaaaaggaca	120
caaaggactc	tcgacccaaa	ctgccccaga	ccctctcca			159

&lt;210&gt; 210

&lt;211&gt; 256

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(256)  
 <223> n = A,T,C or G

<400> 210  
 actccctggc agacaaaggc agaggagaga gctctgttag ttctgtgttg ttgaactgcc 60  
 actgaatttc ttccacttg gactattaca tgccanttga gggactaatg gaaaaacgta 120  
 tggggagatt ttanccaatt tangtntgta aatggggaga ctggggcagg cgggagagat 180  
 ttgcagggtg naaatgggan ggctggtttg ttanatgaac agggacatag gaggtaggca 240  
 ccaggatgct aaatca 256

<210> 211  
 <211> 264  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(264)  
 <223> n = A,T,C or G

<400> 211  
 acattgtttt tttagataa agcattgaga gagctctcct taacgtgaca caatggaagg 60  
 actggaacac ataccacat ctttgttctg agggataatt ttctgataaa gtcttgctgt 120  
 atattcaagc acatatgtta tatattatc agttccatgt ttatagccta gttaaggaga 180  
 ggggagatac attcngaaag aggactgaaa gaaatactca agtnggaaaa cagaaaaaga 240  
 aaaaaaggag caaatgagaa gcct 264

<210> 212  
 <211> 328  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(328)  
 <223> n = A,T,C or G

<400> 212  
 acccaaaaat ccaatgctga atatttggtc tcattattcc canattcttt gattgtcaaa 60  
 ggatttaatg ttgtctcagc ttgggcactt cagttaggac ctaaggatgc cagccggcag 120  
 gtttatatat gcagcaacaa tattcaagcg cgacaacagg ttattgaact tgcccgccag 180  
 ttnaatttca ttcccattga cttgggatcc ttatcatcag ccagagagat tgaaaattta 240  
 cccctacnac tctttactct ctgganaggg ccagtgggtg tagctataag cttggccaca 300  
 ttttttttct ctttttctct ttgtcaga 328

<210> 213  
 <211> 250  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature



&lt;222&gt; (1)...(250)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 213

acttatgagc agagcgacat atccnagtgt agactgaata aaactgaatt ctctccagtt	60
taaagcattg ctactgaag ggatagaagt gactgccagg agggaaagta agccaaggct	120
cattatgcca aagganatat acatttcaat tctccaaact tcttctcat tccaagagtt	180
ttcaatattt gcatgaacct gctgataanc catgttaana aacaaatata tctctnacct	240
tctcatcggt	250

&lt;210&gt; 214

&lt;211&gt; 444

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(444)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 214

accagaatc caatgctgaa tatttggtt cattattccc agattctttg attgtcaaag	60
gatttaattg tgtctcagct tgggcacttc agttaggacc taaggatgcc agccggcagg	120
tttatatatg cagcaacaat attcaagcgc gacaacaggt tattgaactt gcccgccagt	180
tgaatttcat tcccattgac ttgggaccc tatcatcagc canagagatt gaaaatttac	240
ccctacgact ctttactctc tggagagggc cagtgggtgt agctataagc ttggccacat	300
tttttttcc tttattcctt tgtcagagat gcgattcata catatgctan aaaccaacag	360
agtgaacttt acaaaattcc tataganatt gtgaataaaa ccttacctat agttgccatt	420
actttgctct ccctaataata cctc	444

&lt;210&gt; 215

&lt;211&gt; 366

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(366)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 215

acttatgagc agagcgacat atccaagtgt anactgaata aaactgaatt ctctccagtt	60
taaagcattg ctactgaag ggatagaagt gactgccagg agggaaagta agccaaggct	120
cattatgcca aagganatat acatttcaat tctccaaact tcttctcat tccaagagtt	180
ttcaatattt gcatgaacct gctgataagc catgttgaga aacaaatata tctctgacct	240
tctcatcggt aagcagaggc tgtaggcaac atggaccata gcgaanaaaa aacttagtaa	300
tccaagctgt tttctacact gtaaccaggt ttccaaccaa ggtggaaatc tctataactt	360
ggtgcc	366

&lt;210&gt; 216

&lt;211&gt; 260

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

<221> misc\_feature  
 <222> (1)...(260)  
 <223> n = A,T,C or G

<400> 216  
 ctgtataaac agaactccac tgcangaggg agggccgggc caggagaatc tccgcttgtc 60  
 caagacaggg gcctaaggag ggtctccaca ctgctnntaa gggctnttnc atttttttat 120  
 taataaaaag tnnaaaaggc ctcttctcaa cttttttccc ttnggctgga aaatttaaaa 180  
 atcaaaaatt tcctnaagtt ntcaagctat catatatact ntatcctgaa aaagcaacat 240  
 aattcttctt tccctccttt 260

<210> 217  
 <211> 262  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(262)  
 <223> n = A,T,C or G

<400> 217  
 acctacgtgg gtaagtthan aaatgttata atttcaggaa naggaacgca tataattgta 60  
 tcttgcttat aattttctat ttttaataagg aaatagcaaaa ttgggggtggg gggaatgtag 120  
 ggcattctac agtttgagca aaatgcaatt aaatgtggaa ggacagcact gaaaaatatt 180  
 atgaataatc tgtatgatta tatgtctcta gagtagattt ataattagcc acttacccta 240  
 atatccttca tgcttgtaaa gt 262

<210> 218  
 <211> 205  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(205)  
 <223> n = A,T,C or G

<400> 218  
 accaaggtgg tgcattaccg gaantggatc aangacacca tcgtggccaa cccctgagca 60  
 cccctatcaa ctcccttttg tagtaaaactt ggaaccttgg aaatgaccag gccaaagactc 120  
 aggctcccc agttctactg acctttgtcc ttangtntna ngtccagggt tgctaggaaa 180  
 anaaatcagc agacacaggt gtaaa 205

<210> 219  
 <211> 114  
 <212> DNA  
 <213> Homo sapien

<400> 219  
 tactgttttg tctcagtaac aataaatata aaaagactgg ttgtgttccg gccccatcca 60  
 accacgaagt tgatttctct tgggtgcaga gtgactgatt ttaaaggaca tgga 114

<210> 220  
 <211> 93

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 220

actagccagc acaaaaggca gggtagcctg aattgctttc tgcctctttac atttctttta	60
aaataagcat ttagtgctca gtcctactg agt	93

&lt;210&gt; 221

&lt;211&gt; 167

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(167)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 221

actangtgca ggtgcgcaca aatatttctc gatattccct tcatcttgga ttccatgagg	60
tcttttgccc agcctgtggc tctactgtag taagtttctg ctgatgagga gccagnatgc	120
ccccactac cttccctgac gctcccccana aatcacccaa cctctgt	167

&lt;210&gt; 222

&lt;211&gt; 351

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 222

agggcgtggt ggggagggcg gtactgacct cattagtagg aggatgcatt ctggcacccc	60
gttcttcacc tgcctcccaa tccttaaaag gccatactgc ataaagtcaa caacagataa	120
atgtttgctg aattaaagga tggatgaaaa aaattaataa tgaatttttg cataatccaa	180
ttttctcttt tatatttcta gaagaagttt ctttgagcct attagatccc gggaatcttt	240
taggtgagca tgattagaga gctttaggtg tgcttttaca tatactctggc atatttgagt	300
ctcgtatcaa aacaatagat tggtaaagggt ggtattattg tattgataag t	351

&lt;210&gt; 223

&lt;211&gt; 383

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(383)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 223

aaaacaaaca aacaaaaaaa acaattcttc attcagaaaa attatcttag ggactgatat	60
tggttaattat ggtcaattta atwrtttkt ggggcatttc cttacattgt cttgacaaga	120
ttaaaatgtc tgtgccaaaa ttttgatttt tatttgagga cttcttatca aaagtaatgc	180
tgccaaagga agtctaagga attagtagtg tccccmtcac ttgtttggag tgtgctattc	240
taaaagattt tgatttcctg gaatgacaat tatattttaa ctttggtggg ggaaanagtt	300
ataggaccac agtcttcact tctgatactt gtaaattaat cttttattgc acttgttttg	360
accattaagc tatatgttta aaa	383

&lt;210&gt; 224

<211> 320  
 <212> DNA  
 <213> Homo sapien

<400> 224

ccccgaagg	cttcttggtta	gaaaatagta	cagttacaac	caataggaac	aacaaaaaga	60
aaaagtttgt	gacattgtag	tagggagtg	gtaccctta	ctcccatca	aaaaaaaaat	120
ggatacatgg	ttaaaggata	raagggcaat	attttatcat	atgttctaaa	agagaaggaa	180
gagaaaatac	tactttctcr	aatggaagc	ccttaaagg	gctttgatac	tgaaggacac	240
aatgtggcc	gtccatcctc	ctttaragtt	gcattgacttg	gacacggtaa	ctgttgagc	300
tttaractcm	gcattgtgac					320

<210> 225  
 <211> 1214  
 <212> DNA  
 <213> Homo sapien

<400> 225

gaggactgca	gcccgcactc	gcagccctgg	caggcggcac	tggatcatgga	aaacgaattg	60
ttctgctcgg	gcgtcctggt	gcaccgcag	tgggtgctgt	cagccgcaca	ctgtttccag	120
aactcctaca	ccatcgggct	gggcctgcac	agtcctgagg	ccgaccaaga	gccagggagc	180
cagatgggtg	agggcagcct	ctccgtacgg	caccagaggt	acaacagacc	cttgctcgct	240
aacgacctca	tgctcatcaa	ggtggacgaa	tccgtgtccg	agtctgacac	catccggagc	300
atcagcattg	cttcgcagtg	ccctaccgcg	gggaactctt	gcctcgtttc	tggctggggc	360
ctgctggcga	acggcagaat	gcctaccgtg	ctgcagtgcg	tgaacgtgtc	ggtggtgtct	420
gaggaggtct	gcagtaagct	ctatgaccgc	ctgtaccacc	ccagcatgtt	ctgcgccggc	480
ggagggcaag	accagaagga	ctcctgcaac	ggtgactctg	gggggcccc	gatctgcaac	540
gggtacttgc	agggccttgt	gtctttcgga	aaagccccgt	gtggccaagt	tggcgtgcc	600
ggtgtctaca	ccaacctctg	caaattcact	gagtggatag	agaaaaccgt	ccaggccagt	660
taactctggg	gactgggaac	ccatgaaatt	gacccccaaa	tacatcctgc	ggaaggaatt	720
caggaatata	tggtcccagc	ccctcctccc	tcaggccag	gagtcaggcc	ccccagcccc	780
tcctccctca	aaccaagggt	acagatcccc	agccctcct	ccctcagacc	caggagtcca	840
gacccccag	ccctcctcc	ctcagaccca	ggagtccagc	ccctcctccc	tcagacccag	900
gagtcagac	ccccagccc	ctcctcctcc	agaccaggg	gtccaggccc	ccaacccctc	960
ctccctcaga	ctcagaggtc	caagccccca	acccctcctt	ccccagaccc	agagggtccag	1020
gtcccagccc	ctcctcctcc	agaccagcg	gtccaatgcc	acctagactc	tcctgtgaca	1080
cagtgcctcc	ttgtggcacg	ttgacccaac	cttaccagtt	ggtttttcat	ttttgtgccc	1140
tttcccttag	atccagaaat	aaagtctaag	agaagcgcaa	aaaaaaaaaa	aaaaaaaaaa	1200
aaaaaaaaaa	aaaa					1214

<210> 226  
 <211> 119  
 <212> DNA  
 <213> Homo sapien

<400> 226

accagtatg	tgcagggaga	cggaacccca	tgtgacagcc	cactccacca	gggttcccaa	60
agaacctggc	ccagtcataa	tcattcatcc	tgacagtggc	aataatcacg	ataaccagt	119

<210> 227  
 <211> 818  
 <212> DNA  
 <213> Homo sapien

<400> 227

acaattcata	gggacgacca	atgaggacag	ggaatgaacc	cggtctctccc	ccagccctga	60
tttttgctac	atatggggtc	ccttttcatt	ctttgcaaaa	acactgggtt	ttctgagaac	120
acggacggtt	cttagcacia	tttgtgaaat	ctgtgtaraa	ccgggctttg	caggggagat	180
aattttctct	ctctggagga	aaggtggtga	ttgacaggca	gggagacagt	gacaaggcta	240
gagaaagcca	cgctcggcct	tctctgaacc	aggatggaac	ggcagacccc	tgaaaacgaa	300
gcttgctccc	ttccaatcag	ccactttctga	gaacccccat	ctaacttcct	actggaaaag	360
agggcctcct	caggagcagt	ccaagagttt	tcaaagataa	cgtgacaact	accatctaga	420
ggaaagggtg	caccctcagc	agagaagccg	agagcttaac	tctgggtcgtt	tccagagaca	480
acctgctggc	tgtcttgagg	tgcgcccagc	ctttgagagg	ccactacccc	atgaacttcc	540
gccatccact	ggacatgaag	ctgaggacac	tgggcttcaa	cactgagttg	tcagagagg	600
gacaggctct	gccctcaagc	cggctgaggg	cagcaaccac	tctcctcccc	ttcttcacgc	660
aaagccattc	ccacaaatcc	agaccatacc	atgaagcaac	gagacccaaa	cagtttggtc	720
caagaggata	tgaggactgt	ctcagcctgg	ctttgggctg	acaccatgca	cacacacaag	780
gtccacttct	aggttttcag	cctagatggg	agtcgtgt			818

&lt;210&gt; 228

&lt;211&gt; 744

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 228

actggagaca	ctggtgaact	tgatcaagac	ccagaccacc	ccagggtctcc	ttcgtgggat	60
gtcatgacgt	ttgacatacc	tttggaacga	gcctcctcct	tgggaagatgg	aagaccgtgt	120
tcgtggccga	cctggcctct	cctggcctgt	ttcttaagat	gcggagtcac	atttcaatgg	180
taggaaaagt	ggcttcgtaa	aatagaagag	cagtcactgt	ggaactacca	aatggcgaga	240
tgctcgggtg	acattggggg	gctttgggat	aaaagattta	tgagccaact	attctctggc	300
accgatttct	aggccagttt	gttccactga	agcttttccc	acagcagtcc	acctctgcag	360
gctggcagct	gaatggcctt	ccggtggctc	tgtggcaaga	tcacactgag	atcgatgggt	420
gagaaggcta	ggatgcttgt	ctagtgttct	tagctgtcac	gctggctcct	tccaggttgg	480
ccagacgggtg	ttggccactc	ccttctaata	cacaggcgcc	ctcctgggtga	cagtgacccg	540
ccgtgggtatg	ccttggccca	ttccagcagt	cccagttatg	catttcaagt	ttggggtttg	600
ttcttttctg	taatgttcct	ctgtgttgct	agctgtcttc	atttctgggg	ctaagcagca	660
ttgggagatg	tggaccagag	atccactcct	taagaaccag	tggcgaaaga	cactttcttt	720
cttccactctg	aagtagctgg	tggt				744

&lt;210&gt; 229

&lt;211&gt; 300

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 229

cgagtctggg	ttttgtctat	aaagtttgat	ccctcctttt	ctcatccaaa	tcattgtgaac	60
cattacacat	cgaaataaaa	gaaagtggtg	agacttgccc	aacgccaggc	tgacatgtgc	120
tgcagggttg	ttgtttttta	attattattg	ttagaaacgt	caccacaggt	ccctgttaat	180
ttgtatgtga	cagccaactc	tgagaagggtc	ctatttttcc	acctgcagag	gatccagtct	240
cactaggctc	ctccttgccc	tcacactgga	gtctccgcca	gtgtgggtgc	ccactgacat	300

&lt;210&gt; 230

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 230

cagcagaaca	aatacaata	tgaagagtgc	aaagatctca	taaaatctat	gctgaggaat	60
gagcgacagt	tcaaggagga	gaagcttgca	gagcagctca	agcaagctga	ggagctcagg	120

caatataaag tcctggttca cactcaggaa cgagagctga cccagttaag ggagaagttg 180  
 cggaaggga gagatgcctc cctctcattg aatgagcatc tccaggccct cctcactccg 240  
 gatgaaccgg acaagtccca ggggcaggac ctccaagaaa cagacctcgg ccgcgaccac 300  
 g 301

<210> 231  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 231  
 gcaagcacgc tggcaaatct ctgtcaggtc agctccagag aagccattag tcatttttagc 60  
 caggaactcc aagtcacat ccttggcaac tggggacttg cgcagggttag ccttgaggat 120  
 ggcaacacgg gacttctcat caggaagtgg gatgtagatg agctgatcaa gacggccagg 180  
 tctgaggatg gcaggatcaa tgatgtcagg ccggttggtta ccgccaatga tgaacacatt 240  
 tttttttgtg gacatgccat ccatttctgt caggatctgg ttgatgactc ggtcagcagc 300  
 c 301

<210> 232  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 232  
 agtaggtatt tcgtgagaag ttcaacacca aaactggaac atagttctcc ttcaagtgtt 60  
 ggcgacagcg gggcttctctg attctggaat ataactttgt gtaaattaac agccacctat 120  
 agaagagtcc atctgctgtg aaggagagac agagaactct gggttccgtc gtcctgtcca 180  
 cgtgctgtac caagtgtctg tgccagcctg ttacctgttc tcaactgaaa tctggctaatt 240  
 gctctgtgt atcactttctg attctgacaa tcaatcaatc aatggcctag agcactgact 300  
 g 301

<210> 233  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 233  
 atgactgact tcccagtaag gctctctaag gggtaagtag gaggatccac aggatttgag 60  
 atgctaaggc cccagagatc gtttgatcca accctcttat ttccagaggg gaaaatgggg 120  
 cctagaagtt acagagcatc tagctggtgc gctggcacc cctggcctcac acagactccc 180  
 gactagctgg gactacaggc acacagtcac tgaagcaggc cctggttagca attctatgcg 240  
 taaaaattaa catgagatga gtagagactt tattgagaaa gcaagagaaa atcctatcaa 300  
 c 301

<210> 234  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 234  
 aggtcctaca catcgagact catccatgat tgatatgaat ttaaaaatta caagcaaaga 60  
 cattttattc atcatgatgc ttctttttgt ttcttctttt cgttttcttc tttttctttt 120  
 tcaatttcag caacatactt ctcaafttct tcaggattta aaatcttgag ggattgatct 180  
 cgctcatga cagcaagttc aatgtttttg ccacctgact gaaccacttc caggagtgcc 240  
 ttgatcacca gcttaatggc cagatcatct gcttcaatgg cttcgtcagt atagttcttc 300

t 301

<210> 235  
 <211> 283  
 <212> DNA  
 <213> Homo sapien

<400> 235  
 tggggctgtg catcaggcgg gtttgagaaa tattcaattc tcagcagaag ccagaatttg 60  
 aattccctca tcttttaggg aatcatttac caggtttggg gaggattcag acagctcagg 120  
 tgctttcact aatgtctctg aacttctgtc cctctttgtt catggatagt ccaataaata 180  
 atgttatctt tgaactgatg ctcataggag agaataaag aactctgagt gatatcaaca 240  
 ttagggtattc aaagaaatat tagatttaag ctcacactgg tca 283

<210> 236  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 236  
 aggtcctcca ccaactgcct gaagcacggg taaaattggg aagaagtata gtgcagcata 60  
 aatactttta aatcgatcag atttccctaa cccacatgca atcttcttca ccagaagagg 120  
 tcggagcagc atcattaata ccaagcagaa tgcgtaatag ataaatacaa tggatatatg 180  
 tgggtagacg gcttcatgag tacagtgtac tgtggatcg taatctggac ttgggttgta 240  
 aagcatcgtg taccagtcag aaagcatcaa tactcgacat gaacgaatat aaagaacacc 300  
 a 301

<210> 237  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 237  
 cagtggtagt ggtgggtggc gtggcggttg tctgggtgce ttttttgggtg cccgtcacia 60  
 actcaatttt tgttcgctcc tttttggcct ttccaattt gtccatctca attttctggg 120  
 ccttgggctaa tgcctcatag taggagtcct cagaccagcc atggggatca aacatatect 180  
 ttgggtagtt ggtgccaaagc tcgtcaatgg cacagaatgg atcagcttct cgtaaatcta 240  
 gggttccgaa attctttctt cctttggata atgtagttca tatccattcc ctcttttctc 300  
 t 301

<210> 238  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 238  
 gggcaggttt tttttttttt ttttttgatg gtgcagaccc ttgctttatt tgtctgactt 60  
 gttcacagtt cagccccctg ctcagaaaaa caacggggcca gctaaggaga ggaggaggca 120  
 ccttgagact tccggagtcg aggtctctcca gggttcccca gcccatcaat cattttctgc 180  
 accccctgcc tgggaagcag ctccctgggg ggtgggaatg ggtgactaga agggatttca 240  
 gtgtgggacc caggggtctgt tcttcacagt agggagtgga agggatgact aatttcttca 300  
 t 301

<210> 239  
 <211> 239

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 239

ataagcagct agggaattct ttatttagta atgtcctaac ataaaagtgc acataactgc	60
ttctgtcaaa ccatgatact gagctttgtg acaaccaga aataactaag agaaggcaaa	120
cataatacct tagagatcaa gaaacattta cacagttcaa ctgtttaaaa atagctcaac	180
attcagccag tgagtagagt gtgaatgcc aacatacacag tatacaggtc cttcaggga	239

&lt;210&gt; 240

&lt;211&gt; 300

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 240

ggtcctaag aagcagcagc ttccacattt taacgcaggt ttacggtgat actgtccttt	60
gggatctgcc ctccagtggg accctttaag gaagaagtgg gcccaagcta agttccacat	120
gctgggtgag ccagatgact tctgttcctt ggtcactttc ttcaatgggg cgaatggggg	180
ctgccaggtt tttaaatca tgcttcatct tgaagcacac ggtcacttca cctcctcac	240
gctgtgggtg tactttgatg aaaataccca ctttgttggc ctttctgaag ctataatgtc	300

&lt;210&gt; 241

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 241

gaggctcgtt gctgaggtct ctgggctagg aagaggagtt ctgtggagct ggaagccaga	60
cctcttttga ggaaactcca gcagctatgt tgggtgtctt gagggagtgc aacaaggctg	120
ctcctccatg tattggaaaa ctgcaaaactg gactcaactg gaaggaagtg ctgctgccag	180
tgtgaagaac cagcctgagg tgacagaaac ggaagcaaac aggaacagcc agtcttttct	240
tcctcctcct gtcatacggg ctctctcaag catcctttgt tgtcaggggc ctaaaaggga	300
g	301

&lt;210&gt; 242

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 242

ccgaggtcct gggatgcaac caatcactct gtttcacgtg acttttatca ccatacaatt	60
tgtggcattt cctcattttc tacattgtag aatcaagagt gtaataaat gtatategat	120
gtcttcaaga atatatcatt cctttttcac tagaaccat tcaaatata agtcaagaat	180
cttaatatca acaaatatat caagcaaact ggaaggcaga ataactacca taatttagta	240
taagtaccca aagttttata aatcaaaagc cctaagtata accattttta gaattcaatc	300
a	301

&lt;210&gt; 243

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 243

aggtaagtcc cagtttgaag ctcaaaagat ctgggtatgag cataggctca tcgacgacat	60
gggtggcccaa gctatgaaat cagagggagg cttcatctgg gcctgtaaaa actatgatgg	120



tgacgtgcag tgggactctg tggcccaagg gtatggctct ctcggcatga tgaccagcgt 180  
 gctggtttgt ccagatggca agacagtaga agcagaggct gccacggga ctgtaaccgg 240  
 tcactaccgc atgttccaga aaggacagga gacgtccacc aatcccattg cttccatttt 300  
 t 301

&lt;210&gt; 244

&lt;211&gt; 300

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 244

gctggtttgc aagaatgaaa tgaatgattc tacagctagg acttaacctt gaaatggaaa 60  
 gtcattgcaat cccatttgca ggatctgtct gtgcacatgc ctctgtagag agcagcattc 120  
 ccagggaact tggaaacagt tgacactgta aggtgcttgc tccccaagac acatcctaaa 180  
 aggtgttgta atggtgaaaa cgtcttcctt ctttattgcc cttcttatt tatgtgaaca 240  
 actggttgtc ttttgtgtat cttttttaa ctgtaaagtt caattgtgaa aatgaatatt 300

&lt;210&gt; 245

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 245

gtctgagtat ttaaaatggt attgaaatta tccccaacca atgttagaaa agaaagaggt 60  
 tatatactta gataaaaaat gaggtgaatt actatccatt gaaatcatgc tcttagaatt 120  
 aaggccagga gatattgtca ttaatgtara cttcaggaca ctagagtata gcagccctat 180  
 gttttcaaag agcagagatg caattaaata ttgttttagca tcaaaaaggc cactcaatac 240  
 agctaataaa atgaaagacc taatttctaa agcaattctt tataattttac aaagttttaa 300  
 g 301

&lt;210&gt; 246

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 246

ggtctgtcct acaatgcctg cttcttgaaa gaagtcggca ctttctagaa tagctaaata 60  
 acctgggctt attttaaaga actatttgta gctcagattg gttttcctat ggctaaaata 120  
 agtgccttct gtgaaaatta aataaaacag ttaattcaaa gccttgatat atgttaccac 180  
 taacaatcat actaaatata ttttgaagta caaagtttga catgctctaa agtgacaacc 240  
 caaatgtgtc ttacaaaaca cgctcctaac aagggtatgct ttacactacc aatgcagaaa 300  
 c 301

&lt;210&gt; 247

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 247

aggtcctttg gcagggtcga tggatcagag ctcaaactgg agggaaaggc atttcgggta 60  
 gcctaagagg gcgactggcg gcagcacaac caaggaaggc aaggttggtt cccccacgct 120  
 gtgtcctgtg ttcaggtgcy acacacaatc ctcattggaa caggatcacc catgcgctgc 180  
 ccttgatgat caaggttggg gcttaagtgg attaagggag gcaagttctg ggttccttgc 240  
 cttttcaaac catgaagtca ggctctgtat ccttcctttt cctaactgat attctaacta 300  
 a 301

<210> 248  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 248  
 aggtccttgg agatgccatt tcagccgaag gactcttctw ttcggaagta caccctcact 60  
 attaggaaga ttcttagggg taatttttct gaggaaggag aactagccaa cttaagaatt 120  
 acaggaagaa agtggtttgg aagacagcca aagaaataaa agcagattaa attgtatcag 180  
 gtacattcca gcctgttggc aactccataa aaacatttca gattttaatc ccgaatttag 240  
 ctaatgagac tggatttttg ttttttatgt tgtgtgtcgc agagctaaaa actcagttcc 300  
 c 301

<210> 249  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 249  
 gtccagagga agcacctggg gctgaactag gcttgccctg ctgtgaactt gcacttggag 60  
 ccctgacgct gctgttctcc ccgaaaaacc cgaccgacct ccgcgatctc cgccccgcc 120  
 ccagggagac acagcagtga ctcagagctg gtcgcacact gtgectccct cctcaccgcc 180  
 catcgtaatg aattattttg aaaattaatt ccaccatcct ttcagattct ggatggaaag 240  
 actgaatctt tgactcagaa ttgtttgctg aaaagaatga tgtgactttc ttagtcattt 300  
 a 301

<210> 250  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 250  
 ggctctgtgac aaggacttgc aggcctgtggg aggcaagtga cccttaacac tacacttctc 60  
 cttatcttta ttggcttgat aaacataatt atttctaaca ctagcttatt tccagttgcc 120  
 cataagcaca tcagtacttt tctctggctg gaatagtaaa ctaaagtatg gtacatctac 180  
 ctaaaagact actatgtgga ataatacata ctaatgaagt attacatgat ttaaagacta 240  
 caataaaacc aaacatgctt ataacattaa gaaaaacaat aaagatacat gattgaaacc 300  
 a 301

<210> 251  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 251  
 gccgaggtcc tacatttggc ccagtttccc cctgcatect ctccagggcc cctgcctcat 60  
 agacaacctc atagagcata ggagaactgg ttgccctggg ggcaggggga ctgtctggat 120  
 ggcaggggtc ctcaaaaatg ccactgtcac tgccaggaaa tgcttctgag cagtacacct 180  
 cattggggtc aatgaaaagc ttcaagaaat cttcaggctc actctcttga aggcccgga 240  
 cctctggagg ggggcagtgg aatcccagct ccaggacgga tcctgtcgaa aagatatcct 300  
 c 301

<210> 252  
 <211> 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 252

```

gcaaccaatc actctgtttc acgtgacttt tatcaccata caatttgtgg catttctca      60
ttttctacat tgtagaatca agagtgtaaa taaatgtata tcgatgtctt caagaatata      120
tcattccttt ttcactagga acccattcaa aatataagtc aagaatctta atatcaacaa      180
atatatcaag caaactggaa ggcagaataa ctaccataat ttagtataag taccctaaag      240
tttataaatc aaaagcccta atgataacca tttttagaat tcaatcatca ctgtagaatc      300
a

```

&lt;210&gt; 253

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 253

```

ttccctaaga agatgttatt ttgttgggtt ttgttcccc tccatctcga ttctcgtacc      60
caactaaaaa aaaaaaaataa agaaaaaatg tgctgcgttc tgaaaaataa ctcccttagct      120
tggtctgatt gttttcagac cttaaaatat aaacttggtt cacaagcttt aatccatgtg      180
gatttttttt cttagagaac cacaaaacat aaaaggagca agtcggactg aatacctgtt      240
tccatagtgc ccacagggtg ttctcacat tttctccata ggaaaatgct ttttcccaag      300
g

```

&lt;210&gt; 254

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 254

```

cgctgcgcct ttcccttggg ggaggggcaa ggccagaggg ggtccaagtg cagcacgagg      60
aacttgacca attcccttga agcgggtggg ttaaaccctg taaatgggaa caaatcccc      120
ccaaatctct tcattctacc ctggtggact cctgactgta gaattttttg gttgaaacaa      180
gaaaaaataa aagctttgga cttttcaagg ttgcttaaca ggtactgaaa gactggcctc      240
acttaaactg agccaggaaa agctgcagat ttattaatgg gtgtgttagt gtgcagtgcc      300
t

```

&lt;210&gt; 255

&lt;211&gt; 302

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 255

```

agcttttttt tttttttttt tttttttttt ttcattaaaa aatagtgtct tttattataa      60
attactgaaa tgtttctttt ctgaatataa atataaatat gtgcaaagtt tgacttggat      120
tgggattttg ttgagttctt caagcatctc ctaataccct caagggcctg agtagggggg      180
aggaaaaagg actggaggtg gaatctttat aaaaaacaag agtgattgag gcagattgta      240
aacattatta aaaaaaaga aacaaacaaa aaaaatagaga aaaaaaccac cccaacacac      300
aa

```

&lt;210&gt; 256

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

<400> 256  
 gttccagaaa acattgaagg tggcttccca aagtctaact agggatacce cctctagcct 60  
 aggaccttcc tccccacacc tcaatccacc aaaccatcca taatgcacce agataggccc 120  
 acccccacaaa gcctggacac cttgagcaca cagttatgac caggacagac tcctctctat 180  
 aggcaaatag ctgctggcaa actggcatta cctggtttgt ggggatgggg gggcaagtgt 240  
 gtggcctctc ggcctgggta gcaagaacat tcagggtagg cctaagttan tcgtgttagt 300  
 t 301

<210> 257  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 257  
 gttgtggagg aactctggct tgctcattaa gtccactga ttttcactat cccctgaatt 60  
 tccccactta tttttgtctt tcaactatgc aggccttaga agaggtctac ctgcctccag 120  
 tcttacctag tccagtctac cccctggagt tagaatggcc atcctgaagt gaaaagtaat 180  
 gtcacattac tcccttcagt gatttcttgt agaagtgcc atcctgaat gccaccaaga 240  
 tcttaatcct cacatcttta atcttatctc tttgactcct ctttacaccg gagaaggctc 300  
 c 301

<210> 258  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

<400> 258  
 cagcagtagt agatgccgta tgccagcag cccagcactc ccaggatcag caccagcacc 60  
 agggggccag ccaccaggcg cagaagcaag ataaacagta ggctcaagac cagagccacc 120  
 cccagggcaa caagaatcca ataccaggac tgggcaaaat cttcaaagat cttaacactg 180  
 atgtctcggg cattgaggct gtcaataana cgctgatccc ctgctgtatg gtggtgtcat 240  
 tgggtatccc tgggagcgcc ggtggagtaa cgttgggtcca tggaaagcag cgcccacaac 300  
 t 301

<210> 259  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

<400> 259

```

tcatatatgc aaacaaatgc agactangcc tcaggcagag actaaaggac atctcttggg      60
gtgtcctgaa gtgatttggg cccctgaggg cagacaccta agtaggaatc ccagtgggaa      120
gcaaagccat aaggaagccc aggattcctt gtgatcagga agtggggccag gaaggctctgt      180
tccdgctcac atctcatctg catgcagcac ggaccggatg cggccactgg gtcttggctt      240
ccctcccatc ttctcaagca gtgtccttgt tgagccattt gcaccccttg ctccaggtgg      300
c

```

```

<210> 260
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 260
tttttttctt ccctaaggaa aaagaaggaa caagtctcat aaaaccaa at aagcaatgg      60
aagggtgtctt aacttgaaaa agattaggag tctctgggtt acaagttata attgaatgaa      120
agaactgtaa cagccacagt tggccatttc atgccaatgg cagcaaacia caggattaac      180
tagggcaaaa taaataagtg tgtggaagcc ctgataagtg cttaataaac agactgatcc      240
actgagacat cagtacctgc ccgggcggcc gctcgagccg aattctgcag atatccatca      300
c

```

```

<210> 261
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 261
aaatattcga gcaaatcctg taactaatgt gtctccataa aaggctttga actcagtgaa      60
tctgcttcca tccacgattc tagcaatgac ctctcggaca tcaaagctcc tcttaaggtt      120
agcaccaact attccatata attcatcagc aggaaataaa ggctcttcag aagggttcaat      180
ggtgacatcc aatttcttct gataatttag attcttcaca accttcttag ttaagtgaag      240
ggcatgatga tcatccaaag cccagtggtc acttactcca gactttctgc aatgaagatc      300
a

```

```

<210> 262
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 262
gaggagagcc tgttacagca tttgtaagca cagaatactc caggagtatt tgtaattgtc      60
tgtgagcttc ttgccgcaag tctctcagaa atttaaaaag atgcaaatac ctgagtcacc      120
cctagacttc ctaaaccaga tctctgggg ctggaacctg gcactctgca tttgtaatga      180
gggctttctg gtgcacacct aattttgtgc atctttgccc taaatcctgg attagtggcc      240
catcattacc cccacattat aatgggatag attcagagca gatactctcc agcaaagaat      300
c

```

```

<210> 263
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

&lt;400&gt; 263

```

tttagcttgt ggtaaatgac tcacaaaact gattttaaaa tcaagttaat gtgaattttg      60
aaaattacta cttaatccta attcacaata acaatggcat taaggtttga cttgagtttg      120
ttcttagtat tatttatggg aaataggctc ttaccacttg caaataactg gccacatcat      180
taatgactga cttcccagta aggctctcta aggggtaagt angaggatcc acaggatttg      240
agatgctaag gccccagaga tcgtttgatc caaccctctt attttcagag gggaaaatgg      300
g

```

301

&lt;210&gt; 264

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 264

```

aaagacgtta aaccactcta ctaccacttg tggaaactctc aaagggtaaa tgacaaascc      60
aatgaatgac tctaaaaaca atatttacat ttaatggttt gtagacaata aaaaaacaag      120
gtggatagat ctagaattgt aacattttta gaaaaccata scatttgaca gatgagaaag      180
ctcaattata gatgcaaagt tataactaaa ctactatagt agtaaagaaa tacatttcac      240
acccttcata taaattcact atcttggtt gaggcactcc ataaaatgta tcacgtgcac      300
a

```

301

&lt;210&gt; 265

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 265

```

tgcccaagtt atgtgtaagt gtatccgcac ccagaggtaa aactacactg tcatctttgt      60
cttcttgtga cgcagtatct cttctctggg gagaagccgg gaagtcttct cctggctcta      120
catattcttg gaagtctcta atcaactttt gtccatttg ttctatttct tcaggaggga      180
ttttcagttt gtcaacatgt tctctaacia cacttgccca tttctgtaaa gaatccaaag      240
cagtcceaagg ctttgacatg tcaacaacca gcataactag agratccttc agagatacgg      300
c

```

301

&lt;210&gt; 266

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 266

```

taccgtctgc cttctctccc atccaggcca tctgcgaatc tacatgggtc ctctatttcg      60
acaccagatc actcttttct ctaccacag gcttgctatg agcaagagac acaacctctc      120
ctcttctgtg ttccagcttc ttttctgtt ctccaccacc cttaagtctt attcctgggg      180
atagagacac caatacccat aacctctctc ctaagcctcc ttataaccca ggggtgcacag      240
cacagactcc tgacaactgg taaggccaat gaactgggag ctcacagctg gctgtgcctg      300
a

```

301

&lt;210&gt; 267

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 267

```

aaagagcaca ggccagctca gcttgccctg gccatctaga ctcagcctgg ctccatgggg      60

```

```

gtttctcagtg ctgagtcctat ccaggaaaag ctcacctaga ctttctgagg ctgaatcttc      120
atcctcacag gcagcttctg agagcctgat attcctagcc ttgatggctt ggagtaaagc      180
ctcattctga ttctctctct tcttttcttt caagttggct ttcttcacat ccctctgttc      240
aattcgcttc agcttgcttg ctttagccct catttccaga agcttcttct ctttggcatc      300
t                                                                              301

```

```

<210> 268
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 268
aatgtctcac tcaactactt cccagcctac cgtggcctaa ttctgggagt tttcttctta      60
gatcttgga gagctgggtc ttctaaggag aaggaggaag gacagatgta actttggatc      120
tcgaagagga agtctaattg aagtaattag tcaacgggtc ttgttttagac tcttggaata      180
tgctgggtgg ctcatggagc ctttttggaag aaagcaagta ttattcttaa ggagtaacca      240
cttcccattg ttctactttc taccatcacc aattgtatat tatgtattct ttggagaact      300
a                                                                              301

```

```

<210> 269
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 269
taacaatata cactagctat ctttttaact gtccatcatt agcaccaatg aagattcaat      60
aaaattacct ttattcacac atctcaaac aattctgcaa attcttagtg aagtttaact      120
atagtcacag accttaaata ttacattgt tttctatgtc tactgaaaat aagttcacta      180
cttttctgga tattctttac aaaatcttat taaaattcct ggtattatca cccccaatta      240
tacagtagca caaccacctt atgtagtttt tacatgatag ctctgtagaa gtttcacatc      300
t                                                                              301

```

```

<210> 270
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 270
cattgaagag cttttgcgaa acatcagaac acaagtgctt ataaaattaa ttaagcctta      60
cacaagaata catattcctt ttatttctaa ggagttaaac atagatgtag ctgatgtgga      120
gagcttgctg gtgcagtgca tattggataa cactattcat ggccgaattg atcaagtcaa      180
ccaactcctt gaactggatc atcagaagaa gggtgggtgca cgatatactg cactagataa      240
tggaccaacc aactaaattc tctcaccagg ctgtatcagt aaactggctt aacagaaaac      300
a                                                                              301

```

```

<210> 271
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

&lt;400&gt; 271

```

aaaagggttct cataagatta acaattttaa taaatatttg atagaacatt ctttctcatt      60
tttatagctc atctttaggg ttgatattca gttcatgctt cccttgctgt tcttgatcca      120
gaattgcaat cacttcatca gcctgtattc gctccaattc tctataaagt ggggtccaagg      180
tgaaccacag agccacagca cacctctttc ccttggtgac tgccttcacc ccatganggt      240
tctctcctcc agatganaac tgatcatgcg cccacatttt ggggtttata gaagcagtca      300
c

```

&lt;210&gt; 272

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 272

```

taaattgcta agccacagat aacaccaatc aaatggaaca aatcactgtc ttcaaagtgc      60
ttatcagaaa accaaatgag cctggaatct tcataatacc taaacatgcc gtatttagga      120
tccaataatt ccttcatgat gagcaagaaa aattctttgc gcacccctcc tgcattccaca      180
gcattcttct caacaaatat aaccttgagt ggcttcttgt aatctatgtt ctttgttttc      240
ctaaggactt ccattgcatt tcttacaata ttttctctac gcaccactag aattaagcag      300
g

```

&lt;210&gt; 273

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(301)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 273

```

acatgtgtgt atgtgtatct ttgggaaaaa aanaagacat cttgtttayt atttttttgg      60
agagangctg ggacatggat aatcacwtaa tttgctayta tyactttaat ctgactygaa      120
gaaccgtcta aaaataaaat ttaccatgtc dtatattcct tatagtatgc ttatttcacc      180
tlytttctgt ccagagagag tatcagtgac ananatttma ggggtgaamac atgmattggg      240
gggacttnty tttacngagm accctgcccc sgcgccctcg makngantt ccgcsananc      300
t

```

&lt;210&gt; 274

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(301)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 274

```

cttatatact ctttctcaga ggcaaaagag gagatgggta atgtagacaa ttcttttgagg      60
aacagttaat gattattaga gagaangaat ggaccaagga gacagaaatt aacttgtaaa      120
tgattctctt tggaattctga atgagatcaa gaggccagct ttagcttggtg gaaaagtcca      180
tctaggtatg gttgcattct cgtcttcttt tctgcagtag ataatgaggt aaccgaaggc      240
aattgtgctt cttttgataa gaagctttct tggatcatatc aggaaattcc aganaaagtc      300

```



c

301

<210> 275  
 <211> 301  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

&lt;400&gt; 275

```

tcggtgtcag cagcacgtgg cattgaacat tgcaatgtgg agcccaaacc acagaaaatg      60
gggtgaaatt ggccaacttt ctattaactt atgttggcaa ttttgccacc aacagtaagc      120
tggcccttct aataaaagaa aattgaaagg tttctcacta aacggaatta agtagtgag      180
tcaagagact cccaggcctc agcgtacctg cccgggcggc cgctcgaagc cgaattctgc      240
agatatccat cacactggcg gncgctcgan catgcatcta gaaggnccaa ttcgcctat      300
a

```

301

<210> 276  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

&lt;400&gt; 276

```

tgtacacata ctcaataaat aaatgactgc attgtggtat tattactata ctgattatat      60
ttatcatgtg acttctaatt agaaaatgta tccaaaagca aaacagcaga tatacaaaat      120
taaagagaca gaagatagac attaacagat aaggcaactt atacattgag aatccaaatc      180
caatacattt aaacatttgg gaaatgaggg ggacaaatgg aagccagatc aaatttgtgt      240
aaaactattc agtatgttcc ccttgcttca tgtctgagaa ggctctcctt caatggggat      300
g

```

301

<210> 277  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

&lt;400&gt; 277

```

tttgttgatg tcagtatttt attacttgcg ttatgagtgc tcacctggga aattctaaag      60
atacagagga cttggaggaa gcagagcaac tgaatttaat ttaaaagaag gaaaacattg      120
gaatcatggc actcctgata ctttcccaaa tcaacactct caatgcccca ccctcgtcct      180
caccatagtg gggagactaa agtggccacg gatttgccct angtgtgcag tgcgttctga      240
gttcnctgtc gattacatct gaccagtctc ctttttccga agtcctnccg ttcaatcttg      300
c

```

301

<210> 278  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

<400> 278  
 taccactaca ctccagcctg ggcaacagag caagacctgt ctcaaagcat aaaatggaat 60  
 aacatatcaa atgaaacagg gaaaatgaag ctgacaattt atggaagcca gggcttgcca 120  
 cagtctctac tggtattatg cattacctgg gaatttatat aagcccttaa taataatgcc 180  
 aatgaacatc tcatgtgtgc tcacaatgtt ctggcactat tataagtgct tcacagggtt 240  
 tatgtgttct tcgtaacttt atggantagg tactcggccg cgaacacgct aagccgaatt 300  
 c 301

<210> 279  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

<400> 279  
 aaagcaggaa tgacaaagct tgcttttctg gtatgttcta ggtgtattgt gacttttact 60  
 gttatatata ttgccaatat aagtaaatat agattatata tgtatagtgt ttcacaaagc 120  
 ttagaccttt accttcacag caccacacag tgcttgatat ttcagagtca gtcattgggt 180  
 atacatgtgt agttccaaag cacataagct agaanaanaa atatttctag ggagcactac 240  
 catctgtttt cacatgaaat gccacacaca tagaactcca acatcaattt cattgcacag 300  
 a 301

<210> 280  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 280  
 ggtactggag ttttctctcc ctgtgaaaac gtaactactg ttgggagtga attgaggatg 60  
 tagaaagggt gtggaaccaa attgtgggtc atggaaatag gagaatatgg ttctcactct 120  
 tgagaaaaaa acctaagatt agcccaggta gttgcctgta acttcagttt ttctgcctgg 180  
 gtttgatata gtttaggggt ggggttagat taagatctaa attacatcag gacaaagaga 240  
 cagactatta actccacagt taattaagga ggtatgttcc atgtttattt gttaaagcag 300  
 t 301

<210> 281  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 281  
 aggtacaaga aggggaatgg gaaagagctg ctgctgtggc attgttcaac ttggatatcc 60  
 gccgagcaat ccaaaccctg aatgaagggt catcttctga aaaaggagat ctgaatctca 120  
 atgtggtagc aatggcttta tcgggttata cggatagagaa gaactccctt tggagagaaa 180  
 tgtgtagcac actgcgatta cagctaaata acccgatttt gtgtgtcatg tttgcatttc 240

tgacaagtga aacaggatct tacgatggag ttttgtatga aaacaaagtt gcagtacctc 300  
g 301

<210> 282  
<211> 301  
<212> DNA  
<213> Homo sapien

<400> 282  
caggtactac agaattaaaa tactgacaag caagtagttt cttggcgtgc acgaattgca 60  
tccagaaccc aaaaattaag aaattcaaaa agacattttg tgggcacctg ctagcacaga 120  
agcgcagaag caaagcccag gcagaacccat gctaaccctta cagctcagcc tgcacagaag 180  
cgcagaagca aagcccaggc agaaccatgc taaccttaca gctcagcctg cacagaagcg 240  
cagaagcaaa gcccaggcag aacatgctaa ccttacagct cagcctgcac agaagcacag 300  
a 301

<210> 283  
<211> 301  
<212> DNA  
<213> Homo sapien

<400> 283  
atctgtatac ggcagacaaa ctttatarag tgtagagagg tgagcgaaag gatgcaaaag 60  
cactttgagg gctttataat aatatgctgc ttgaaaaaaa aaatgtgtag ttgatactca 120  
gtgcatctcc agacatagta aggggttgct ctgaccaatc aggtgatcat tttttctatc 180  
acttcccagg ttttatgcaa aaattttgtt aaattctata atggtgatat gcattcttta 240  
ggaaacatat acatttttaa aaatctattt tatgtaagaa ctgacagacg aatttgcttt 300  
g 301

<210> 284  
<211> 301  
<212> DNA  
<213> Homo sapien

<400> 284  
caggtacaaa acgctattaa gtggcttaga atttgaacat ttgtggctctt tatttacttt 60  
gcttcgtgtg tgggcaaagc aacatcttcc ctaaataat attaccaaga aaagcaagaa 120  
gcagattagg tttttgacaa aacaacagg ccaaaagggg gctgacctgg agcagagcat 180  
ggtgagaggc aaggcatgag agggcaagtt tggtgtggac agatctgtgc ctactttatt 240  
actggagtaa aagaaaacaa agttcattga tgtcgaagga tatatacagt gttagaaatt 300  
a 301

<210> 285  
<211> 301  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)... (301)  
<223> n = A,T,C or G

<400> 285  
acatcaccat gatcggatcc cccaccatt atacgttgta tgtttacata aatactcttc 60  
aatgatcatt agtgttttaa aaaaaatact gaaaactcct tctgcatccc aatctctaac 120

caggaaagca aatgctatctt acagacctgc aagccctccc tcaaacnaaa ctatttctgg 180  
 attaaatatg tctgacttct tttgaggtca cagcactagg caaatgctat ttacgatctg 240  
 caaaagctgt ttgaagagtc aaagcccca tgtgaacacg atttctggac cctgtaacag 300  
 t 301

<210> 286  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 286  
 taccactgca ttccagcctg ggtgacagag tgagactccg tctccaaaa aaactttgct 60  
 tgtatattat ttttgcctta cagtggatca ttctagtagg aaaggacagt aagatttttt 120  
 atcaaaatgt gtcatgccag taagagatgt tatattcttt tctcatttct tccccacca 180  
 aaaataagct accatatagc ttataagtct caaatttttg ccttttacta aaatgtgatt 240  
 gtttctgttc attgtgtatg cttcatcacc tatattaggc aaattccatt tttcccttg 300  
 t 301

<210> 287  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 287  
 tacagatctg ggaactaaat attaaaaatg agtgtggctg gatatatgga gaatgttggg 60  
 cccagaagga acgtagagat cagatattac aacagctttg ttttgagggg tagaaatatg 120  
 aaatgatttg gttatgaacg cacagttagg gcagcagggc cagaatcctg accctctgcc 180  
 ccgtgggtat ctcctcccca gcttggtgc ctcagtgtat cacagtattc cattttgttt 240  
 gttgcatgtc ttgtgaagcc atcaagattt tctcgtctgt tttcctctca ttggtaatgc 300  
 t 301

<210> 288  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 288  
 gtacaccta ctgcaaggac agctgaggaa tgtaatgggc agccgctttt aaagaagtag 60  
 agtcaatagg aagacaaatt ccagttccag ctcagtctgg gtatctgcaa agctgcaaaa 120  
 gatcttttaa gacaatttca agagaatatt tccttaaagt tggcaatttg gagatcatat 180  
 aaaagcatct gcttttgtga tttaatttag ctcactctgg cactggaaga atccaaacag 240  
 tctgccttaa ttttggatga atgcatgatg gaaattcaat aatttagaaa gttaaaaaaa 300  
 a 301

<210> 289  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (301)  
 <223> n = A,T,C or G

<400> 289

ggtagactgt	ttccatgtta	tgtttctaca	cattgctacc	tcagtgtctc	tggaaactta	60
gcttttgatg	tctccaagta	gtccaccttc	atttaactct	tcgaaactgt	atcatctttg	120
ccaagtaaga	gtggaggcct	atttcagctg	ctttgacaaa	atgactggct	cctgacttaa	180
cgttctataa	atgaatgtgc	tgaagcaaag	tgcccatggg	ggcggcgaan	aagagaaaga	240
tgtgttttgt	tttgactct	ctgtgggtcc	ttccaatgct	gtgggttttc	aaccagnnga	300
a						301

```
<210> 290
<211> 301
<212> DNA
<213> Homo sapien
```

```
<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G
```

<400>	290						
acactgagct	cttcttgata	aatatacaga	atgcttggca	tataacaagt	tctatactac		60
tgactgatct	gttcattttc	ctcacagctc	ttaccccaa	aagcttttcc	accctaagtg		120
ttctgacctc	ctttttctaat	cacagtaggg	atagaggcgag	anccacctac	aatgaacatg		180
gagttctatc	aagaggcgaga	aacagcacag	aatcccagtt	ttaccattcg	ctagcagtg		240
tgccttgaac	aaaaacattt	ctccatgtct	cattttcttc	atgcctcaag	taacagtgag		300
a							301

```
<210> 291
<211> 301
<212> DNA
<213> Homo sapien
```

<400> 291							
caggtagcaaa	tttcttctat	cctagaaaca	tttcatttta	tgttggtgaa	acataaacaac	60	
tatatcagct	agattttttt	tctatgcttt	acctgctatg	gaaaatttga	cacattctgc	120	
tttactctct	tgtttatagg	tgaatcacao	aatgtatttt	tatgtattct	gtagttcaat	180	
agccatggct	gtttactcca	tttaatttat	ttagcataaa	gacattatga	aaaggcctaa	240	
acatgagctt	cacttcccc	ctaactaatt	agcatctggt	atttcttaac	cgtaatgcct	300	
a						301	

```
<210> 292
<211> 301
<212> DNA
<213> Homo sapien
```

```
<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G
```

[illegible]

<210> 293  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 293  
 ggtaccaagt gctgggtgcc a gcctgttacc tgttctcact gaaaagtctg gctaattgctc 60  
 ttgtgtagtc acttctgatt ctgacaatca atcaatcaat ggcctagagc actgactgtc 120  
 aacacaaacg tctactagcaa agtagcaaca gctttaagtc taaatacaaa gctgttctgt 180  
 gtgagaattt tttaaaaggc tacttgtata ataacccttg tcatttttaa tgcacctcgg 240  
 ccgcgaccac gctaagccga attctgcaga tatccatcac actggcgggc gctcgagcat 300  
 g 301

<210> 294  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(301)  
 <223> n = A,T,C or G

<400> 294  
 tgaccataaa caatatacac tagctatctt ttttaactgtc catcattagc accaatgaag 60  
 attcaataaaa attaccttta ttcacacatc tcaaaacaat tctgcaaatt cttagtgaag 120  
 ttttaactata gtcacaganc ttaaatattc acattgtttt ctatgtctac tgaaaataag 180  
 ttcactactt ttctgggata ttctttacaa aatctttatta aaattcctgg tattatcacc 240  
 cccaattata cagtagcaca accaccttat gtagttttta catgatatgt ctgtagaggt 300  
 t 301

<210> 295  
 <211> 305  
 <212> DNA  
 <213> Homo sapien

<400> 295  
 gtactctttc tctccctcc tctgaattta attctttcaa cttgcaattt gcaaggatta 60  
 cacatttcac tgtgatgtat attgtgttgc aaaaaaaaaa gtgtctttgt ttaaaattac 120  
 ttgggtttgt aatccatctt gctttttccc cattgggaact agtcattaac ccattctctga 180  
 actggttagaa aaacrtctga agagctagtc tatcagcatc tgacaggtga attggatggg 240  
 tctcagaacc atttcaccca gacagcctgt ttctatcctg ttaataaat tagtttgggt 300  
 tctct 305

<210> 296  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 296  
 aggtactatg ggaagctgct aaaataatat ttgatagtaa aagtatgtaa tgtgctatct 60  
 cacctagtag taaactaaaa ataaactgaa actttatgga atctgaagtt attttccctg 120  
 attaaataga attaataaac caatatgagg aaacatgaaa ccatgcaatc tactatcaac 180  
 tttgaaaaag tgattgaacg aaccacttag ctttcagatg atgaacactg ataagtcatt 240

tgtcattact ataaatttta aaatctgtta ataagatggc ctatagggag gaaaaagggg 300  
c 301

<210> 297

<211> 300

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(300)

<223> n = A,T,C or G

<400> 297

actgagtttt aactggacgc caagcaggca aggctggaag gttttgctct ctttgtgcta 60  
aaggttttga aaaccttgaa ggagaatcat ttgacaaga agtacttaag agtctagaga 120  
acaaagangt gaaccagctg aaagctctcg ggggaanctt acatgtgttg ttaggcctgt 180  
tccatcattg ggagtgcact ggccatccct caaaatttgt ctgggctggc ctgagtggtc 240  
accgcacctc ggccgcgacc acgctaagcc gaattctgca gatatccatc acactggcgg 300

<210> 298

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 298

tatggggttt gtcacccaaa agctgatgct gagaaaggcc tccctggggc ccttcccgcg 60  
ggcatctgag agacctggtg ttccagtgtt tctggaaatg ggtcccagtg ccgcccggctg 120  
tgaagctctc agatcaatca cgggaagggc ctggcggtgg tggccacctg gaaccacctt 180  
gtcctgtctg ttacatttc actaycaggc ttctcttggg cattacnatt tgttccccta 240  
caacagtgc ctgtgcattc tgcgtggcc tgcgtgtct gcagggtggc ctcagcgagg 300  
t 301

<210> 299

<211> 301

<212> DNA

<213> Homo sapien

<400> 299

gttttgagac ggagtttcac tcttgttgcc cagactggac tgcaatggca gggctctctgc 60  
tcaactgcacc ctctgcctcc cagggttcgag caattctcct gcctcagcct cccaggtagc 120  
tgggattgca ggctcacgcc accataccca gctaattttt ttgtattttt agtagagacg 180  
gagtttcgcc atgttggcca gctgggtctca aactcctgac ctcaagcgac ctgcctgcct 240  
cggcctccca aagtgtgga attataggca tgagtcaaca cgcccagcct aaagatattt 300  
t 301

<210> 300

<211> 301

<212> DNA

<213> Homo sapien

&lt;400&gt; 300

```

attcagtttt atttgctgcc ccagtatctg taaccaggag tgccacaaaa tcttgccaga      60
tatgtcccac acccactggg aaaggctccc acctggctac ttcctctatc agctgggtca      120
gctgcattcc acaaggttct cagcctaata agtttacta cctgccagtc tcaaaactta      180
gtaaagcaag accatgacat tccccacgg aaatcagagt ttgcccacc gtcttggtac      240
tataaagcct gcctctaaca gtccttgctt cttcacacca atcccagagc catcccccat      300
g                                                                                   301

```

&lt;210&gt; 301

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 301

```

ttaaattttt gagaggataa aaaggacaaa taatctagaa atgtgtcttc ttcagtctgc      60
agaggacccc aggtctccaa gcaaccacat ggccaagggc atgaataatt aaaagtgggt      120
gggaactcac aaagaccctc agagctgaga caccacacaac agtgggagct cacaaagacc      180
ctcagagctg agacacccac aacagtggga gtcacaaaag accctcagag ctgagacacc      240
cacaacagca cctcgttcag ctgccacatg tgtgaataag gatgcaatgt ccagaagtgt      300
t                                                                                   301

```

&lt;210&gt; 302

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 302

```

aggtacacat ttagcttgct gtaaatgact cacaaaactg attttaaaat caagttaatg      60
tgaattttga aaattactac ttaatcctaa ttcacaataa caatggcatt aaggtttgac      120
ttgagttggt tcttagtatt atttatggta aataggctct taccacttgc aaataactgg      180
ccacatcatt aatgactgac tccccagtaa ggctctctaa ggggtaagta ggaggatcca      240
caggatttga gatgctaagg ccccagagat cgtttgatcc aacctcttta ttttcagagg      300
g                                                                                   301

```

&lt;210&gt; 303

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 303

```

aggtaccaac tgtggaaata ggtagaggat cattttttct ttccatatca actaagttgt      60
atattgtttt ttgacagttt aacacatctt cttctgtcag agattctttc acaatagcac      120
tggctaattg aactaccgct tgcattgtaa aaatgggtgt ttgtgaaatg atcataggcc      180
agtaacgggt atgtttttct aactgatctt ttgctcgctc caaagggacc tcaagacttc      240
catcgatttt atatctgggg tctagaaaag gagttaatct gttttccctc ataaattcac      300
c                                                                                   301

```

&lt;210&gt; 304

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 304

```

acatggatgt tattttgcag actgtcaacc tgaatttgta tttgcttgac attgcctaatt      60

```



```

tattagtttc agtttcagct taccacttt ttgtctgcaa catgcaraas agacagtgcc      120
cttttttagtg tatcatatca ggaatcatct cacattgggt ttgtgccatta ctgggtgcagt    180
gacttttcagc cacttgggta aggtggagtt ggccatatgt ctccactgca aaattactga    240
ttttcctttt gtaattaata agtgtgtgtg tgaagattct ttgagatgag gtatatatct    300
c                                                                           301

```

&lt;210&gt; 305

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(301)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 305

```

gangtacagc gtggtcaagg taacaagaag aaaaaaatgt gagtggcatc ctgggatgag      60
cagggggaca gacctggaca gacacgttgt catttgctgc tgtgggtagg aaaatgggag    120
taaaggagga gaaacagata caaaatctcc aactcagtat taaggatttc tcatgcctag    180
aatattggta gaaacaagaa tacattcata tggcaaataa ctaaccatgg tggaacaaaa    240
ttctgggatt taagttggat accaangaaa ttgtattaaa agagctgttc atggaataag    300
a                                                                           301

```

&lt;210&gt; 306

&lt;211&gt; 8

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 306

```

Val Leu Gly Trp Val Ala Glu Leu
1           5

```

&lt;210&gt; 307

&lt;211&gt; 637

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 307

```

acaggggatg aagggaagg gagaggatga ggaagccccc ctggggattt ggtttggtcc      60
ttgtgatcag gtggtctatg gggcttatcc ctacaaagaa gaatccagaa atagggggcac    120
attgaggaat gatacttgag cccaaagagc attcaatcat tgttttattt gccttmtttt    180
cacaccattg gtgagggagg gattaccacc ctgggggttat gaagatgggt gaacacccca    240
cacatagcac cggagatatg agatcaacag tttcttagcc atagagattc acagcccaga    300
gcaggaggac gcttgcacac catgcaggat gacatggggg atgcgctcgg gattggtgtg    360
aagaagcaag gactgttaga ggcaggcttt atagtaacaa gacgggtggg caaactctga    420
tttccgtggg ggaatgtcat ggtcttgctt tactaagttt tgagactggc aggtagttaa    480
actcattagg ctgagaacct tgtggaatgc acttgaccca sctgatagag gaagtagcca    540
ggtgggagcc ttccccagtg ggtgtgggac atatctggca agattttgtg gcactcctgg    600
ttacagatac tggggcagca aataaaactg aatcttgg                                     637

```

&lt;210&gt; 308

&lt;211&gt; 647

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(647)  
 <223> n = A,T,C or G

<400> 308  
 acgattttca ttatcatgta aatcgggtca ctcaaggggc caaccacagc tgggagccac 60  
 tgctcagggg aaggttcata tgggactttc tactgcccac gggtctatac aggatataaa 120  
 ggngcctcac agtatagatc tggtagcaaa gaagaagaaa caaacactga tctctttctg 180  
 ccacccctct gacccttttg aactcctctg accctttaga acaagcctac ctaatatctg 240  
 ctagagaaaa gaccaacaac ggcctcaaag gatctcttac catgaaggtc tcagctaatt 300  
 cttggctaag atgtgggttc cacattaggt tctgaatatg gggggaaggg tcaatttgct 360  
 cattttgtgt gtggataaag tcaggatgcc caggggccag agcagggggc tgcttgcttt 420  
 gggaacaatg gctgagcata taacctatagg ttatggggaa caaaacaaca tcaaagtcac 480  
 tgtatcaatt gccatgaaga cttgaggggac ctgaatctac cgattcatct taaggcagca 540  
 ggaccagttt gagtggcaac aatgcagcag cagaatcaat ggaaacaaca gaatgattgc 600  
 aatgtccttt tttttctcct gcttctgact tgataaaagg ggaccgt 647

<210> 309  
 <211> 460  
 <212> DNA  
 <213> Homo sapien

<400> 309  
 acttttatagt ttaggctgga cattggaaaa aaaaaaagc cagaacaaca tgtgaragat 60  
 aatatgattg gctgcacact tccagactga tgaatgatga acgtgatgga ctattgtatg 120  
 gagcacatct tcagcaagag ggggaaatac tcatcatttt tggccagcag ttgtttgatc 180  
 accaaacatc atgccagaat actcagcaaa ccttcttagc tcttgagaag tcaaagtcag 240  
 ggggaattta ttcctggcaa ttttaattgg actccttatg tgagagcagc ggctaccag 300  
 ctggggtggg ggagcgaacc cgtcactagt ggacatgcag tggcagagct cctggttaacc 360  
 acctagagga atacacaggc acatgtgtga tgccaagcgt gacacctgta gcactcaaat 420  
 ttgtcttgtt tttgtctttc ggtgtgtaag attcttaagt 460

<210> 310  
 <211> 539  
 <212> DNA  
 <213> Homo sapien

<400> 310  
 acgggactta tcaaataaag ataggaaaag aagaaaactc aaatattata ggcagaaatg 60  
 ctaaaggttt taaaatatgt caggattgga agaaggcatg gataaagaac aaagttcagt 120  
 taggaaagag aaacacagaa ggaagagaca caataaaagt cattatgtat tctgtgagaa 180  
 gtcagacagt aagatttgtg ggaaatgggt tggtttgttg tatggtatgt attttagcaa 240  
 taatctttat ggcagagaaa gctaaaatcc tttagcttgc gtgaatgatc acttgctgaa 300  
 ttcctcaagg taggcatgat gaaggagggt tttagaggaga cacagacaca atgaactgac 360  
 ctagatagaa agccttagta tactcagcta ggaatagtga ttctgagggc acactgtgac 420  
 atgattatgt cattacatgt atggtagtga tggggatgat aggaaggaag aacttatggc 480  
 atattttcac ccccaaaaaa gtcagttaaa tattgggaca ctaaccatcc aggtcaaga 539

<210> 311  
 <211> 526  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(526)  
 <223> n = A,T,C or G

<400> 311  
 caaatttgag ccaatgacat agaattttac aaatcaagaa gcttattctg gggccatttc 60  
 ttttgacgtt ttctctaaac tactaaagag gcattaatga tccataaatt atattatcta 120  
 catttacagc atttaaaatg tggtcagcat gaaatattag ctacagggga agctaaataa 180  
 attaaacatg gaataaagat ttgtccttaa atataatcta caagaagact ttgatatttg 240  
 tttttcacaa gtgaagcatt cttataaagt gtcataacct ttttggggaa actatgggaa 300  
 aaaatgggga aactctgaag ggttttaagt atcttacctg aagctacaga ctccataacc 360  
 tctctttaca gggagctcct gcagccctta cagaaatgag tggctgagat tcttgattgc 420  
 acagcaagag cttctcatct aaaccttttc cctttttagt atctgtgtat caagtataaa 480  
 agttctataa actgtagtnt acttatttta atcccaaag cacagt 526

<210> 312  
 <211> 500  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(500)  
 <223> n = A,T,C or G

<400> 312  
 cctctctctc cccacccctt gactctagag aactgggttt tctcccagta ctccagcaat 60  
 tcattttctga aagcagttga gccactttat tccaaagtac actgcagatg ttcaaactct 120  
 ccatttctct ttcctttcca cctgccagtt ttgctgactc tcaacttgct atgagtgtaa 180  
 gcattaagga cattatgctt cttcgattct gaagacaggc cctgctcatg gatgactctg 240  
 gcttcttagg aaaaatatttt tcttccaaaa tcagtaggaa atctaaactt atccccctct 300  
 tgcagatgtc tagcagcttc agacatttgg ttaagaacct atgggaaaaa aaaaaatcct 360  
 tgctaattgt gtttcttttg taaaccanga ttcttatttg nctgggtatag aatatcagct 420  
 ctgaacgtgt ggtaaagatt tttgtgtttg aatataggag aaatcagttt gctgaaaagt 480  
 tagtcttaat tatctattgg 500

<210> 313  
 <211> 718  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(718)  
 <223> n = A,T,C or G

<400> 313  
 ggagatttgt gtggtttgca gccgagggag accaggaaga tctgcatggt gggaaggacc 60  
 tgatgatata gaggtgagaa ataagaaagg ctgctgactt taccatctga ggccacacat 120  
 ctgctgaaat ggagataaatt aacatcacta gaaacagcaa gatgacaata taatgtctaa 180  
 gtagtgacat gtttttgcaat atttccagcc ctttttaata tccacacaca caggaagcac 240  
 aaaagggaagc acagagatcc ctggggagaaa tgcccgggccg ccattctggg tcatcgatga 300  
 gcctcgccct gtgcctgntc ccgcttgtga gggaaggaca ttagaaaatg aattgatgtg 360  
 ttccttaaaag gatggcagga aaacagatcc tgctgtggat atttatttga acgggattac 420

```

agatttgaaa tgaagtcaca aagtgcagcat taccaatgag aggaaaacag acgagaaaat      480
cttgatgggt cacaagacat gcaacaaaca aaatggaata ctgtgatgac acgagcagcc      540
aactggggag gagataccac ggggcagagg tcaggattct ggccctgctg cctaactgtg      600
cgttatacca atcatttcta tttctacctt caaacaagct gtngaataac tgacttacgg      660
ttcttntggc ccacatttcc atnatccacc cntctntttt aannttantic caaantgt      718

```

&lt;210&gt; 314

&lt;211&gt; 358

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 314

```

gtttattttac attacagaaa aaacatcaag acaatgtata ctatttcaaa tatatccata      60
cataatcaaa tatagctgta gtacatgttt tcattgggtg agattaccac aaatgcaagg      120
caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg tgtagtccaa      180
gctctcggtg gtccagccac tgtgaaacat gtcctcttta gattaacctc gtggacgctc      240
ttgttgattt gctgaactgt agtgccctgt attttgcttc tgtctgtgaa ttctgttget      300
tctggggcat ttccttgta tgcagaggac caccacacag atgacagcaa tctgaatt      358

```

&lt;210&gt; 315

&lt;211&gt; 341

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 315

```

taccacctcc ccgctggcac tgatgagccg catcaccatg gtcaccagca ccatgaaggc      60
ataggtgatg atgaggacat ggaatgggcc cccaaggatg gtctgtccaa agaagcgagt      120
gacccccatt ctgaagatgt ctggaacctc taccagcagg atgatgatag cccaatgac      180
agtcaccagc tccccgacca gccggatata gtccttaggg gtcatgtagg ctctctgaag      240
tagcttctgc tgtaagaggg tgttgtcccg ggggctctgt cggttattgg tctctgggctt      300
gagggggcgg tagatgcagc acatggtgaa gcagatgatg t      341

```

&lt;210&gt; 316

&lt;211&gt; 151

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 316

```

agactgggca agactcttac gccccacact gcaatttggt cttgttgccg tatccattta      60
tgtgggcctt tctcgagttt ctgattataa acaccactgg agcgatgtgt tgactggact      120
cattcagggg gctctgggtg caatattagt t      151

```

&lt;210&gt; 317

&lt;211&gt; 151

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 317

```

agaactagtg gatcctaata aaatacctga aacatatatt ggcatttata aatggctcaa      60
atcttcattt atctctggcc ttaaccctgg ctcttgaggg tgcggccagc agatcccagg      120
ccagggtctt gttcttgcca cactgcttg a      151

```

&lt;210&gt; 318

&lt;211&gt; 151

&lt;212&gt; DNA

<213> Homo sapien

<400> 318

```
actggtggga ggcgctgttt agttggctgt tttcagaggg gtctttcgga gggacctcct    60
gctgcaggct ggagtgtctt tattcctggc gggagaccgc acattccact gctgaggctg    120
tgggggcggt ttatcaggca gtgataaaca t                                151
```

<210> 319

<211> 151

<212> DNA

<213> Homo sapien

<400> 319

```
aactagtgga tccagagcta taggtacagt gtgatctcag ctttgcaaac acattttcta    60
catagatagt actaggtatt aatagatatg taaagaaaga aatcacacca ttaataatgg    120
taagattggg tttatgtgat tttagtgggt a                                151
```

<210> 320

<211> 150

<212> DNA

<213> Homo sapien

<400> 320

```
aactagtgga tccactagtc cagtgtgggt gaattccatt gtgttggggt tctagatcgc    60
gagcggctgc cttttttttt tttttttttg ggggggaatt tttttttttt aatagttatt    120
gagtgttcta cagcttacag taaataccat                                150
```

<210> 321

<211> 151

<212> DNA

<213> Homo sapien

<400> 321

```
agcaactttg tttttcatcc aggttatatt aggcttagga tttcctctca cactgcagtt    60
taggggtggca ttgtaaccag ctatggcata ggtgttaacc aaaggctgag taaacatggg    120
tgctcttgag aaatcaaagt cttcatacac t                                151
```

<210> 322

<211> 151

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(151)

<223> n = A,T,C or G

<400> 322

```
atccagcacc ttctcctgtt tcttgccctc cttttctctc ttcttasatt ctgcttgagg    60
tttgggcttg gtcagtttgc cacagggctt ggagatgggt acagtcttct ggcattcggc    120
attgtgcagg gctcgcttca nacttccagt t                                151
```

<210> 323

<211> 151

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(151)

<223> n = A,T,C or G

<400> 323

tgaggacttg tktctctttt ctttattttt aatcctctta ckttgtaa atattgccta	60
nagactcant tactaccag tttgtggtt twtgggagaa atgtaactgg acagttagct	120
gttcaatyaa aaagacactt ancccatgtg g	151

<210> 324

<211> 461

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(461)

<223> n = A,T,C or G

<400> 324

acctgtgtgg aatttcagct ttctcatgc aaaaggattt tgtatccccg gctacttga	60
agaagtggc agctaaagga atccagggtg ttgggtggac tgtaataacc ttgatgaaa	120
agagttacta cgaatcccat cttggttcca gctatatcac tgacagcatg gtagaagact	180
gcgaacctca cttctagact ttacgggtgg gacgaaacgg gttcagaaac tgcaggggc	240
ctcatacagg gatatcaaaa taccctttgt gctaccagg ccttggggaa tcagggtgact	300
cacacaaatg caatagtgg tcaactgcatt ttacctgaa ccaaagctaa acccgggtg	360
gccaccatgc acctggcat gccagagttc aacactgttg ctcttgaaaa ttgggtctga	420
aaaaacgcac aagagccct gccctgccct agctgangca c	461

<210> 325

<211> 400

<212> DNA

<213> Homo sapien

<400> 325

acactgtttc catgttatgt ttctacacat tgctacctca gtgctcctgg aaacttagct	60
tttgatgtct ccaagtagtc caccttcatt taactctttg aaactgtatc atctttgcc	120
agtaagagtg gtggcctatt tcagctgctt tgacaaaatg actggctcct gacttaacgt	180
tctataaatg aatgtgctga agcaaagtgc ccatgggtggc ggcgaagaag agaaagatgt	240
gttttgttt ggactctctg tggctccttc caatgctgtg ggtttccaac caggggaagg	300
gtcccttttg cattgccaaag tgccataacc atgagcacta cgctaccatg gttctgcctc	360
ctggccaagc aggttggtt gcaagaatga aatgaatgat	400

<210> 326

<211> 1215

<212> DNA

<213> Homo sapien

<400> 326

ggaggactgc agcccgcact cgcagccctg gcaggcggca ctggctcatgg aaaacgaatt	60
gttctgctcg ggcgtcctgg tgcattccgca gtgggtgctg tcagccgcac actgtttcca	120
gaactcctac accatcgggc tgggcctgca cagtcttgag gccgaccaag agccaggag	180

```

ccagatggtg gaggccagcc tctccgtacg gcaccagag tacaacagac ccttgctcgc 240
taacgacctc atgctcatca agttggacga atccgtgtcc gagtctgaca ccatccggag 300
catcagcatt gcttcgcagt gccctaccgc ggggaactct tgctctgttt ctggctgggg 360
tctgctggcg aacggcagaa tgctaccgt gctgcagtgc gtgaacgtgt cgggtggtgc 420
tgaggaggtc tgcagtaagc tctatgacct gctgtaccac cccagcatgt tctgcgccgg 480
cggaggggcaa gaccagaagg actcctgcaa cgggtgactct ggggggcccc tgatctgcaa 540
cgggtacttg cagggccttg tgcctttcgg aaaagccccg tgtggccaag ttggcgtgcc 600
agggtgctac accaaccctc gcaaatcac tgagtggata gagaaaaccg tccaggccag 660
ttaactctgg ggactgggaa cccatgaaat tgaccccaa atacatcctg cgggaaggaat 720
tcaggaatat ctgttcccag cccctcctcc ctcaggccca ggagtccagg ccccagccc 780
ctctccctc aaaccaaggg tacagatccc cagccctcc tccctcagac ccaggagtcc 840
agacccccca gccctcctc cctcagacct aggagtccag cccctcctcc ctcagaccca 900
ggagtccaga cccccagcc cctcctcct cagacccagg ggtccaggcc cccaaccct 960
cctccctcag actcagaggt ccaagcccc aaccctcct tcccagacc cagaggtcca 1020
ggtcccagcc cctcctcct cagacccagc ggtccaatgc cacctagact ctccctgtac 1080
acagtgcctc cttgtggcac gttgaccaa ccttaccagt tggtttttca tttttgtcc 1140
ctttcccta gatccagaaa taaagtctaa gagaagcgca aaaaaaaaaa aaaaaaaaaa 1200
aaaaaaaaa aaaaaa 1215

```

&lt;210&gt; 327

&lt;211&gt; 220

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 327

```

Glu Asp Cys Ser Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met
1      5      10      15
Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val
20     25     30
Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly
35     40     45
Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu
50     55     60
Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu Ala
65     70     75     80
Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser Asp
85     90     95
Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly Asn
100    105    110
Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met Pro
115    120    125
Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu Val Cys
130    135    140
Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala Gly
145    150    155    160
Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly Pro
165    170    175
Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys Ala
180    185    190
Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu Cys Lys
195    200    205
Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
210    215    220

```

&lt;210&gt; 328

<211> 234  
 <212> DNA  
 <213> Homo sapien

<400> 328  
 cgctcgtctc tggtagctgc agccaaatca taaacggcga ggactgcagc ccgcactcgc 60  
 agccctggca ggcggcactg gtcattgaaa acgaattggt ctgctcgggc gtcctgggtgc 120  
 atccgcagtg ggtgctgtca gccacacact gttccagaa ctcctacacc atcgggctgg 180  
 gcctgcacag tcttgaggcc gaccaagagc cagggagcca gatggtggag gcca 234

<210> 329  
 <211> 77  
 <212> PRT  
 <213> Homo sapien

<400> 329  
 Leu Val Ser Gly Ser Cys Ser Gln Ile Ile Asn Gly Glu Asp Cys Ser  
 1 5 10 15  
 Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met Glu Asn Glu Leu  
 20 25 30  
 Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val Leu Ser Ala Thr  
 35 40 45  
 His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly Leu His Ser Leu  
 50 55 60  
 Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu Ala  
 65 70 75

<210> 330  
 <211> 70  
 <212> DNA  
 <213> Homo sapien

<400> 330  
 cccaacacaa tggcccgatc ccattccctga ctccgccctc aggatcgctc gtctctggta 60  
 gctgcagcca 70

<210> 331  
 <211> 22  
 <212> PRT  
 <213> Homo sapien

<400> 331  
 Gln His Asn Gly Pro Ile Pro Ser Leu Thr Pro Pro Ser Gly Ser Leu  
 1 5 10 15  
 Val Ser Gly Ser Cys Ser  
 20

<210> 332  
 <211> 2507  
 <212> DNA  
 <213> Homo sapien

<400> 332  
 tggcgccgct gcagccggca gagatgggtg agctcatggt cccgctgttg ctccctcttc 60  
 tgcccttcc tctgtatatg gctgcccctc aaatcaggaa aatgctgtcc agtgggggtg 120



gtacatcaac	tggtcagctt	cctgggaaag	tagttgtggt	cacaggagct	aatacaggta	180
tcgggaagga	gacagccaaa	gagctggctc	agagaggagc	tcgagtatat	ttagcttgcc	240
gggatgtgga	aaagggggaa	ttggtggcca	aagagatcca	gaccacgaca	gggaaccagc	300
aggtgttggt	gcggaaactg	gacctgtctg	atactaagtc	tattcgagct	tttgctaagg	360
gcttcttagc	tgaggaaaag	cacctccacg	ttttgatcaa	caatgcagga	gtgatgatgt	420
gtccgtactc	gaagacagca	gatggctttg	agatgcacat	aggagtcaac	cacttgggtc	480
acttccctct	aacccatctg	ctgctagaga	aactaaagga	atcagcccca	tcaaggatag	540
taaatgtgtc	ttccctcgca	catcacctgg	gaaggatcca	cttcataaac	ctgcaggggc	600
agaaattcta	caatgcaggc	ctggcctact	gtcacagcaa	gctagccaac	atcctcttca	660
cccaggaaact	ggcccggaga	ctaaaaggct	ctggcgttac	gacgtattct	gtacaccctg	720
gcacagtcca	atctgaactg	gttcggcact	catctttcat	gagatggatg	tggtggcttt	780
tctccttttt	catcaagact	cctcagcagg	cagcccgagac	cagcctgcac	tgtgccttaa	840
cagaaggtct	tgagattcta	agtgggaatc	atttcagtga	ctgtcatgtg	gcatgggtct	900
ctgcccagc	tcgtaatgag	actatagcaa	ggcggtctgt	ggacgtcagt	tgtgacctgc	960
tgggcctccc	aatagactaa	caggcagtgc	cagtgggacc	caagagaaga	ctgcagcaga	1020
ctacacagta	cttcttgtca	aaatgattct	ccttcaaggt	tttcaaaacc	tttagcacia	1080
agagagcaaa	accttccagc	cttgcctgct	tggtgtccag	ttaaaactca	gtgtactgcc	1140
agattcgtct	aaatgtctgt	catgtccaga	tttactttgc	ttctgttact	gccagagtta	1200
ctagagatat	cataatagga	taagaagacc	ctcatatgac	ctgcacagct	cattttcctt	1260
ctgaaagaaa	ctactaccta	ggagaatcta	agctatagca	gggatgattt	atgcaaattt	1320
gaactagctt	ctttgttcac	aattcagttc	ctcccaacca	accagtcttc	acttcaagag	1380
ggccacactg	caacctcagc	ttaacatgaa	taacaaagac	tggctcagga	gcaggggctg	1440
cccaggcatg	gtggatcacc	ggaggctcag	agttcaagac	cagcctggcc	aacatggtga	1500
aacccacact	ctactaaaaa	ttgtgtatat	ctttgtgtgt	cttctgtttt	atgtgtgcca	1560
agggagttat	ttcacaaggt	tcaaaacagc	cacaataatc	agagatggag	caaaccagtg	1620
ccatccagtc	tttatgcaaa	tgaaatgctg	cgaagggaag	cagattctgt	atatgttggt	1680
aactacccac	caagagcaca	tgggtagcag	ggaagaagta	aaaaaayaga	aggagaatac	1740
tggaagataa	tgcacaaaat	gaagggaacta	gttaaggatt	aactagccct	ttaaggatta	1800
actagttaag	gattaatagc	aaaagayatt	aaatatgcta	acatagctat	ggagggaattg	1860
agggcaagca	cccaggactg	atgaggctct	aacaaaaacc	agtgtggcaa	aaaaaataaa	1920
aaaaaaaaaa	aaaaatccta	aaaacaaaca	aacaaaaaaa	acaattcttc	attcagaaaa	1980
attatcttag	ggactgatat	tggtaattat	ggtcaattta	ataatatttt	ggggcatttc	2040
cttacattgt	cttgacaaga	ttaaaatgtc	tgtgccaaaa	ttttgtattt	tatttggaga	2100
cttcttatca	aaagtaatgc	tgccaaagga	agtctaagga	attagtagtg	ttcccatcac	2160
ttgtttggag	tgtgctattc	taaaagattt	tgatttcctg	gaatgacaat	tatattttaa	2220
ctttggtggg	ggaaagagtt	ataggaccac	agcttctact	tctgatactt	gtaaattaat	2280
cttttattgc	acttgttttg	accattaaagc	tatatgttta	gaaatggtca	ttttacggaa	2340
aaattagaaa	aattctgata	atagtgcaga	ataaatgaat	taatgtttta	cttaatttat	2400
attgaactgt	caatgacaaa	taaaaattct	ttttgattat	tttttgtttt	catttaccag	2460
aataaaaacg	taagaattaa	aagtttgatt	acaaaaaaaa	aaaaaaa		2507

&lt;210&gt; 333

&lt;211&gt; 3030

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 333

gcaggcgact	tgcgagctgg	gagcgattta	aaacgctttg	gattcccccg	gcctgggtgg	60
ggagagcgag	ctgggtgccc	cctagattcc	ccgccccgcg	acctcatgag	ccgaccctcg	120
gctccatgga	gcccggcaat	tatgccacct	tggtatggagc	caaggatatac	gaaggcttgc	180
tgggagcggg	agggggggcg	aatctggtcg	cccactcccc	tctgaccagc	caccagcgg	240
cgctacgct	gatgcctgct	gtcaactatg	cccccttggg	tctgccaggc	tcggcggagc	300
cgccaaagca	atgccacca	tgccctgggg	tgccccaggg	gacgtcccca	gctcccgctc	360
cttatgggta	ctttggaggc	gggtactact	cctgccgagt	gtcccggagc	tcgctgaaac	420
cctgtgcca	ggcagccacc	ctggccgcgt	accccgcgga	gactccacag	gccggggaag	480

agtagccag	ycgccccact	gagtttgct	tctatccggg	atatccggga	acctaccagc	540
ctatggccag	ttacctggac	gtgtctgtgg	tgcagactct	gggtgctcct	ggagaaccgc	600
gacatgactc	cctgttgcc	gtggacagtt	accagtcttg	ggctctcgct	ggtggctgga	660
acagccagat	gtgttgccag	ggagaacaga	accaccagg	tcccttttgg	aaggcagcat	720
ttgcagactc	cagcggggcag	caccctcctg	acgcctgcgc	ctttcgtcgc	ggccgcaaga	780
aacgcattcc	gtacagcaag	gggcagttgc	gggagctgga	gcgggagtat	gcggctaaca	840
agttcatcac	caaggacaag	aggcgcaaga	tctcggcagc	caccagcctc	tcggagcgcc	900
agattaccat	ctggtttcag	aaccgcccgg	tcaaagagaa	gaaggttctc	gccaagggtga	960
agaacagcgc	taccccttaa	gagatctcct	tgctgggtg	ggaggagcga	aagtgggggt	1020
gtcctgggga	gaccaggaac	ctgccaagcc	caggctgggg	ccaaggactc	tgctgagagg	1080
cccctagaga	caacaccctt	cccaggccac	tggtgctgg	actgttctc	aggagcggcc	1140
tgggtaccca	gtatgtgcag	ggagacggaa	ccccatgtga	cagccactc	caccagggtt	1200
cccaaagaac	ctggcccagt	cataatcatt	catcctgaca	gtggcaataa	tcacgataac	1260
cagtactagc	tgccatgatc	gttagcctca	tattttctat	ctagagctct	gtagagcact	1320
ttagaaaccg	ctttcatgaa	ttgagctaata	tatgaataaa	tttggaaggc	gatccctttg	1380
caggaagct	ttctctcaga	cccccttcca	ttacacctct	caccttggtg	acagcaggaa	1440
gactgaggag	aggggaacgg	gcagattcgt	tgtgtggctg	tgatgtccgt	ttagcatttt	1500
tctcagctga	cagctgggta	ggtggacaat	tgtagaggct	gtctcttctc	ccctccttgc	1560
ccaccccata	gggtgtacc	actggtcttg	gaagcaccca	tccttaatac	gatgattttt	1620
ctgtcgtgtg	aaaatgaagc	cagcaggctg	cccctagtca	gtccttctct	ccagagaaaa	1680
agagatttga	gaaagtgcct	gggtaattca	caattaattt	cctcccccaa	actctctgag	1740
tcttccctta	atatttctgg	tggttctgac	caaagcagg	catggtttgt	tgagcatttg	1800
ggatcccagt	gaagtagatg	ttttagacct	tgcatactta	gcccttccca	ggcacaacg	1860
gagtggcaga	gtggtgccaa	ccctgttttc	ccagtccacg	tagacagatt	cacagtgcgg	1920
aattctggaa	gctggagaca	gacgggctct	ttgcagagcc	gggactctga	gaggagacatg	1980
agggcctctg	cctctgtgtt	cattctctga	tgtcctgtac	ctgggctcag	tgcccgggtg	2040
gactcatctc	ctggccgcgc	agcaaaagcca	gcgggttcgt	gctggtcctt	cctgcacctt	2100
aggctggggg	tggggggcct	gccggcgcat	tctccacgat	tgagcgcaca	ggcctgaagt	2160
ctggacaacc	cgcagaaccg	aagctccgag	cagcgggtcg	gtggcgagta	gtggggtcgg	2220
tggcgagcag	ttggtgggtg	gccgcggccg	ccactacctc	gaggacattt	ccctcccggg	2280
gccagctctc	ctagaaaacc	cgcggcgggc	gccgcagcca	agtgtttatg	gcccgcgggtc	2340
gggtggggtc	ctagccctgt	ctcctctcct	gggaaggagt	gagggtggga	cgtgacttag	2400
acacctacaa	atctattttac	caaagaggag	ccggggactg	agggaaaagg	ccaaagagtg	2460
tgagtgcagt	cggactgggg	gttcaggggg	agaggacgag	gaggaggaag	atgaggtcga	2520
tttcttgatt	taaaaaatcg	tccaagcccc	gtggtccagc	ttaaggctct	cggttacatg	2580
cggcgtctag	agcagggtcac	tttctgcctt	ccacgtctct	cttcaaggaa	gccccatgtg	2640
ggtagctttc	aatatcgag	gttcttactc	ctctgcctct	ataagctcaa	acccaccaac	2700
gatcggggcaa	gtaaaccccc	tccctcgccg	acttcggaac	tggcgagagt	tcagcgcaga	2760
tgggcctgtg	gggagggggc	aagatagatg	agggggagcg	gcatggtgcg	gggtgacccc	2820
ttggagagag	gaaaaaggcc	acaagagggg	ctgccaccgc	cactaacgga	gatggccctg	2880
gtagagacct	ttgggggtct	ggaacctctg	gactccccat	gctctaactc	ccacactctg	2940
ctatcagaaa	cttaaaactg	aggattttct	ctgtttttca	ctcgcaataa	aytcagagca	3000
aacaaaaaaa	aaaaaaaaaa	aaaactcgag				3030

&lt;210&gt; 334

&lt;211&gt; 2417

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 334

ggcggccgct	ctagagctag	tgggatcccc	cgggctgcac	gaattcggca	cgagtgagtt	60
ggagttttac	ctgtattgtt	ttaatttcaa	caagcctgag	gactagccac	aaatgtaccc	120
agtttacaaa	tgaggaaaca	ggtgcaaaaa	ggtgtgtacc	tgtcaaaggt	cgtatgtggc	180
agagccaaga	tttgagccca	gttatgtctg	atgaacttag	cctatgctct	ttaaacttct	240
gaatgctgac	cattgaggat	atctaaactt	agatcaattg	cattttccct	ccaagactat	300

ttactttatca	atacaataat	accaccttta	ccaatctatt	gttttgatac	gagactcaaa	360
tatgccagat	atatgtaaaa	gcaacctaca	agctctctaa	tcatgctcac	ctaaaagatt	420
cccgggatct	aataggctca	aagaaacttc	ttctagaaat	ataaaagaga	aaattggatt	480
atgcaaaaat	tcattattaa	tttttttcat	ccatccttta	attcagcaaa	catttatctg	540
ttgttgactt	tatgcagtat	ggccttttaa	ggattggggg	acaggtgaag	aacggggtgc	600
cagaatgcat	cctcctacta	atgaggtcag	tacacatttg	cattttaaaa	tgccctgtcc	660
agctgggcat	ggtggatcat	gcctgtaatc	tcaacattgg	aaggccaagg	caggaggatt	720
gcttcagccc	aggagttcaa	gaccagcctg	ggcaacatag	aaagacccca	tctctcaatc	780
aatcaatcaa	tgccctgtct	ttgaaaataa	aactctttta	gaaaggttta	atgggcaggg	840
tgtggtagct	catgcctata	atacagcact	ttgggaggct	gaggcaggag	gatcacttta	900
gcccagaagt	tcaagaccag	cctgggcaac	aagtgacacc	tcattctcaat	tttttaataa	960
aatgaataca	tacataagga	aagataaaaa	gaaaagttta	atgaaagaat	acagtataaa	1020
acaaatctct	tggacctaaa	agtatttttg	ttcaagccaa	atattgtgaa	tcacctctct	1080
gtgttgagga	tacagaatat	ctaagcccag	gaaactgagc	agaaagtcca	tgtactaact	1140
aatcaacccg	aggcaaggca	aaaatgagac	taactaatca	atccgaggca	aggggcaaat	1200
tagacggaac	ctgactctgg	tctattaagc	gacaactttc	cctctgttgt	atttttcttt	1260
tattcaatgt	aaaaggataa	aaactctcta	aaactaaaaa	caatgtttgt	caggagttac	1320
aaaccatgac	caactaatta	tggggaatca	taaaatatga	ctgtatgaga	tcttgatggc	1380
ttacaaaagt	taccactgtt	taatcacttt	aaacattaat	gaacttaaaa	atgaatttac	1440
ggagatttga	atgtttcttt	cctgttgtat	tagttggctc	aggctgccat	aacaaaatac	1500
cacagactgg	gaggcttaag	taacagaaat	tcatttctca	cagttctggg	ggctggaagt	1560
ccacgatcaa	ggtgcaggaa	aggcaggctt	cattctgagg	ccctctctct	ggctcacatg	1620
tggccacctt	cccactgcgt	gctcacatga	cctcttttgt	ctcctggaaa	gaggggtgtg	1680
gggacagagg	gaaagagaag	gagaggggaa	tctctggtgt	ctcgtctttc	aaggacccta	1740
acctgggcca	ctttggccca	ggcactgtgg	ggtggggggt	tgtggctgct	ctgctctgag	1800
tggccaagat	aaagcaacag	aaaaatgtcc	aaagctgtgc	agcaaagaca	agccaccgaa	1860
cagggatctg	ctcatcagtg	tggggacctc	caagtuggcc	accctggagg	caagccccca	1920
cagagcccat	gcaagggtggc	agcagcagaa	gaagggaatt	gtccctgtcc	ttggcacatt	1980
cctcaccgac	ctggtgatgc	tggacactgc	gatgaatggt	aatgtggatg	agaatatgat	2040
ggactccca	aaaaggagac	ccagctgtct	agggtggctc	aaatcattac	agccttcctc	2100
ctggggagga	actggggggc	tggttctggg	tcagagagca	gcccagtgag	ggtgagagct	2160
acagcctgtc	ctgccagctg	gatccccagt	cccggtaaac	cagtaatcaa	ggctgagcag	2220
atcaggcttc	ccggagctgg	tcttggaag	ccagccctgg	ggtgagttgg	ctcctgctgt	2280
ggtactgaga	caatattgtc	ataaattcaa	tgcgcccttg	tatccctttt	tcttttttat	2340
ctgtctacat	ctataatcac	tatgcatact	agtcttttgt	agtgtttcta	ttcmacttaa	2400
tagagatatg	ttatact					2417

&lt;210&gt; 335

&lt;211&gt; 2984

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 335

atccctctct	ccccactctc	ctttccagaa	ggcacttggg	gtcttatctg	ttggactctg	60
aaaacacttc	aggcgccctt	ccaaggcttc	cccaaacc	taagcagccg	cagaagcgct	120
cccgagctgc	cttctccac	actcaggtga	tcgagttgga	gaggaaagtc	agccatcaga	180
agtacctgtc	ggccccgaa	cgggcccacc	tggccaagaa	cctcaagctc	acggagaccc	240
aagtgaagat	atggttccag	aacagacgct	ataagactaa	gcgaaagcag	ctctcctcgg	300
agctgggaga	cttggagaag	cactcctctt	tgcggccct	gaaagaggag	gccttctccc	360
gggcctccct	ggtctccgtg	tataacagct	atccttacta	cccatacctg	tactgcgtgg	420
gcagctggag	cccagctttt	tggtaatgcc	agctcagggtg	acaaccatta	tgatcaaaaa	480
ctgccttccc	cagggtgtct	ctatgaaaag	cacaaggggc	caaggctcagg	gagcaagagg	540
tgtgcacacc	aaagctattg	gagatttgcg	tggaaatctc	asattcttca	ctgggtgagac	600
aatgaaacaa	cagagacagt	gaaagtttta	atacctaagt	cattccccca	gtgcatactg	660
taggtcattt	tttttgcttc	tggctacctg	tttgaagggg	agagaggggaa	aatcaagtcg	720

```

tattttccag cactttgtat gattttggat gagctgtaca cccaaggatt ctgttctgca 780
actccatcct cctgtgtcac tgaatatcaa ctctgaaaga gcaaacctaa caggagaaag 840
gacaaccagg atgaggatgt caccaactga attaaactta agtcagaag cctcctgttg 900
gccttggaat atggccaagg ctctctctgt cctgtaaaa gagaggggca aatagagagt 960
ctccaagaga acgccctcat gctcagcaca tatttgcattg ggagggggag atgggtggga 1020
ggagatgaaa atatcagcctt ttcttattcc tttttattcc ttttaaatg gtatgccaac 1080
ttaagtattt acagggtggc ccaaatagaa caagatgcac tcgctgtgat ttaagacaa 1140
gctgtataaa cagaactcca ctgcaagagg gggggccggg ccaggagaat ctccgcttgt 1200
ccaagacagg ggcctaagga ggggtctccac actgctgcta ggggctgttg cattttttta 1260
ttagtagaaa gtggaaaggc ctcttctcaa cttttttccc ttgggctgga gaatttagaa 1320
tcagaagttt cctggagttt tcaggctatc atatatactg tatcctgaaa ggcaacataa 1380
ttcttcttcc cctcctttta aaattttgtg ttcttttttg cagcaattac tactaaagg 1440
gcttcatttt agtcagatt tttagtctgg ctgcacctaa cttatgcctc gcttatttag 1500
cccagatatt ggtctttttt tttttttttt tttttccgtc tccccaaagc tttatctgtc 1560
ttgactattt aaaaaagttt gggggcagat tctgaattgg ctaaaagaca tgcattttta 1620
aaactagcaa ctcttatttc ttctctttaa aaatacatag cattaaatcc caaatcctat 1680
ttaaagacct gacagcttga gaaggctact actgcattta taggaacttc tgggtggtct 1740
gctgttacgt ttgaagtctg acaatccttg agaatccttg catgcagagg aggtaagagg 1800
tattggattt tcacagagga agaacacagc gcagaatgaa gggccaggct tactgagctg 1860
tccagtggag ggctcatggg tgggacatgg aaaagaaggc agcctaggcc ctggggagcc 1920
cagtcacttg agcaagcaag ggactgagtg agccttttgc aggaaaaggc taagaaaaag 1980
gaaaaccatt ctaaaacaca acaagaaact gtccaaatgc ttggggaact gtgtttattg 2040
cctataatgg gtcccaaaaa tgggtaacct agacttcaga gagaatgagc agagagcaaa 2100
ggagaaatct ggctgtcctt ccattttcat tctgttatct caggtagagct ggtagagggg 2160
agacattaga aaaaaatgaa acaaaaaaac aattactaat gaggtacgct gaggcctggg 2220
agtctcttga ctccactact taattccgtt tagtgagaaa cttttcaatt tcttttatt 2280
agaagggcca gcttactgtt ggtggcaaaa ttgccaatat aagttaatag aaagtggcc 2340
aatttcaccc cattttctgt ggtttgggct ccacattgca atgttcaatg ccacgtgctg 2400
ctgacaccga cgggagtact agccagcaca aaaggcaggg tagcctgaat cgctttctgc 2460
tctttacatt tcttttaaaa taagcattta gtgctcagtc cctactgagt actctttctc 2520
tcccctctc tgaatttaat tctttcaact tgcaatttgc aaggattaca catttactg 2580
tgatgtatat tgtgttgcaa aaaaaaaaaa aagtgtcttt gtttaaaatt acttggtttg 2640
tgaatccatc ttgctttttc cccattggaa ctagtcatca acccatctct gaactggtag 2700
aaaaacatct gaagagctag tctatcagca tctgacaggt gaattggatg gttctcagaa 2760
ccatttcacc cagacagcct gtttctatcc tgtttaataa attagtttg gttctctaca 2820
tgcataacaa accctgtccc aatctgtcac ataaaagtct gtgactrgaa gtttagtcag 2880
caccctcacc aaactttatt tttctatgtg ttttttgcaa catatgagtg tttgaaaat 2940
aaagtaccca tgtctttatt agaaaaaaaa aaaaaaaaaa aaaa 2984

```

&lt;210&gt; 336

&lt;211&gt; 147

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 336

```

Pro Ser Phe Pro Thr Leu Leu Ser Arg Arg His Leu Gly Ser Tyr Leu
1          5          10          15
Leu Asp Ser Glu Asn Thr Ser Gly Ala Leu Pro Arg Leu Pro Gln Thr
20          25          30
Pro Lys Gln Pro Gln Lys Arg Ser Arg Ala Ala Phe Ser His Thr Gln
35          40          45
Val Ile Glu Leu Glu Arg Lys Phe Ser His Gln Lys Tyr Leu Ser Ala
50          55          60
Pro Glu Arg Ala His Leu Ala Lys Asn Leu Lys Leu Thr Glu Thr Gln
65          70          75          80

```

Val Lys Ile Trp Phe Gln Asn Arg Arg Tyr Lys Thr Lys Arg Lys Gln  
                     85                    90                    95  
 Leu Ser Ser Glu Leu Gly Asp Leu Glu Lys His Ser Ser Leu Pro Ala  
                     100                    105                    110  
 Leu Lys Glu Glu Ala Phe Ser Arg Ala Ser Leu Val Ser Val Tyr Asn  
                     115                    120                    125  
 Ser Tyr Pro Tyr Tyr Pro Tyr Leu Tyr Cys Val Gly Ser Trp Ser Pro  
                     130                    135                    140  
 Ala Phe Trp  
 145

<210> 337  
 <211> 9  
 <212> PRT  
 <213> Homo sapien

<400> 337  
 Ala Leu Thr Gly Phe Thr Phe Ser Ala  
   1                    5

<210> 338  
 <211> 9  
 <212> PRT  
 <213> Homo sapien

<400> 338  
 Leu Leu Ala Asn Asp Leu Met Leu Ile  
   1                    5

<210> 339  
 <211> 318  
 <212> PRT  
 <213> Homo sapien

<400> 339  
 Met Val Glu Leu Met Phe Pro Leu Leu Leu Leu Leu Leu Pro Phe Leu  
   1                    5                    10                    15  
 Leu Tyr Met Ala Ala Pro Gln Ile Arg Lys Met Leu Ser Ser Gly Val  
                     20                    25                    30  
 Cys Thr Ser Thr Val Gln Leu Pro Gly Lys Val Val Val Val Thr Gly  
                     35                    40                    45  
 Ala Asn Thr Gly Ile Gly Lys Glu Thr Ala Lys Glu Leu Ala Gln Arg  
                     50                    55                    60  
 Gly Ala Arg Val Tyr Leu Ala Cys Arg Asp Val Glu Lys Gly Glu Leu  
   65                    70                    75                    80  
 Val Ala Lys Glu Ile Gln Thr Thr Thr Gly Asn Gln Gln Val Leu Val  
                     85                    90                    95  
 Arg Lys Leu Asp Leu Ser Asp Thr Lys Ser Ile Arg Ala Phe Ala Lys  
                     100                    105                    110  
 Gly Phe Leu Ala Glu Glu Lys His Leu His Val Leu Ile Asn Asn Ala  
                     115                    120                    125  
 Gly Val Met Met Cys Pro Tyr Ser Lys Thr Ala Asp Gly Phe Glu Met  
                     130                    135                    140  
 His Ile Gly Val Asn His Leu Gly His Phe Leu Leu Thr His Leu Leu

145                      150                      155                      160  
 Leu Glu Lys Leu Lys Glu Ser Ala Pro Ser Arg Ile Val Asn Val Ser  
                                  165                      170                      175  
 Ser Leu Ala His His Leu Gly Arg Ile His Phe His Asn Leu Gln Gly  
                                  180                      185                      190  
 Glu Lys Phe Tyr Asn Ala Gly Leu Ala Tyr Cys His Ser Lys Leu Ala  
                                  195                      200                      205  
 Asn Ile Leu Phe Thr Gln Glu Leu Ala Arg Arg Leu Lys Gly Ser Gly  
                                  210                      215                      220  
 Val Thr Thr Tyr Ser Val His Pro Gly Thr Val Gln Ser Glu Leu Val  
 225                                   230                                   235                                   240  
 Arg His Ser Ser Phe Met Arg Trp Met Trp Trp Leu Phe Ser Phe Phe  
                                  245                                   250                                   255  
 Ile Lys Thr Pro Gln Gln Gly Ala Gln Thr Ser Leu His Cys Ala Leu  
                                  260                                   265                                   270  
 Thr Glu Gly Leu Glu Ile Leu Ser Gly Asn His Phe Ser Asp Cys His  
                                  275                                   280                                   285  
 Val Ala Trp Val Ser Ala Gln Ala Arg Asn Glu Thr Ile Ala Arg Arg  
                                  290                                   295                                   300  
 Leu Trp Asp Val Ser Cys Asp Leu Leu Gly Leu Pro Ile Asp  
 305                                   310                                   315

&lt;210&gt; 340

&lt;211&gt; 483

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 340

gccgagggtct gccttcacac ggaggacacg agactgcttc ctcaagggct cctgcctgcc 60  
 tggacactgg tgggaggcgc tgtttagttg gctgttttca gaggggctct tgggaggac 120  
 ctctgctgc aggttgaggt gtctttattc ctggcgggag accgcacatt cactgctga 180  
 ggttggtggg gcggtttatc aggcagtgat aaacataaga tgcattttcc ttgactccgg 240  
 ccttcaattt tctctttggc tgacgacgga gtccgtggtg tcccgatgta actgaccct 300  
 gctccaaacg tgacatcact gatgctcttc tgggggtgc tgatggcccg cttggtcacg 360  
 tgctcaattc cgccattcga ctcttgctcc aaactgtatg aagacacctg actgcacgtt 420  
 tttctcgggc ttccagaatt taaagtgaag ggcagcactc ctaagctccg actccgatgc 480  
 ctg 483

&lt;210&gt; 341

&lt;211&gt; 344

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 341

ctgctgctga gtcacagatt tcattataaa tagcctccct aaggaaaata cactgaatgc 60  
 tatttttact aaccattcta tttttataga aatagctgag agtttctaaa ccaactctct 120  
 gctgctttac aagtattaaa tattttactt ctttccataa agagtagctc aaaatatgca 180  
 attaatataa taattttctga tgatggtttt atctgcagta atatgtatat catctattag 240  
 aatttactta atgaaaaact gaagagaaca aaatttgtaa ccactagcac ttaagtactc 300  
 ctgattctta acattgtctt taatgaccac aagacaacca acag 344

&lt;210&gt; 342

&lt;211&gt; 592

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 342

acagcaaaaa	agaaactgag	aagcccaaty	tgctttcttg	ttaacatcca	cttatccaac	60
caatgtggaa	acttcttata	cttggttcca	ttatgaagtt	ggacaattgc	tgctatcaca	120
cctggcaggt	aaaccaatgc	caagagagtg	atggaaacca	ttggcaagac	tttggtgatg	180
accaggattg	gaattttata	aaaatattgt	tgatgggaag	ttgctaaagg	gtgaattact	240
tccctcagaa	gagtgtaaag	aaaagtcaga	gatgctataa	tagcagctat	tttaattggc	300
aagtgccact	gtggaaagag	ttcctgtgtg	tgctgaagtt	ctgaagggca	gtcaaattca	360
tcagcatggg	ctgtttgggtg	caaatgcaaa	agcacaggtc	tttttagcat	gctggctctct	420
cccgtgtcct	tatgcaaata	atcgtcttct	tctaaatttc	tcctaggctt	cattttccaa	480
agttcttctt	ggtttgtgat	gtcttttctg	ctttccatta	attctataaa	atagtatggc	540
ttcagccacc	cactcttcgc	cttagcttga	ccgtgagtc	cggtgcccgc	tg	592

&lt;210&gt; 343

&lt;211&gt; 382

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 343

ttcttgacct	cctcctcctt	caagctcaaa	caccacctcc	cttattcagg	accggcactt	60
cttaatgttt	gtggctttct	ctccagcctc	tcttaggagg	ggtaatggtg	gagttggcat	120
cttgtaactc	tcctttctcc	tttcttcccc	tttctctgcc	cgcctttccc	atcctgctgt	180
agacttcttg	attgtcagtc	tytgtcacat	ccagtgattg	ttttggtttc	tgttcccttt	240
ctgactgccc	aaggggtcca	gaaccccagc	aatcccttcc	tttactacc	ttcttttttg	300
ggggtagttg	gaagggactg	aaattgtggg	gggaaggtag	gaggcacatc	aataaagagg	360
aaaccaccaa	gctgaaaaaa	aa				382

&lt;210&gt; 344

&lt;211&gt; 536

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 344

ctgggcctga	agctgtaggg	taaatcagag	gcaggcttct	gagtgatgag	agtcctgaga	60
caataggcca	cataaacttg	gctggatgga	acctcacaat	aaggtggtca	cctcttgttt	120
gtttaggggg	atgccaaagg	taaggccagc	tcagttatat	gaagagaagc	agaacaaaca	180
agtctttcag	agaaatggat	gcaatcagag	tgggatcccg	gtcacatcaa	ggtcacactc	240
caccttcacg	tgcttgaatg	gttgccagg	cagaaaaatc	caccccttac	gagtgcggt	300
tcgacctat	atcccccgcc	cgcgtccctt	tctccataaa	attcttctta	gtagctatta	360
ccttcttatt	atttgatcta	gaaattgccc	tccttttacc	cctaccatga	gccctacaaa	420
caactaacct	gccactaata	gttatgtcat	ccctcttatt	aatcatcatc	ctagccctaa	480
gtctggccta	tgagtgacta	caaaaaggat	tagactgagc	cgaataacaa	aaaaaa	536

&lt;210&gt; 345

&lt;211&gt; 251

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 345

accttttgag	gtctctctca	ccacctccac	agccaccgtc	accgtgggat	gtgctggatg	60
tgaatgaagc	ccccatcttt	gtgcctctgt	aaaagagagt	ggaagtgtcc	gaggactttg	120
gcgtggggcca	ggaaatcaca	tcctacactg	cccaggagcc	agacacatct	atggaacaga	180
aaataacata	tcggatttgg	agagacactg	ccaactggct	ggagattaat	ccggacactg	240
gtgccatttc	c					251

<210> 346  
 <211> 282  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(282)  
 <223> n = A,T,C or G

<400> 346  
 cgcgctctctg acactgtgat catgacaggg gtccaacag aaagtgcctg ggccctcctt 60  
 ctaagtcttg ttacaaaaa aaggaaaaa aaaagatctt ctcagttaca aattctggga 120  
 agggagacta tacctggctc ttgccctaag tgagaggctt tccctccgc accaaaaaat 180  
 agaaaggctt tctatttcac tggcccaggt agggggaagg agagtaactt tgagtctgtg 240  
 ggtctcattt cccaagggtc cttcaatgct catnaaaacc aa 282

<210> 347  
 <211> 201  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(201)  
 <223> n = A,T,C or G

<400> 347  
 acacacataa tattataaaa tgccatctaa ttggaaggag ctttctatca ttgcaagtca 60  
 taaatataac ttttaaaaana ntactancag cttttaccta ngctcctaaa tgcttgtaaa 120  
 tctgagactg actggacca cccagacca gggcaaagat acatgttacc atatcatctt 180  
 tataaagaat tttttttgt c 201

<210> 348  
 <211> 251  
 <212> DNA  
 <213> Homo sapien

<400> 348  
 ctgttaatca caacatttgt gcacacttg tgccaagtga gaaaatgttc taaaatcaca 60  
 agagagaaca gtgccagaat gaaactgacc ctaagtccca ggtgccctg ggcaggcaga 120  
 aggagacact cccagcatgg aggagggtt atcttttcat cctagggtcag gtctacaatg 180  
 ggggaagggt ttattataga actcccaaca gccacctca ctctgccac ccaccgatg 240  
 gccctgcctc c 251

<210> 349  
 <211> 251  
 <212> DNA  
 <213> Homo sapien

<400> 349  
 taaaaatcaa gccatttaat tgtatctttg aaggtaaaca atatatggga gctggatcac 60  
 aacccttgag gatgccagag ctatgggtcc agaacatggt gtggtattat caacagagtt 120  
 cagaaggggtc tgaactctac gtgttaccag agaacataat gcaattcatg cattccactt 180  
 agcaattttg taaaatacca gaaacagacc ccaagagtct ttcaagatga ggaaaattca 240



actcctgggt t

251

&lt;210&gt; 350

&lt;211&gt; 908

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 350

ctggacactt	tgcgagggct	tttgctggct	gctgctgctg	cccgatcatgc	tactcatcgt	60
agcccgcgcg	gtgaagctcg	ctgctttccc	tacctcctta	agtgactgcc	aaacgcccac	120
cggctggaat	tgtcttggtt	atgatgacag	agaaaatgat	ctcttctctt	gtgacaccaa	180
cacctgtaaa	tttgatgggg	aatgtttaag	aattggagac	actgtgactt	gcgtctgtca	240
gttcaagtgc	aacaatgact	atgtgcctgt	gtgtggctcc	aatggggaga	gctaccagaa	300
tgagtgttac	ctgcgacagg	ctgcatgcaa	acagcagagt	gagataactt	tgggtgtcaga	360
aggatcatgt	gccacagtc	atgaaggctc	tggagaaact	agtcaaaaag	agacatccac	420
ctgtgatatt	tgccagtttg	gtgcagaatg	tgacgaagat	gccgaggatg	tctgggtgtgt	480
gtgtaatat	gactgttctc	aaaccaactt	caatccccct	tgcgcttctg	atgggaaatc	540
ttatgataat	gcattgcaaa	tcaaagaagc	atcgtgtcag	aaacaggaga	aaattgaagt	600
catgtctttg	ggctgatgtc	aagataacac	aactacaact	actaagtctg	aagatgggca	660
ttatgcaaga	acagattatg	cagagaatgc	taacaaatta	gaagaaagtg	ccagagaaca	720
ccacatacct	tgtccggaac	attacaatgg	cttctgcatg	catgggaagt	gtgagcattc	780
tatcaatatg	caggagccat	cttgacagtg	tgatgctggg	tatactggac	aacactgtga	840
aaaaaaggac	tacagtgttc	tatacgttgt	tcccggctct	gtacgatttc	agtatgtctt	900
aatgcgag						908

&lt;210&gt; 351

&lt;211&gt; 472

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 351

ccagttatatt	gcaagtggta	agagcctatt	taccataaat	aatactaaga	accaactcaa	60
gtcaaaccct	aatgccattg	ttattgtgaa	ttaggattaa	gtagtaattt	tcaaaattca	120
cattaaacttg	attttaaaat	cagwtttgyg	agtcatttac	cacaagctaa	atgtgtacac	180
tatgataaaa	acaaccattg	tattcctgtt	ttttctaaaca	gtcctaattt	ctaactactgt	240
atatatcctt	cgacatcaat	gaactttgtt	ttcttttact	ccagtaataa	agtaggcaca	300
gatctgtcca	caacaaactt	gccctctcat	gccttgccct	tcaccatgct	ctgctccagg	360
tcagccccct	tttggcctgt	ttgttttgtc	aaaaacctaa	tctgcttctt	gcttttcttg	420
gtaatatata	tttaggggaag	atgttgcttt	gcccacacac	gaagcaaagt	aa	472

&lt;210&gt; 352

&lt;211&gt; 251

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 352

ctcaaagcta	atctctcggg	aatcaaacca	gaaaagggca	aggatcttag	gcattggtgga	60
tgtggataag	gccagggtcaa	tggctgcaag	catgcagaga	aagagggtaca	tcggagcgtg	120
caggctgcgt	tccgtcctta	cgatgaagac	cacgatgcag	tttccaaaca	ttgccactac	180
atacatggaa	aggaggggga	agccaaccca	gaaatgggct	ttctctaate	ctgggatacc	240
aataagcaca	a					251

&lt;210&gt; 353

&lt;211&gt; 436

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 353

tttttttttt tttttttttt ttttttaca	caatgcagtc	atatttttat	tgagtatgtg	60
cacattatgg tattattact atactgatta	tatttatcat	gtgacttcta	attaraaaat	120
gtatccaaaa gcaaaacagc agatatacaa	aattaaagag	acagaagata	gacattaaca	180
gataaggcaa cttatacatt gacaatccaa	atccaatata	tttaaacatt	tgggaaatga	240
gggggacaaa tgggaagccar atcaaatttg	tgtaaaacta	ttcagtatgt	ttcccttgct	300
tcattgctga raaggctctc ccttcaatgg	ggatgacaaa	ctccaaatgc	cacacaaatg	360
ttaacagaat actagattca cactggaacg	ggggtaaaga	agaaattatt	ttctataaaa	420
gggctcctaa tgtagt				436

&lt;210&gt; 354

&lt;211&gt; 854

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 354

ccttttctag ttcaccagtt ttctgcaagg	atgctgggta	gggagtgtct	gcaggaggag	60
caagtctgaa accaaatcta ggaaacatag	gaaacgagcc	aggcacaggg	ctgggtgggcc	120
atcagggacc acccttttgg ttgatatttt	gcttaatctg	catcttttga	gtaagatcat	180
ctggcagtag aagctgttct ccaggtacat	ttctctagct	catgtacaaa	aacatcctga	240
aggactttgt caggtgcctt gctaaaagcc	agatgcgttc	ggcacttcct	tggctctgagg	300
ttaattgcac acctacaggc actgggctca	tgcttccaag	tattttgtcc	tcactttagg	360
gtgagtgaag gatccccatt ataggagcac	ttgggagaga	tcataataaa	gctgactctt	420
gagtacatgc agtaatgggg tagatgtgtg	tggtgtgtct	tcattccctgc	aagggtgctt	480
gttagggagt gtttccagga ggaacaagtc	tgaaaccaat	catgaaataa	atggtaggtg	540
tgaactggaa aactaattca aaagagagat	cgtgatata	gtgtggttga	tacaccttgg	600
caatatggaa ggctctaatt tgcccatatt	tgaaataata	attcagcttt	ttgtaataca	660
aaatacaaaa ggattgagaa tcatgggtgc	taatgtataa	aagacccagg	aaacataaat	720
atatcaactg cataaatgta aaatgcatgt	gacccaagaa	ggccccaag	tggcagacaa	780
cattgtaccc attttccctt ccaaaatgtg	agcggcgggc	ctgctgcttt	caaggctgtc	840
acacgggatg tcag				854

&lt;210&gt; 355

&lt;211&gt; 676

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 355

gaaattaagt atgagctaaa ttccctgtta	aaacctctag	gggtgacaga	tctcttcaac	60
caggtcaaaag ctgatctttc tggaatgtca	ccaaccaagg	gcctatatat	atcaaaaagcc	120
atccacaagt catacctgga tgtcagcgaa	gagggcacgg	aggcagcagc	agccactggg	180
gacagcatcg ctgtaaaaag cctaccaatg	agagctcagt	tcaaggcgaa	ccacccttct	240
ctgttcttta taaggcacac tcataccaac	acgatcctat	tctgtggcaa	gcttgccctt	300
ccctaatacag atgggggtga gtaaggctca	gagttgcaga	tgaggtgcag	agacaatcct	360
gtgactttcc cacggcctaaa aagctgttca	cacctcacgc	acctctgtgc	ctcagtttgc	420
tcattctgcaa aataggtcta ggattcttct	caaccatttc	atgagttgtg	aagctaaggc	480
tttgtaatc atggaaaaag gtagacttat	gcagaaaagc	tttctggctt	tcttatctgt	540
gggtgtctcat ttgagtgtctg tccagtga	tgatcaagtc	aatgagtaaa	attttaaggg	600
attagatttt cttgacttgt atgtatctgt	gagatcttga	ataagtgacc	tgacatctct	660
gcttaaaagaa aaccag				676

&lt;210&gt; 356

&lt;211&gt; 574

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 356

tttttttttt ttttttcagga aaacattctc ttactttatt tgcattctcag caaagggttct	60
catgtggcac ctgactggca tcaaaccaaa gtctgtaggc caacaaagat gggccactca	120
caagcttccc atttgtagat ctgagtgcct atgagtatct gacacctgtt cctctcttca	180
gtctcttagg gaggcttaaa tctgtctcag gtgtgctaag agtgccagcc caaggkgtc	240
aaaagtccac aaaactgcag tctttgctgg gatagtaagc caagcagtgc ctggacagca	300
gagttctttt cttgggcaac agataaccag acaggactct aatcgtgctc ttattcaaca	360
ttcttctgtc tctgcctaga ctggaataaa aagccaatct ctctcgtggc acaggggaagg	420
agatacaagc tcgtttacat gtgatagatc taacaaaggc atctaccgaa gtctggtctg	480
gatagacggc acagggagct cttaggtcag cgctgctggg tggaggacat tcctgagtcc	540
agctttgcag cctttgtgca acagtacttt ccca	574

&lt;210&gt; 357

&lt;211&gt; 393

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 357

tttttttttt tttttttttt tttttttttt tacagaatat aratgcttta tcaactgkact	60
taatatggkg kcttggtcac tataactaaa aatgcaccac tcataaatat ttaattcagc	120
aagccacaac caaracttga ttttatcaac aaaaaccctt aaatataaac ggsaaaaaac	180
atagatataa ttattccagt ttttttaaaa cttaaaarat attccattgc cgaattaara	240
araarataag tggttatatg aaagaaggc attcaagcac actaaaraaa cctgaggkaa	300
gcataatctg tacaaaatta aactgtcctt tttggcattt taacaaattt gcaacgktct	360
tttttttctt tttctgtttt tttttttttt tac	393

&lt;210&gt; 358

&lt;211&gt; 630

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 358

acagggtaaa caggaggatc cttgctctca cggagcttac attctagcag gaggacaata	60
ttaatgttta taggaaaatg atgagtttat gacaaaggaa gtagatagtg ttttacaaga	120
gcatagagta gggaagctaa tccagcacag ggaggtcaca gagacatccc taagggaagt	180
gagtttaaac tgagagaagc aagtgcctaa actgaaggat gtgttgaaaga agaagggaga	240
gtagaacaat ttgggcagag ggaaccttat agaccctaag gtgggaagggt tcaaagaact	300
gaaagagagc tagaacagct ggagccgttc tccggtgtaa agaggagtca aagagataag	360
attaaagatg tgaagattaa gatcttggtg gcattcaggg attggcactt ctacaagaaa	420
tcactgaagg gagtaatgtg acattacttt tcacttcagg atggccattc taactccagg	480
gggtagactg gactaggtaa gactggaggc aggtagacct cttctaaggc ctgcgatagt	540
gaaagacaaa aataagtggg gaaattcagg ggatagtgaa aatcagtagg acttaatgag	600
caagccagag gttcctccac aacaaccagt	630

&lt;210&gt; 359

&lt;211&gt; 620

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 359

acagcattcc aaaatatata tctagagact aarrgtaaat gctctatagt gaagaagtaa	60
taattaaaaa atgctactaa tatagaaaat ttataatcag aaaaataaat attcagggag	120

ctcaccagaa gaataaagtg ctctgccagt tattaagga ttactgctgg tgaattaaat	180
atggcattcc ccaagggaaa tagagagatt ctctctggatt atgttcaata tttatttcac	240
aggattaact gttttaggaa cagatataaa gcttcgccac ggaagagatg gacaaagcac	300
aaagacaaca tgatacctta ggaagcaaca ctaccctttc aggcataaaa tttggagaaa	360
tgcaacatta tgcttcatga ataatatgta gaaagaaggt ctgatgaaaa tgacatcctt	420
aatgtaagat aactttataa gaattctggg tcaataaaaa ttctttgaag aaaacatcca	480
aatgtcattg acttatcaaa tactatcttg gcatataacc tatgaaggca aaactaaaca	540
aacaaaaagc tcacaccaa caaaaccatc aacttatttt gtattctata acatacgaga	600
ctgtaagat gtgacagtgt	620

&lt;210&gt; 360

&lt;211&gt; 431

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 360

aaaaaaaaaa agccagaaca acatgtgata gataatatga ttggctgcac acttccagac	60
tgatgaatga tgaacgtgat ggactattgt atggagcaca tcttcagcaa gagggggaaa	120
tactcatcat ttttggccag cagtgtttg atcaccaaac atcatgccag aatactcagc	180
aaaccttctt agctcttgag aagtc aaagt cgggggaat ttattcctgg caattttaat	240
tggactcctt atgtgagagc agcggctacc cagctggggg ggtggagcga acccgctact	300
agtggacatg cagtggcaga gctcctggta accacctaga ggaatacaca ggcacatgtg	360
tgatgccaaag cgtgacacct gtagcactca aatttgtctt gtttttgtct ttcgggtgtg	420
agattcttag t	431

&lt;210&gt; 361

&lt;211&gt; 351

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 361

acactgattt ccgatcaaaa gaatcatcat ctttaccttg acttttcagg gaattactga	60
actttcttct cagaagatag ggcacagcca ttgccttggc ctcaacttgaa gggctctgcat	120
ttgggtcctc tgggtctcttg ccaagtctcc cagccactcg agggagaaat atcgggaggt	180
ttgacttctc cgggggcttt cccgagggct tcaccgtgag cctgcggcc ctgagggctg	240
caatcctgga ttcaatgtct gaaacctcgc tctctgcctg ctggacttct gaggcctgca	300
ctgccactct gtctctccagc tctgacagct cctcatctgt ggtcctgttg t	351

&lt;210&gt; 362

&lt;211&gt; 463

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 362

acttcatcag gccataatgg gtgcctcccg tgagaatcca agcacctttg gactgcgcga	60
tgtagatgag ccggctgaag atcttgcgca tgcgcggctt cagggcgaag ttcttggcgc	120
ccccggctac agaaatgacc aggttgggtg ttttcagggt ccagtgtctg gtcagcagct	180
cgtaaaggat ttccgcgtcc gtgtcgcagg acagacgtat atacttccct ttcttcccca	240
gtgtctcaaa ctgaatatcc ccaaaggcgt cggtaggaaa ttcttgggtg tgtttcttgt	300
agttccattt ctcaactttg ttgatctggg tgccttccat gtgctggctc tgggcatagc	360
cacacttgca cacattctcc ctgataagca cgatgggtgt gacaggaagg aaggatttca	420
ttgagcctgc ttatggaaac tggatttgtt agcttaaata gac	463

&lt;210&gt; 363

&lt;211&gt; 653

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(653)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 363

acccccgagt ncctgnctgg catactgnga acgaccaacg acacacccaa gctcggcctc	60
ctcttgngga ttctgggtga catcttcatg aatggcaacc gtgccagwga ggctgtcctc	120
tgggaggcac tacgcaagat gggactgcgt cctggggtga gacatcctct ccttgagat	180
ctaacgaaac ttctcaccta tgagttgtaa agcagaaata cctgnactac agacgagtgc	240
ccaacagcaa ccccccgaa gtatgagttc ctctrgggcc tccgttccta ccatgagasc	300
tagcaagatg naagtgtga gantcattgc agaggttcag aaaagagacc cntcgtgact	360
ggctctgcaca gttcatggag gctgcagatg aggccttga tgctctggat gctgctgcag	420
ctgaggccga agccccggct gaagcaagaa cccgcattgg aattggagat gaggctgtgt	480
ntgggcccctg gagctgggat gacattgagt ttgagctgct gacctgggat gaggaaggag	540
atcttgagaga tccntgggtcc agaattccat ttacctctg ggccagatac caccagaatg	600
cccgtccag attccctcag acctttgccg gtcccattat tggctcstggt ggt	653

&lt;210&gt; 364

&lt;211&gt; 401

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 364

actagaggaa agacgttaaa ccactctact accacttgtg gaactctcaa agggtaaatg	60
acaaagccaa tgaatgactc taaaaacaat atttacatrt aatggtttgt agacaataaa	120
aaaacaaggt ggatagatct agaattgtaa cattttaaga aaaccatagc atttgacaga	180
tgagaaagct caattataga tgcaaagtta taactaaact actatagtag taaagaaata	240
catttcacac ccttcatata aattcactat cttggcttga ggcactccat aaaatgtatc	300
acgtgcatag taaatcttta tatttgctat ggcgttgac tagaggactt ggactgcaac	360
aagtggatgc gcggaaaatg aaatcttctt caatagccca g	401

&lt;210&gt; 365

&lt;211&gt; 356

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 365

ccagtgtcat atttgggctt aaaatttcaa gaagggcact tcaaattggct ttgcatttgc	60
atgtttcagt gctagagcgt aggaatagac cctggcgctc actgtgagat gttcttcagc	120
taccagagca tcaagtctct gcagcaggctc attcttgggt aaagaaatga ctccacaaa	180
ctctccatcc cctggctttg gcttcggcct tgcgttttcg gcatcatctc cgtaaatggt	240
gactgtcacg atgtgtatag tacagtttga caagcctggg tccatacaga ccgctggaga	300
acattcggca atgtcccctt tgtagccagt ttcttcttcg agctcccga gagcag	356

&lt;210&gt; 366

&lt;211&gt; 1851

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 366

tcatacccat tgccagcagc ggcaccgtta gtcagggttt ctgggaatcc cacatgagta	60
---	----

```

cttcggtgtt cttcattctt cttcaatagc cataaatctt ctagctctgg ctggctgttt 120
tcacttcctt taagcctttg tgactcttcc tctgatgtca gctttaagtc ttgttctgga 180
ttgctgtttt cagaagagat ttttaacatc tgtttttctt tgtagtcaga aagtaactgg 240
caaattacat gatgatgact agaaacagca tactctctgg ccgtctttcc agatcttgag 300
aagatacatc aacattttgc tcaagtagag ggctgactat acttgctgat ccacaacata 360
cagcaagtat gagagcagtt cttccatata tatccagcgc atttaaattc gcttttttct 420
tgattaaaaa tttcaccact tgctgttttt gctcatgtat accaagtagc agtgggtgtga 480
ggccatgctt gttttttgat tcgatatacag caccgtataa gagcagtgtt ttggccatta 540
atztatcttc attgtagaca gcatagtgtg gagtgggtatt tccatactca tctgggaatat 600
ttggatcagt gccatgttcc agcaacatta acgcacattc atcttctctgg cattgtacgg 660
cctttgtcag agctgtcctc tttttgttgt caaggacatt aagttgacat cgtctgtcca 720
gcacgagttt tactacttct gaattcccat tggcagagggc cagatgtaga gcagtcctct 780
tttgctgttc cctctgttcc acatccgtgt ccttgagcat gacgatgaga tcctttctgg 840
ggactttacc ccaccaggca gctctgtgga gcttgtccag atcttctcca tggacgtggg 900
acctgggagc catgaaggcg ctgtcatcgt agtctcccca agcgaccacg ttgctcttgc 960
cgctcccttg cagcagggga agcagtggca gcaccacttg cactcttgc tcccaagcgt 1020
cttcacagag gactcgttgt ggtctccaga agtgcccacg ttgctcttgc cgctccctct 1080
gtccatccag ggaggaagaa atgcaggaag tgaaagatgc atgcacgatg gtatactctt 1140
cagccatcaa acttctggac agcaggtcac ttccagcaag gtggagaaag ctgtccaccc 1200
acagaggatg agatccagaa accacaatat ccattcacia acaaacactt ttcagccaga 1260
cacaggatct gaaatcatgt catctgcggc aacatgggtg aacctacca atcacacatc 1320
aagagatgaa gacactgcag tatatctgca caacgtaata ctcttcatcc ataacaaaat 1380
aatataatth tcctctggag ccataatggat gaactatgaa ggaagaactc cccgaagaag 1440
ccagtcgcag agaagccaca ctgaagctct gtctctagcc atcagcgcca cggacaggat 1500
tgtgtttctt cccagtgat gcagcctcaa gttatcccga agctgcgca gcacacgggtg 1560
gtccttgaga aacaccccag ctcttccggg ctaacacagg caagtcaata aatgtgataa 1620
tcacataaac agaattaaaa gcaaagtac ataagcatct caacagacac agaaaaaggca 1680
tttgacaaaa tccagcatcc ttgtatttat tgttgcagtt ctgagaggaa atgcttctaa 1740
cttttcccca tttagtatta tgttggctgt gggcttgtca taggtgggtt ttattacttt 1800
aaggtatgtc ccttctatgc ctgttttgcg gagggtttta attctcgtgc c 1851

```

&lt;210&gt; 367

&lt;211&gt; 668

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 367

```

cttgagcttc caaataygga agactggccc ttacacasgt caatgttaaa atgaatgcat 60
ttcagtattt tgaagataaa attttagat ctataccttg ttttttgatt cgatatcagc 120
accrtataag agcagtgtt tggccattaa tttatcttcc attttagaca gcttagtgya 180
gagtgggtatt tccatactca tctggaatat ttggatcagt gccatgttcc agcaacatta 240
acgcacattc atcttctctg cattgtacgg cctgtcagta ttagacccaa aaacaaatta 300
catatcttag gaattcaaaa taacattcca cagctttcac caactagtta tatttaaaagg 360
agaaaactca tttttatgcc atgtattgaa atcaaaacca cctcatgctg atatagttag 420
ctactgcata cctttatcag agctgtcctc tttttgttgt caaggacatt aagttgacat 480
cgtctgtcca gcaggagttt tactacttct gaattcccat tggcagagggc cagatgtaga 540
gcagtcctat gagagtgaga agacttttta ggaaattgta gtgcactagc tacagccata 600
gcaatgattc atgtaactgc aaacactgaa tagcctgcta ttactctgcc ttcaaaaaaa 660
aaaaaaaa

```

668

&lt;210&gt; 368

&lt;211&gt; 1512

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 368

gggtcgccca	ggggsgcgt	gggctttcct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggctgggc	trgaatcccc	tgctgggggt	ggcagggtttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaaaccc	ggagttacct	gctagtgggt	gaaactgggt	ggtagacgcg	180
atctgttggc	tactactggc	ttctcctggc	tgtaaaaagc	agatgggtgg	tgaggttgat	240
tccatgccgg	ctgctttctc	tgtgaagaag	ccatttgggtc	tcaggagcaa	gatgggcaag	300
tggtgctgcc	gttgcttccc	ctgctgcagg	gagagcggca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtggtgccgc	420
cactgcttcc	cctgctgcag	ggggagtggc	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgagtctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagt	600
gccttcatgg	agcccaggta	ccacgtccgt	ggagaagatc	tggacaagct	ccacagagct	660
gcctgggtggg	gtaaagtccc	cagaaaggat	ctcatcgta	tgctcaggga	cactgacgtg	720
aacaagaagg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgccaa	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgcgtt	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tataygggtc	tgatatcgaa	1020
tcaaaaaaca	aggtatagat	ctactaattt	tatcttcaaa	atactgaaat	gcattcatct	1080
taacattgac	gtgtgtaagg	gccagtcttc	cgtatttggg	agctcaagca	taacttgaat	1140
gaaaatatct	tgaatgacc	taattatctm	agactttatt	ttaaatattg	ttattttcaa	1200
agaagcatta	gagggtacag	tttttttttt	ttaaatgcac	ttctggtaaa	tacttttgtt	1260
gaaaacactg	aattttgtaa	aggttaatact	tactattttt	caatttttcc	ctcctaggat	1320
ttttttcccc	taatgaatgt	aagatggcaa	aatttggcct	gaaatagggt	ttacatgaaa	1380
actccaagaa	aagttaaaca	tgtttcagtg	aatagagatc	ctgctccttt	ggcaagttcc	1440
taaaaaacag	taatagatac	gagggtgatgc	gcctgtcagt	ggcaagggtt	aagatatttc	1500
tgatctcgtg	cc					1512

&lt;210&gt; 369

&lt;211&gt; 1853

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 369

gggtcgccca	ggggsgcgt	gggctttcct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggctgggc	trgaatcccc	tgctgggggt	ggcagggtttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaaaccc	ggagttacct	gctagtgggt	gaaactgggt	ggtagacgcg	180
atctgttggc	tactactggc	ttctcctggc	tgtaaaaagc	agatgggtgg	tgaggttgat	240
tccatgccgg	ctgctttctc	tgtgaagaag	ccatttgggtc	tcaggagcaa	gatgggcaag	300
tggtgctgcc	gttgcttccc	ctgctgcagg	gagagcggca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtggtgccgc	420
cactgcttcc	cctgctgcag	ggggagtggc	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgagtctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagy	600
gccttcatgg	akcccaggta	ccacgtccrt	ggagaagatc	tggacaagct	ccacagagct	660
gcctgggtggg	gtaaagtccc	cagaaaggat	ctcatcgta	tgctcaggga	cackgaygtg	720
aacaagargg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgccaa	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgcgtt	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tataygggtc	tgatatcgaa	1020
tcaaaaaaca	agcatggcct	cacaccactg	ytacttggtr	tacatgagca	aaaacagcaa	1080
gtsgtgaaat	ttttaatyaa	gaaaaaagcg	aatttaaaat	gcrctggata	gatatggaag	1140
ractgctctc	atacttgctg	tatgttgggt	atcagcaagt	atagtcagcc	ytctacttga	1200
gcaaaatrtt	gatgtatctt	ctcaagatct	ggaaagacgg	ccagagagta	tgctgtttct	1260

```

agtcacatc atgtaatttg ccagttactt tctgactaca aagaaaaaca gatgttaaaa 1320
atctctctg aaaacagcaa tccagaacaa gacttaaagc tgacatcaga ggaagagtca 1380
caaaggctta aaggaagtga aaacagccag ccagaggcat ggaaactttt aaatttaaac 1440
ttttggttta atgttttttt tttttgcctt aataatatta gatagtccca aatgaaatwa 1500
cctatgagac taggctttga gaatcaatag attctttttt taagaatctt ttggctagga 1560
gcggtgtctc acgcctgtaa ttccagcacc ttgagaggct gaggtgggca gatcacgaga 1620
tcaggagatc gagaccatcc tggctaacac ggtgaaaccc catctctact aaaaatacaa 1680
aaacttagct ggggtgtggtg gcgggtgcct gtagtccag ctactcagga rgctgaggca 1740
ggagaatggc atgaacccgg gaggtggagg ttgcagttag ccgagatccg ccactacact 1800
ccagcctggg tgacagagca agactctgtc tcaaaaaaaa aaaaaaaaaa aaa 1853

```

&lt;210&gt; 370

&lt;211&gt; 2184

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 370

```

ggcacgagaa ttaaaaccct cagcaaaaaca ggcatagaag ggacatacct taaagtaata 60
aaaaccacct atgacaagcc cacagccaac ataatactaa atggggaaaa gttagaagca 120
tttctctga gaactgcaac aataaatata aggatgctgg attttgtcaa atgccttttc 180
tgtgtctgtt gagatgctta tgtgactttg cttttaattc tgtttatgtg attatcacat 240
ttattgactt gcctgtgtta gaccggaaga gctggggtgt ttctcaggag ccaccgtgtg 300
ctgcggcagc ttccgggataa cttgaggctg catcactggg gaagaaacac aytctgtctc 360
gtggcgctga tggctgagga cagagcttca gtgtggcttc ttgtgagctg gttcttcggg 420
ggagttcttc cttcatagtt catccatag gtccagagg aaaaattata tattttgtta 480
tggatgaaga gtattacgtt gtgcagatat actgcagtgt cttcatctct tgatgtgtga 540
ttgggtaggt tccaccatgt tgccgcagat gacatgattt cagtacctgt gtctggctga 600
aaagtgtttg tttgtgaatg gatattgtgg tttctggatc tcacctctg tgggtggaca 660
gctttctcca ccttgcctga agtgacctgc tgtccagaag ttgatggct gaggagtata 720
ccatcgtgca tgcattcttc atttctgca tttctctc cctggatgga cagggggagc 780
ggcaagagca acgtgggcac ttctggagac cacaacgact cctctgtgaa gacgcttggg 840
agcaagaggt gcaagtgggt ctgccactgc tccccctgct gcaggggagc ggcaagagca 900
acgtggtgc ttggggagac tacgatgaca gcgccttcat ggatcccagg taccacgtcc 960
atggagaaga tctggacaag ctccacagag ctgcctggtg gggtaaagtc cccagaaagg 1020
atctcatcgt catgctcagg gacacggatg tgaacaagag ggacaagcaa aagaggactg 1080
ctctacatct ggccctctgcc aatgggaatt cagaagtagt aaaactcgtg ctggacagac 1140
gatgtcaact taatgtcctt gacaacaaaa agaggacagc tctgacaaaag gccgtacaat 1200
gccaggaaga tgaatgtgcg ttaatgttgc tggaaacatgg cactgatcca aatattccag 1260
atgagtatgg aaataccact ctacactatg ctgtctacaa tgaagataaa ttaatggcca 1320
aagcactgct cttatacggg gctgatatcg aatcaaaaaa caagcatggc ctacaccac 1380
tgctacttgg tatacatgag caaaaacagc aagtggtgaa atttttaatc aagaaaaaag 1440
cgaatttaaa tgcgctggat agatatgaa gaactgctct catacttgcg gtatgttgtg 1500
gatcagcaag tatagtcagc cctctacttg agcaaaatgt tgatgtatct tctcaagatc 1560
tggaaagacg gccagagagt atgctgtttc tagtcatcat catgtaattt gccagtact 1620
ttctgactac aaagaaaaac agatgttaaa aatctcttct gaaaacagca atccagaaca 1680
agacttaaaag ctgacatcag aggaagagtc acaaaggctt aaagggaagtg aaaacagcca 1740
gccagaggca tggaaaacttt taaatttaaa cttttggttt aatgtttttt ttttttgcct 1800
taataatatt agatagtccc aaatgaaatw acctatgaga ctaggctttg agaatcaata 1860
gattcttttt ttaagaatct tttggctagg agcgggtgtc cacgcctgta attccagcac 1920
cttgagaggc tgagggtggc agatcacgag atcaggagat cgagaccatc ctggctaaca 1980
cgggtgaacc ccactcttac taaaaataca aaaacttagc tgggtgtggt ggcgggtgcc 2040
tgtactcca gctactcagg argctgaggc aggagaatgg catgaacccg ggaggtggag 2100
gttcagtgga gccgagatcc gccactacac tccagcctgg gtgacagagc aagactctgt 2160
ctcaaaaaaa aaaaaaaaaa aaaa 2184

```



<210> 371  
 <211> 1855  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(1855)  
 <223> n = A,T,C or G

<400> 371  
 tgcacgcac ttgcacgcgc ggcagcggct tggctggctt gtaacggctt gcacgcgcac 60  
 gccgcccccg cataaccgtc agactggcct gtaacggctt gcagggcgac gccgcacgcg 120  
 cgtaacggct tggctgccct gtaacggctt gcacgtgcac gctgcacgcg cgtaacggc 240  
 ttggctggca tgtagccgct tggcttggct ttgcatttct tgctkggctk ggcgttgkty 300  
 tcttggattg acgcttcctc cttggatkgc cgtttcctcc ttggatkgac gtttcytyty 360  
 tcgcttccct ttgctggact tgacctttty tctgctgggt ttggcattcc tttgggggtg 420  
 gctgggtgtt tttccggggg gggktkgccc ttcctggggg gggcgtgggk cgccccagg 480  
 gggcgtgggc tttccccggg tgggtgtggg ttttctggg gtgggggtggg ctgtgctggg 540  
 atccccctgc tgggggtggc agggattgac tttttcttc aaacagattg gaaacccgga 600  
 gtaacntgct agttggtgaa actggttggg agacgcgac tgctggtact actgtttctc 660  
 ctggctgtta aaagcagatg gtggctgagg ttgattcaat gccggctgct tcttctgtga 720  
 agaagccatt tggctctcagg agcaagatgg gcaagtgggt cgccactgct tccccctgctg 780  
 cagggggagc ggcaagagca acgtgggcac ttctggagac cacaacgact cctctgtgaa 840  
 gacgcttggg agcaagagg gcaagtgggt ctgcccactg cttccccctgc tgcaggggag 900  
 cggcaagagc aacgtggkcg cttggggaga ctacgatgac agcgccttca tggakccag 960  
 gtaccacgct crtggagaag atctggacaa gctccacaga gctgcctggt ggggtaaagt 1020  
 cccagaaaag gatctcatcg tcatgctcag ggacactgay gtgaacaaga rggacaagca 1080  
 aaagaggact gctctacatc tggcctctgc caatgggaat tcagaagtag taaaactcgt 1140  
 gctggacaga cgatgtcaac ttaatgtcct tgacaacaaa aagaggacag ctctgacaaa 1200  
 ggccgtacaa tggcaggaag atgaatgtgc gtaatgttg ctggaacatg gcaactgatcc 1260  
 aaatattcca gatgagtatg gaaataccac tctacactat gctgtctaca atgaagataa 1320  
 attaatggcc aaagcactgc tcttatacgg tgctgatatc gaatcaaaaa acaaggataa 1380  
 gatctactaa ttttactctc aaaatactga aatgcattca ttttaacatt gacgtgtgta 1440  
 agggccagtc tcccgatctt ggaagctcaa gcataacttg aatgaaaata ttttgaaatg 1500  
 acctaatat ctaagacttt attttaataa ttgttatttt caaagaagca ttagagggta 1560  
 cagttttttt tttttaaatg cacttctggt aaatactttt gttgaaaaca ctgaatttgt 1620  
 aaaaggtaat acttactatt tttcaatttt tccctcctag gatttttttc ccctaataaa 1680  
 tgtaagatgg caaaatttgc cctgaaatag gttttacatg aaaactccaa gaaaagttaa 1740  
 acatgtttca gtgaatagag atcctgctcc tttggcaagt tcctaaaaaa cagtaataga 1800  
 tacgaggtga tgcgcctgct agtggcaagg ttttaagatat ttctgatctc gtgcc 1855

<210> 372  
 <211> 1059  
 <212> DNA  
 <213> Homo sapien

<400> 372  
 gcaacgtggg cacttctgga gaccacaacg actcctctgt gaagacgctt gggagcaaga 60  
 ggtgcaagtg gtgctgcccc ctgcttcccc tgctgcaggg gagcggaag agcaacgtgg 120  
 gcgcttgrgg agactmcgat gacagygcct tcatggagcc caggtaccac gtccgtggag 180  
 aagatctgga caagctccac agagctgccc tgggtgggta aagtcctcag aaaggatctc 240  
 atcgtcatgc tcagggacac tgaygtgaac aagarggaca agcaaaagag gactgctcta 300  
 catctggcct ctgccaatgg gaattcagaa gtagtaaaac tcstgctgga cagacgatgt 360

caacttaatg	tccttgacaa	caaaaagagg	acagctctga	yaaaggccgt	acaatgccag	420
gaagatgaat	gtgcgttaat	gttgttggaa	catggcactg	atccaaatat	tccagatgag	480
tatggaaata	ccactcttca	ctaygctrtc	tayaatgaag	ataaattaat	ggccaaagca	540
ctgctcttat	ayggtgctga	tatcgaatca	aaaaacaagg	tatagatcta	ctaattttat	600
cttcaaaaata	ctgaaatgca	ttcattttta	cattgacgtg	tgttaagggcc	agctttccgt	660
attttggaagc	tcaagcataa	cttgaatgaa	aataattttga	aatgacctaa	ttatctaaga	720
ctttattttta	aataattgta	ttttcaaaga	agcatttagag	ggtacagttt	ttttttttta	780
aatgcacttc	tggtaaatac	ttttgttgaa	aacactgaat	ttgtaaaagg	taatacttac	840
tatttttcaa	tttttccctc	ctaggatttt	tttcccctaa	tgaatgtaag	atggcaaaat	900
ttgccctgaa	ataggtttta	catgaaaact	ccaagaaaag	ttaaaccatgt	ttcagtgaat	960
agagatcctg	ctcctttggc	aagttcctaa	aaaacagtaa	tagatacgag	gtgatgcgcc	1020
tgtcagtggc	aaggtttaag	atatttctga	tctcgtgccc			1059

&lt;210&gt; 373

&lt;211&gt; 1155

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 373

atggtggttg	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atttggcttc	60
aggagcaaga	tgggcaagt	gtgctgccgt	tgttccccct	gctgcaggga	gagcggaag	120
agcaacgtgg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgttgcaggg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tgggtgctgcc	actgcttccc	ctgctgcagg	gggagcgcca	agagcaagggt	ggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccagggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctggtgggggt	aaagtcccca	gaaaggatct	catcgtcatg	480
ctcaggggaca	ctgacgtgaa	caagaaggac	aagcaaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctcctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcc	ggaagatgaa	660
tgtgcgttaa	tgttgcgtga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatggtgctg	atatacgaatc	aaaaaacaag	catggcctca	caccactgtt	acttgggtga	840
catgagcaaa	aacagcaagt	cgtgaaatct	ttaatcaaga	aaaaagcgaa	tttaaataga	900
ctggatagat	atggaaggac	tgtcttcata	cttgcctgat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatatggat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	ttctgactac	1080
aaagaaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaaa	tgtctcaaga	1140
accagaaata	aataa					1155

&lt;210&gt; 374

&lt;211&gt; 2000

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 374

atggtggttg	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atttggcttc	60
aggagcaaga	tgggcaagt	gtgctgccgt	tgttccccct	gctgcaggga	gagcggaag	120
agcaacgtgg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgttgcaggg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tgggtgctgcc	actgcttccc	ctgctgcagg	gggagcgcca	agagcaagggt	ggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccagggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctggtgggggt	aaagtcccca	gaaaggatct	catcgtcatg	480
ctcaggggaca	ctgacgtgaa	caagaaggac	aagcaaaaaga	ggactgctct	acatctggcc	540

tctgccaatg	ggaattcaga	agtagtaaaa	ctcctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgcgtaa	tgttgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttggtgta	840
catgagcaaa	aacagcaagt	cgtgaaattt	ttaatcaaga	aaaaagcgaa	tttaaatgca	900
ctggatagat	atggaaggac	tgctctcata	cttgctgtat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagtactt	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaca	agacttaaaag	1140
ctgacatcag	aggaagagtc	acaaagggtc	aaaggcagtg	aaaatagcca	gccagagaaa	1200
atgtctcaag	aaccagaaat	aaataaggat	ggtgatagag	aggttgaaga	agaaatgaag	1260
aagcatgaaa	gtaataatgt	gggattacta	gaaaacctga	ctaattggtgt	cactgctggc	1320
aatggtgata	atggattaat	tcctcaaagg	aagagcagaa	cacctgaaaa	tcagcaattt	1380
cctgacaacg	aaagtgaaga	gtatcacaga	atttgcgaat	tagtttctga	ctacaagaaa	1440
aaacagatgc	caaaatactc	ttctgaaaac	agcaaccag	aacaagactt	aaagctgaca	1500
tcagaggaag	agtcacaaaag	gcttgagggc	agtgaaaatg	gccagccaga	gctagaaaaat	1560
tttatggcta	tcgaagaaat	gaagaagcac	ggaagtactc	atgtcggatt	cccagaaaaac	1620
ctgactaatg	gtgccactgc	tggcaatggg	gatgatggat	taattcctcc	aaggaagagc	1680
agaacacctg	aaagccagca	atttcctgac	actgagaatg	aagagtatca	cagtgcagaa	1740
caaaatgata	ctcagaagca	attttgtgaa	gaacagaaca	ctggaatatt	acacgatgag	1800
attctgattc	atgaagaaaa	gcagatagaa	gtggttgaaa	aaatgaattc	tgagctttct	1860
cttagttgta	agaaagaaaa	agacatcttg	catgaaaata	gtacgttgcg	ggaagaaatt	1920
gccatgctaa	gactggagct	agacacaatg	aaacatcaga	gccagctaaa	aaaaaiaaaaa	1980
aaaaaaaaaa	aaaaaaaaaa					2000

&lt;210&gt; 375

&lt;211&gt; 2040

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 375

atggtggttg	aggttgatcc	catgccggct	gcctcttctg	tgaagaagcc	atttggtctc	60
aggagcaaga	tgggcaagtg	gtgctgccgt	tgcttcccct	gctgcaggga	gagcggcaag	120
agcaacgtgg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgtgcagggg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaaggt	gggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccagggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctggtggggg	aaagtcccca	gaaaggatct	catcgctatg	480
ctcagggaaca	ctgacgtgaa	caagaaggac	aagcaaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctcctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgcgtaa	tgttgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttggtgta	840
catgagcaaa	aacagcaagt	cgtgaaattt	ttaatcaaga	aaaaagcgaa	tttaaatgca	900
ctggatagat	atggaaggac	tgctctcata	cttgctgtat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagtactt	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaca	agacttaaaag	1140
ctgacatcag	aggaagagtc	acaaagggtc	aaaggcagtg	aaaatagcca	gccagagaaa	1200
atgtctcaag	aaccagaaat	aaataaggat	ggtgatagag	aggttgaaga	agaaatgaag	1260
aagcatgaaa	gtaataatgt	gggattacta	gaaaacctga	ctaattggtgt	cactgctggc	1320
aatggtgata	atggattaat	tcctcaaagg	aagagcagaa	cacctgaaaa	tcagcaattt	1380

```

cctgacaacg aaagtgaaga gtatcacaga atttgcgaat tagtttctga ctacaaagaa 1440
aaacagatgc caaaatactc ttctgaaaac agcaaccag aacaagactt aaagctgaca 1500
tcagaggaag agtcacaaag gcttgagggc agtgaaaatg gccagccaga gaaaagatct 1560
caagaaccag aaataaataa ggatggatgat agagagctag aaaattttat ggctatcgaa 1620
gaaatgaaga agcacggaag tactcatgct ggattcccag aaaacctgac taatggtgcc 1680
actgctggca atggatgatga tggattaatt cctccaagga agagcagaac acctgaaagc 1740
cagcaatttc ctgacactga gaatgaagag tatcacagt acgaacaaaa tgatactcag 1800
aagcaatttt gtgaagaaca gaacactgga atattacacg atgagattct gattcatgaa 1860
gaaaagcaga tagaagtggg tgaaaaaatg aattctgagc tttctcttag ttgtaagaaa 1920
gaaaaagaca tcttgcataa aaatagtacg ttgcgggaag aaattgccat gctaagactg 1980
gagctagaca caatgaaaca tcagagccag ctaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040

```

&lt;210&gt; 376

&lt;211&gt; 329

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 376

```

Met Asp Ile Val Val Ser Gly Ser His Pro Leu Trp Val Asp Ser Phe
 1             5             10             15
Leu His Leu Ala Gly Ser Asp Leu Leu Ser Arg Ser Leu Met Ala Glu
 20             25             30
Glu Tyr Thr Ile Val His Ala Ser Phe Ile Ser Cys Ile Ser Ser Ser
 35             40             45
Leu Asp Gly Gln Gly Glu Arg Gln Glu Gln Arg Gly His Phe Trp Arg
 50             55             60
Pro Gln Arg Leu Leu Cys Glu Asp Ala Trp Glu Gln Glu Val Gln Val
 65             70             75             80
Val Leu Pro Leu Leu Pro Leu Leu Gln Gly Ser Gly Lys Ser Asn Val
 85             90             95
Val Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe Met Asp Pro Arg Tyr
100            105            110
His Val His Gly Glu Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp
115            120            125
Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp
130            135            140
Val Asn Lys Arg Asp Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser
145            150            155            160
Ala Asn Gly Asn Ser Glu Val Val Lys Leu Val Leu Asp Arg Arg Cys
165            170            175
Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr Ala Leu Thr Lys Ala
180            185            190
Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly
195            200            205
Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr
210            215            220
Ala Val Tyr Asn Glu Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr
225            230            235            240
Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu
245            250            255
Leu Gly Ile His Glu Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys
260            265            270
Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu
275            280            285
Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile Val Ser Pro Leu Leu

```

290 295 300  
 Glu Gln Asn Val Asp Val Ser Ser Gln Asp Leu Glu Arg Arg Pro Glu  
 305 310 315 320  
 Ser Met Leu Phe Leu Val Ile Ile Met  
 325

<210> 377  
 <211> 148  
 <212> PRT  
 <213> Homo sapien

<220>  
 <221> VARIANT  
 <222> (1)...(148)  
 <223> Xaa = Any Amino Acid

<400> 377  
 Met Thr Xaa Pro Ser Trp Ser Pro Gly Thr Thr Ser Val Glu Lys Ile  
 1 5 10 15  
 Trp Thr Ser Ser Thr Glu Leu Pro Trp Trp Gly Lys Val Pro Arg Lys  
 20 25 30  
 Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Xaa Asp Lys  
 35 40 45  
 Gln Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu  
 50 55 60  
 Val Val Lys Leu Xaa Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp  
 65 70 75 80  
 Asn Lys Lys Arg Thr Ala Leu Xaa Lys Ala Val Gln Cys Gln Glu Asp  
 85 90 95  
 Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro  
 100 105 110  
 Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Xaa Tyr Asn Glu Asp  
 115 120 125  
 Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser  
 130 135 140  
 Lys Asn Lys Val  
 145

<210> 378  
 <211> 1719  
 <212> PRT  
 <213> Homo sapien

<400> 378  
 Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys  
 1 5 10 15  
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe  
 20 25 30  
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp  
 35 40 45  
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp  
 50 55 60  
 Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val  
 65 70 75 80  
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn



Asp Lys Leu His Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp  
 530 535 540  
 Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln  
 545 550 555 560  
 Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val  
 565 570 575  
 Val Lys Leu Leu Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn  
 580 585 590  
 Lys Lys Arg Thr Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu  
 595 600 605  
 Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp  
 610 615 620  
 Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys  
 625 630 635 640  
 Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys  
 645 650 655  
 Asn Lys His Gly Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys  
 660 665 670  
 Gln Gln Val Val Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala  
 675 680 685  
 Leu Asp Arg Tyr Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly  
 690 695 700  
 Ser Ala Ser Ile Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser  
 705 710 715 720  
 Ser Gln Asp Leu Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser  
 725 730 735  
 His His His Val Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln  
 740 745 750  
 Met Leu Lys Ile Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys  
 755 760 765  
 Leu Thr Ser Glu Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser  
 770 775 780  
 Gln Pro Glu Lys Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp  
 785 790 795 800  
 Arg Glu Val Glu Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly  
 805 810 815  
 Leu Leu Glu Asn Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn  
 820 825 830  
 Gly Leu Ile Pro Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe  
 835 840 845  
 Pro Asp Asn Glu Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser  
 850 855 860  
 Asp Tyr Lys Glu Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn  
 865 870 875 880  
 Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu  
 885 890 895  
 Glu Gly Ser Glu Asn Gly Gln Pro Glu Leu Glu Asn Phe Met Ala Ile  
 900 905 910  
 Glu Glu Met Lys Lys His Gly Ser Thr His Val Gly Phe Pro Glu Asn  
 915 920 925  
 Leu Thr Asn Gly Ala Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro  
 930 935 940  
 Pro Arg Lys Ser Arg Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu  
 945 950 955 960  
 Asn Glu Glu Tyr His Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe

965 970 975  
 Cys Glu Glu Gln Asn Thr Gly Ile Leu His Asp Glu Ile Leu Ile His  
 980 985 990  
 Glu Glu Lys Gln Ile Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser  
 995 1000 1005  
 Leu Ser Cys Lys Lys Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu  
 1010 1015 1020  
 Arg Glu Glu Ile Ala Met Leu Arg Leu Glu Leu Asp Thr Met Lys His  
 1025 1030 1035 104  
 Gln Ser Gln Leu Pro Arg Thr His Met Val Val Glu Val Asp Ser Met  
 1045 1050 1055  
 Pro Ala Ala Ser Ser Val Lys Lys Pro Phe Gly Leu Arg Ser Lys Met  
 1060 1065 1070  
 Gly Lys Trp Cys Cys Arg Cys Phe Pro Cys Cys Arg Glu Ser Gly Lys  
 1075 1080 1085  
 Ser Asn Val Gly Thr Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr  
 1090 1095 1100  
 Leu Arg Ser Lys Met Gly Lys Trp Cys Arg His Cys Phe Pro Cys Cys  
 1105 1110 1115 112  
 Arg Gly Ser Gly Lys Ser Asn Val Gly Ala Ser Gly Asp His Asp Asp  
 1125 1130 1135  
 Ser Ala Met Lys Thr Leu Arg Asn Lys Met Gly Lys Trp Cys Cys His  
 1140 1145 1150  
 Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Lys Val Gly Ala Trp  
 1155 1160 1165  
 Gly Asp Tyr Asp Asp Ser Ala Phe Met Glu Pro Arg Tyr His Val Arg  
 1170 1175 1180  
 Gly Glu Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp Gly Lys Val  
 1185 1190 1195 120  
 Pro Arg Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys  
 1205 1210 1215  
 Lys Asp Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly  
 1220 1225 1230  
 Asn Ser Glu Val Val Lys Leu Leu Leu Asp Arg Arg Cys Gln Leu Asn  
 1235 1240 1245  
 Val Leu Asp Asn Lys Lys Arg Thr Ala Leu Ile Lys Ala Val Gln Cys  
 1250 1255 1260  
 Gln Glu Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro  
 1265 1270 1275 128  
 Asn Ile Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Ile Tyr  
 1285 1290 1295  
 Asn Glu Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp  
 1300 1305 1310  
 Ile Glu Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu Leu Gly Val  
 1315 1320 1325  
 His Glu Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys Lys Lys Ala  
 1330 1335 1340  
 Asn Leu Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu Ile Leu Ala  
 1345 1350 1355 136  
 Val Cys Cys Gly Ser Ala Ser Ile Val Ser Leu Leu Leu Glu Gln Asn  
 1365 1370 1375  
 Ile Asp Val Ser Ser Gln Asp Leu Ser Gly Gln Thr Ala Arg Glu Tyr  
 1380 1385 1390  
 Ala Val Ser Ser His His His Val Ile Cys Gln Leu Leu Ser Asp Tyr  
 1395 1400 1405



Lys Glu Lys Gln Met Leu Lys Ile Ser Ser Glu Asn Ser Asn Pro Glu  
 1410 1415 1420  
 Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Phe Lys Gly  
 1425 1430 1435 144  
 Ser Glu Asn Ser Gln Pro Glu Lys Met Ser Gln Glu Pro Glu Ile Asn  
 1445 1450 1455  
 Lys Asp Gly Asp Arg Glu Val Glu Glu Glu Met Lys Lys His Glu Ser  
 1460 1465 1470  
 Asn Asn Val Gly Leu Leu Glu Asn Leu Thr Asn Gly Val Thr Ala Gly  
 1475 1480 1485  
 Asn Gly Asp Asn Gly Leu Ile Pro Gln Arg Lys Ser Arg Thr Pro Glu  
 1490 1495 1500  
 Asn Gln Gln Phe Pro Asp Asn Glu Ser Glu Glu Tyr His Arg Ile Cys  
 1505 1510 1515 152  
 Glu Leu Val Ser Asp Tyr Lys Glu Lys Gln Met Pro Lys Tyr Ser Ser  
 1525 1530 1535  
 Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu  
 1540 1545 1550  
 Ser Gln Arg Leu Glu Gly Ser Glu Asn Gly Gln Pro Glu Lys Arg Ser  
 1555 1560 1565  
 Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Leu Glu Asn Phe  
 1570 1575 1580  
 Met Ala Ile Glu Glu Met Lys Lys His Gly Ser Thr His Val Gly Phe  
 1585 1590 1595 160  
 Pro Glu Asn Leu Thr Asn Gly Ala Thr Ala Gly Asn Gly Asp Asp Gly  
 1605 1610 1615  
 Leu Ile Pro Pro Arg Lys Ser Arg Thr Pro Glu Ser Gln Gln Phe Pro  
 1620 1625 1630  
 Asp Thr Glu Asn Glu Glu Tyr His Ser Asp Glu Gln Asn Asp Thr Gln  
 1635 1640 1645  
 Lys Gln Phe Cys Glu Glu Gln Asn Thr Gly Ile Leu His Asp Glu Ile  
 1650 1655 1660  
 Leu Ile His Glu Glu Lys Gln Ile Glu Val Val Glu Lys Met Asn Ser  
 1665 1670 1675 168  
 Glu Leu Ser Leu Ser Cys Lys Lys Glu Lys Asp Ile Leu His Glu Asn  
 1685 1690 1695  
 Ser Thr Leu Arg Glu Glu Ile Ala Met Leu Arg Leu Glu Leu Asp Thr  
 1700 1705 1710  
 Met Lys His Gln Ser Gln Leu  
 1715

&lt;210&gt; 379

&lt;211&gt; 656

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 379

Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys  
 1 5 10 15  
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe  
 20 25 30  
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp  
 35 40 45  
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp  
 50 55 60

Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val  
 65 70 75 80  
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn  
 85 90 95  
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser  
 100 105 110  
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe  
 115 120 125  
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His  
 130 135 140  
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met  
 145 150 155 160  
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala  
 165 170 175  
 Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu  
 180 185 190  
 Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr  
 195 200 205  
 Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met  
 210 215 220  
 Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn  
 225 230 235 240  
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys  
 245 250 255  
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly  
 260 265 270  
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val  
 275 280 285  
 Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr  
 290 295 300  
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile  
 305 310 315 320  
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu  
 325 330 335  
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val  
 340 345 350  
 Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile  
 355 360 365  
 Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu  
 370 375 380  
 Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser Gln Pro Glu Lys  
 385 390 395 400  
 Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Val Glu  
 405 410 415  
 Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly Leu Leu Glu Asn  
 420 425 430  
 Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn Gly Leu Ile Pro  
 435 440 445  
 Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe Pro Asp Asn Glu  
 450 455 460  
 Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser Asp Tyr Lys Glu  
 465 470 475 480  
 Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp  
 485 490 495  
 Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu Glu Gly Ser Glu

```

      500      505      510
Asn Gly Gln Pro Glu Leu Glu Asn Phe Met Ala Ile Glu Glu Met Lys
      515      520      525
Lys His Gly Ser Thr His Val Gly Phe Pro Glu Asn Leu Thr Asn Gly
      530      535      540
Ala Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro Pro Arg Lys Ser
545      550      555      560
Arg Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu Asn Glu Glu Tyr
      565      570      575
His Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe Cys Glu Glu Gln
      580      585      590
Asn Thr Gly Ile Leu His Asp Glu Ile Leu Ile His Glu Glu Lys Gln
      595      600      605
Ile Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser Leu Ser Cys Lys
      610      615      620
Lys Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu Arg Glu Glu Ile
625      630      635      640
Ala Met Leu Arg Leu Glu Leu Asp Thr Met Lys His Gln Ser Gln Leu
      645      650      655

```

&lt;210&gt; 380

&lt;211&gt; 671

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 380

```

Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1      5      10      15
Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
      20      25      30
Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
      35      40      45
His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
      50      55      60
Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
65      70      75      80
Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
      85      90      95
Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
      100      105      110
Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
      115      120      125
Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
      130      135      140
Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
145      150      155      160
Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala
      165      170      175
Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
      180      185      190
Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
      195      200      205
Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
      210      215      220
Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn

```



<210> 381  
 <211> 251  
 <212> DNA  
 <213> Homo sapien

<400> 381

ggagaagcgt ctgctggggc aggaaggggt tccccgccc tctcacctgt ccctcacc	60
ggtaacatgc tccccctaag ggtatcccaa cccagggggc tcaccatgac ctctgagggg	120
ccaatatccc aggagaagca ttggggaggt gggggcaggt gaaggacca ggactcacac	180
atcctggggc tccaaggcag aggagaggggt cctcaagaag gtcaggagga aaatccgtaa	240
caagcagtca g	251

<210> 382  
 <211> 3279  
 <212> DNA  
 <213> Homo sapiens

<400> 382

cttccctgcag ccccatgct ggtgaggggc acgggcagga acagtggacc caacatggaa	60
atgctggagg gtgtcaggaa gtgatcgggc tctggggcag ggaggagggg tggggagtgt	120
cactgggagg ggacatcctg cagaaggtag gagtgaagaa acaccgctg caggggaggg	180
gagagccctg cggcacctgg gggagcagag ggagcagcac ctgcccaggc ctgggaggag	240
gggcctggag ggcgtgagga ggagcaggg ggctgcatgg ctggagttag ggatcagggg	300
cagggcgcg gatggcctca cacagggag agagggcccc tccctgcagg cctcacctgg	360
gcccacaggag gacactgctt tccctctgag gagtgcagg ctgtggatgg tgctggacag	420
aagaaggaca gggcctggct caggtgtcca gaggctgtcg ctggcttccc ttggggatca	480
gactgcaggg agggagggcg gcagggttgt ggggggagtg acgatgagga tgacctgggg	540
gtggctccag gccttgcccc tgcctggggc ctcaccagc ctccctcaca gtctcctggc	600
cctcagctc tccctccac tccatcctc atctggcctc agtgggtcat tctgatcact	660
gaactgacca taccagccc tggccacggc cctccatggc tccccaatgc cctggagagg	720
ggacatctag tcaagagta gtctgaaga ggtggcctct gcgatgtgcc tgtgggggca	780
gcacctgca gatgggtccc gccctcatcc tgctgacctg tctgcaggga ctgtcctcct	840
ggaccttgcc ccttgtgcag gagctggacc ctgaagtccc ctcccatag gccaaagatg	900
gagccttggt cctctgttg gactccctgc ccataattct gtgggagtgg gttctggaga	960
catctctgtc tgttccctgag agctgggaat tgctctcagt catctgcctg cgcggttctg	1020
agagatggag ttgcctaggc agttattggg gccaatctt ctactgtgt ctctcctcct	1080
ttacccttag ggtgattctg ggggtccact tgtctgtaat ggtgtgcttc aaggtatcac	1140
atcatggggc cctgagccat gtgccctgcc tgaaaagcct gctgtgtaca ccaaggtggg	1200
gcattaccgg aagtggatca aggacacat cgcagccaac ccctgagtg cctgtccca	1260
cccctacctc tagtaaat t aagtccacct cacgttctgg catcacttg cctttctgga	1320
tgctggacac ctgaagcttg gaactcacct ggccgaagct cgagcctcct gagtccact	1380
gacctgtgct ttctgggtg gagtccaggg ctgctaggaa aaggaatggg cagacacagg	1440
tgtatgcaa tgtttctgaa atgggtataa ttctgtctc tcttcggaa cactggctgt	1500
ctctgaagac ttctcgctca gtctcagtga ggacacacac aaagacgtgg gtgacctgt	1560
tgtttgtgg gtgcagagat gggaggggtg gggccacccc tggaagagtg gacagtga	1620
caaggtggac actctctaca gatcactgag gataagctgg agccacaatg catgaggcac	1680
acacacagca aggttgacgc tgtaaacata gcccacgctg tctggggggc actgggaagc	1740
ctagataagg ccgtgagcag aaagaagggg aggatcctcc tatgttgttg aaggaggac	1800
tagggggaga aactgaaagc tgattaatta caggaggttt gtccaggtcc cccaaaccac	1860
cgtcagattt gatgatttcc tagcaggact tacagaaata aagagctatc atgctgtggg	1920
ttattatggg ttgttacatt gataggatac atactgaaat cagcaaacaa aacagatgta	1980
tagattagag tgtggagaaa acagaggaaa acttgacgtt acgaagactg gcaacttggc	2040
tttactaagt ttccagactg gcaggaagtc aaacctatta ggctgaggac cttgtggagt	2100
gtagctgac cagctgatag aggaactagc cagggtgggg cctttccctt tggatggggg	2160

```

gcatatccga cagttattct ctccaagtgg agacttacgg acagcatata attctccctg 2220
caaggatgta tgataatatg tacaaagtaa ttccaactga ggaagctcac ctgatccctta 2280
gtgcccagggt tttttactgg gggctctgtag gacgagtatg gagtacttga ataattgacc 2340
tgaagtcttc agacctgagg ttccctagag ttcaaacaga tacagcatgg tccagagtcc 2400
cagatgtaca aaaacagggg ttcattcaca atcccatctt tagcatgaag ggtctggcat 2460
ggcccaaggc cccaagtata tcaaggcact tgggcagAAC atgccaagga atcaaattgtc 2520
atctcccagg agttattcaa gggtagagccc ttactttggg atgtacaggc tttgagcagt 2580
gcagggtctg tgagtcaacc ttttattgta caggggatga gggaaagggg gaggatgagg 2640
aagccccctt ggggatttgg tttgggtctt tgatcagggt gtctatgggg ctatccctac 2700
aaagaagaat ccagaaatag gggcacattg aggaatgata ctgagcccaa agagcattca 2760
atcattgttt tatttgcctt cttttcacac cattggtgag ggagggatta ccaccttggg 2820
gttatgaaga tggttgaaca cccacacat agcaccggag atatgagatc aacagtttct 2880
tagccataga gattcacagc ccagagcagg aggacgctgc acaccatgca ggatgacatg 2940
ggggatgcgc tcgggatttg tgtgaagaag caaggactgt tagaggcagg ctttatagta 3000
acaagacggg ggggcaaact ctgatttccg tgggggaatg tcatggtctt gctttactaa 3060
gttttgagac tggcaggtag tgaaactcat taggctgaga accttgtgga atgcagctga 3120
cccagctgat agaggaagta gccaggtggg agcctttccc agtgggtgtg ggacatatct 3180
ggcaagattt tgtggcactc ctggttacag atactggggc agcaaataaa actgaatctt 3240
gttttcagac cttaaaaaaa aaaaaaaaaa aaagttttt 3279

```

&lt;210&gt; 383

&lt;211&gt; 155

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 383

```

Met Ala Gly Val Arg Asp Gln Gly Gln Gly Ala Arg Trp Pro His Thr
          5                      10                      15

```

```

Gly Lys Arg Gly Pro Leu Leu Gln Gly Leu Thr Trp Ala Thr Gly Gly
          20                      25                      30

```

```

His Cys Phe Ser Ser Glu Glu Ser Gly Ala Val Asp Gly Ala Gly Gln
          35                      40                      45

```

```

Lys Lys Asp Arg Ala Trp Leu Arg Cys Pro Glu Ala Val Ala Gly Phe
          50                      55                      60

```

```

Pro Leu Gly Ser Asp Cys Arg Glu Gly Gly Arg Gln Gly Cys Gly Gly
          65                      70                      75                      80

```

```

Ser Asp Asp Glu Asp Asp Leu Gly Val Ala Pro Gly Leu Ala Pro Ala
          85                      90                      95

```

```

Trp Ala Leu Thr Gln Pro Pro Ser Gln Ser Pro Gly Pro Gln Ser Leu
          100                     105                     110

```

```

Pro Ser Thr Pro Ser Ser Ile Trp Pro Gln Trp Val Ile Leu Ile Thr
          115                     120                     125

```

```

Glu Leu Thr Ile Pro Ser Pro Ala His Gly Pro Pro Trp Leu Pro Asn
          130                     135                     140

```

```

Ala Leu Glu Arg Gly His Leu Val Arg Glu
          145                     150

```

<210> 384  
<211> 557  
<212> DNA  
<213> Homo sapiens

<400> 384  
ggatcctcta gagcggcgcg ctactactac taaattcgcg gccgcgtcga cgaagaagag 60  
aaagatgtgt tttgttttgg actctctgtg gtcccttcca atgctgtggg tttccaacca 120  
ggggaagggt cccttttgca ttgccaagt ccataaccat gagcactact ctaccatggg 180  
tctgcctcct ggccaagcag gctggtttgc aagaatgaaa tgaatgattc tacagctagg 240  
acttaacctt gaaatggaaa gtcttgcaat ccatttgca ggatccgtct gtgcacatgc 300  
ctctgtagag agcagcattc ccagggacct tggaaacagt tggcactgta aggtgcttgc 360  
tccccaaagac acatcctaaa aggtgttgta atggtgaaaa cgtcttcctt ctttattgcc 420  
ccttcttatt tatgtgaaca actgtttgtc tttttttgta tcttttttaa actgtaaagt 480  
tcaattgtga aaatgaatat catgcaaata aattatgcga ttttttttcc aaagtaaaaa 540  
aaaaaaaaaa aaaaaaa 557

<210> 385  
<211> 337  
<212> DNA  
<213> Homo sapiens

<400> 385  
ttcccagggtg atgtgcgagg gaagacacat ttactatcct tgatggggct gatrccttca 60  
gtttctctag cagcagatgg gttaggagga agtgacccaa gtggttgact cctatgtgca 120  
tctcaaagcc atctgctgtc ttcgagtacg gacacatca: cactcctgca ttgttgatca 180  
aaacgtggag gtgcttttcc tcagctaaga agcccttagc aaaagctcga atagacttag 240  
tatcagacag gtccagtttc cgcaccaaca cctgctggtt ccctgtcgtg gtctggatct 300  
ctttggccac caattcccc tttccacat cccggca 337

<210> 386  
<211> 300  
<212> DNA  
<213> Homo sapiens

<400> 386  
gggcccgtca ccggcccagg ccccgccctg cgagtcctcc tccccgggtg cctgccccga 60  
gcccgtcctg ccagagggt gggcgcgggg ctgcctctac cggctggcgg ctgtaactca 120  
gcgaccttgg ccgaaggct ctagcaagga ccaccgacc ccagccgcgg cggcgcgggc 180  
gcggactttg cccggtgtgt ggggcggagc ggactgcgtg tccgcggacg ggcagcgaag 240  
atgttagcct tcgctgccag gaccgtggac cgatcccagg gctgtggtgt aacctcagcc 300

<210> 387  
<211> 537  
<212> DNA  
<213> Homo sapiens

<400> 387  
gggcccagtc gggcaccaag ggactctttg caggcttcct tcctcggatc atcaaggctg 60  
ccccctctg tgccatcatg atcagcacct atgagttcgg caaaagcttc ttccagaggc 120  
tgaaccagga ccggtctctg ggcggtgaa aggggcaagg aggcaaggac cccgtctctc 180  
ccacggatgg ggagagggca ggaggagacc cagccaagt ccttttcttc agcactgagg 240  
gaggggggctt gtttcccttc cctcccggcg acaagctcca gggcagggct gtccctctg 300

```

gcggcccagc acttccctcag acacaacttc ttccctgctgc tccagtcgtg gggatcatca 360
cttaccacacc cccaagttc aagaccaaatt cttccagctg ccccttcgt gtttccctgt 420
gtttgctgta gctgggcatg tctccaggaa ccaagaagcc ctcagcctgg tgtagtctcc 480
ctgacccttg ttaattcctt aagtctaaag atgatgaact tcaaaaaaaaa aaaaaaa 537

```

```

<210> 388
<211> 520
<212> DNA
<213> Homo sapiens

```

```

<400> 388
aggataattt ttaaaccaat caaatgaaaa aaacaaacaa acaaaaaagg aaatgtcatg 60
tgagggttaaa ccagtttgca tccccctaat gtggaaaaag taagaggact actcagcact 120
gtttgaagat tgccctctct acagcttctg agaatttgtt tatttcactt gccaaagtga 180
ggacccccctc cccaacatgc cccagccac ccctaagcat ggcccttgt caccaggcaa 240
ccaggaaact gctacttggt gacctcacca gagaccagga ggggttggt agctcacagg 300
acttccccca cccagaaga ttagcatccc atactagact cataactcaac tcaactaggc 360
tcataactcaa ttgatggta ttagacaatt ccatttcttt ctggttatta taaacagaaa 420
atctttcttc ttctcattac cagtaaaggc tcttggtatc tttctgttg aatgatttct 480
atgaacttgt cttattttaa tgggtgggtt ttttctggt 520

```

```

<210> 389
<211> 365
<212> DNA
<213> Homo sapiens

```

```

<400> 389
cgttgcccc a gtttgacaga aggaaaggcg gagcttattc aaagtctaga gggagtggag 60
gagttaaaggc tggatttcag atctgcctgg ttccagccgc agtgtgccct ctgctcccc 120
aacgactttc caaataatct caccagcgcc ttccagctca ggcgtcctag aagcgtcttg 180
aagcctatgg ccagctgtct ttgtgtccc tctcaccgc ctgtcctcac agctgagact 240
cccaggaac cttcagacta cttcctctg cttcagcaa ggggcgttg ccacattctc 300
tgagggtcag tggaagaacc tagactccca ttgctagagg tagaaaaggg aagggtgctg 360
gggag 365

```

```

<210> 390
<211> 221
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(221)
<223> n = A,T,C or G

```

```

<400> 390
tgccctccca tccctggccc gacttctctg tcaggaaagt ggggatggac cccatctgca 60
tacacggnnt ctcatgggtg tggaacatct ctgcttgagg ttccaggaag gcctctggct 120
gctctangag tctgancnga ntcgttgccc cantntgaca naaggaaagg cggagcttat 180
tcaaagtcta gagggagtgg aggagttaag gctggatttc a 221

```

```

<210> 391
<211> 325
<212> DNA
<213> Homo sapiens

```



<220>  
 <221> misc\_feature  
 <222> (1)...(325)  
 <223> n = A,T,C or G

<400> 391  
 tggagcaggt cccgaggcct ccctagagcc tggggccgac tctgtgncga tgcangcttt 60  
 ctctcgcgcc cagcctggag ctgctcctgg catctaccaa caatcagncg aggcgagcag 120  
 tagccagggc actgctgcca acagccagtc cnnataccat catgtnaccc ggtgngctct 180  
 naantngat ntccanagcc ctaccatcn tagttctgct ctcccaccgg ntaccagccc 240  
 cactgcccag gaatcctaca gccagtaccc tgtcccgcag tctctaccta ccagtacgat 300  
 gagacctccg gctactacta tgacc 325

<210> 392  
 <211> 277  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(277)  
 <223> n = A,T,C or G

<400> 392  
 atattgttta actccttctt ttatatcttt taacattttc atggngaaag gttcacatct 60  
 agtctcactt nggcnagnn ctctacttg agtctcttcc ccggcctggn ccagtnghaa 120  
 antaccanga accgncatgn cttaanaacn ncctgggttn tgggttnntc aatgactgca 180  
 tgcagtgcac caccctgtcc actacgtgat gctgtaggat taaagtctca cagtgggcgg 240  
 ctgaggatac agcgccgcgt cctgtgttgc tggggaa 277

<210> 393  
 <211> 566  
 <212> DNA  
 <213> Homo sapiens

<400> 393  
 actagtccag tgtgggtggaa ttgcgggccc cgtcgacgga caggtcagct gtctggctca 60  
 gtgatctaca ttctgaagtt gtctgaaaat gtcttcatga ttaaattcag cctaaacgtt 120  
 ttgcccggaa cactgcagag acaatgctgt gagtttccaa ccttagccca tctgcgggca 180  
 gagaaggctct agtttgtcca tcagcattat catgatatca ggactgggta cttgggttaag 240  
 gaggggtcta ggagatctgt cccttttaga gacaccttac ttataatgaa gtatttggga 300  
 ggggtgggttt caaaagtaga aatgtcctgt attccgatga tcctcctgta aacattttat 360  
 catttattaa tcatccctgc ctgtgtctat tatttatattc atatctctac gctggaaact 420  
 ttctgcctca atgtttactg tgcctttggt ttgtctagtt tgtgttgggt aaaaaaaaaa 480  
 cattctctgc ctgagtttta atttttgtcc aaagttattt taatctatac aattaaaagc 540  
 ttttgcctat caaaaaaaaa aaaaaa 566

<210> 394  
 <211> 384  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature

<222> (1)...(384)

<223> n = A,T,C or G

<400> 394

```
gaacatacat gtccccggcac ctgagctgca gtctgacatc atcgccatca cgggcctcgc 60
tgcaaattng gaccggggcca aggctggact gctggagcgt gtgaaggagc tacaggccna 120
gcaggaggac cgggcttttaa ggagttttta gctgagtgtc actgtagacc ccaaatacca 180
tcccaagatt atcggggagaa agggggcagt aattacccaa atccgggttg agcatgacgt 240
gaacatccag tttcctgata aggacgatgg gaaccagccc caggaccaa ttaccatcac 300
agggtacgaa aagaacacag aagctgccag ggatgctata ctgagaattg tgggtgaact 360
tgagcagatg gtttctgagg acgt 384
```

<210> 395

<211> 399

<212> DNA

<213> Homo sapiens

<400> 395

```
ggcaaaactg tgtgacctca ataagacctc gcagatccaa ggtcaagtat cagaagtgc 60
tctgaccttg gactccaaga cctacatcaa cagcctggct atattagatg atgagccagt 120
tatcagaggt ttcattcattg cggaaattgt ggagtctaag gaaatcatgg cctctgaagt 180
attcagctct tccagtagcc ctgagttctc tatagagtgt cctaacacag gcagaattgg 240
ccagctactt gtctgcaatt gtatcttcaa gaataccctg gccatccctt tgactgacgt 300
caagttctct ttggaaagcc tgggcattctc ctactacag acctctgacc atgggacggg 360
gcagcctggg gagaccatcc aatcccaaat aaaatgcac 399
```

<210> 396

<211> 403

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(403)

<223> n = A,T,C or G

<400> 396

```
tgaggttntc agtgcaaaca agccataaag cttcagtagc aaattactgt ctcacagaaa 60
gacattttca acttctgctc cagctgctga taaaacaaat catgtgttta gcttgactcc 120
agacaaggac aacctgttcc ttcataactc tctagagaaa aaaaggagtt gttagtagat 180
actaaaaaaaa gtggatgaat aatctggata ttttccctaa aaagattcct tgaaacacat 240
taggaaaaatg gagggcctta tgatcagaat gctagaatta gtccattgtg ctgaagcagg 300
gtttagggga gggagtggag gataaaagaa ggaaaaaag aagagtgaga aaacctattt 360
atcaaagcag gtgctatcac tcaatgttag gccctgctct ttt 403
```

<210> 397

<211> 100

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(100)

<223> n = A,T,C or G

&lt;400&gt; 397

actagtnacg tgggtggaa ttcgcgccg cgtcgacctt naanccatct ctatagcaaa 60  
tccatccccg ctcttggttg gtnacagaat gactgacaaa 100

&lt;210&gt; 398

&lt;211&gt; 278

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(278)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 398

gcggcccgct cgacagcagt tccgccagcg ctgcaccttg ggtgggggatg tgctgcacgc 60  
ccacctggac atctggaagt cagcggcctg gatgaaagag cggacctcac ctggggcgat 120  
tcaactactgt gcctcgacca gtgaggagag ctggaccgac agcgaggtgg actcatcatg 180  
ctccgggag cccatccacc tgtggcagtt cctcaaggag ttgctactca agccccacag 240  
ctatggccgc ttcattangt ggctcaacaa ggagaagg 278

&lt;210&gt; 399

&lt;211&gt; 298

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(298)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 399

acggaggtgg aggaagcgnc cctgggatcg anaggatggg tcctgncatt gaccnccctn 60  
ggggtgccng catggagcgc atgggcgcgg gcctgggcca cggcatggat cgcgtgggct 120  
ccgagatcga gcgcattggc ctggatcatgg accgcatggg ctccgtggag cgcattgggct 180  
ccggcattga gcgcattggc ccgctgggcc tcgaccacat ggccctccanc attgancgca 240  
tgggccagac catggagcgc attggctctg gcgtggagcn catgggtgcc ggcattggg 298

&lt;210&gt; 400

&lt;211&gt; 548

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 400

acatcaacta ctctctcatt ttaaggatat gcagttccct tcatcccttt ttctgcctt 60  
gtacatgtac atgtatgaaa ttctcttctc ttaccgaact ctctccacac atcacaagg 120  
caaagaacca cagccttaga agggtaagag ggcacctat gaaatgaaat ggtgatttct 180  
tgagtctctt tttccacgt ttaaggggcc atggcaggac ttagagttgc gagttaagac 240  
tgcagagggc tagagaatta ttcatatag gctttgaggc caccatgtc acttatcccg 300  
tataccctct caccatcccc ttgtctactc tgatgcccc aagatgcaac tgggcagcta 360  
gttggcccca taattctggg cttttgttgt ttgttttaat tacttgggca tcccaggaag 420  
ctttccagt atctctacc atgggcccc ctctgggat caagccctc ccaggccctg 480  
tccccagccc ctctgcccc agccccccg cttgccttgg tgctcagccc tcccattggg 540  
agcaggtt 548

<210> 401  
<211> 355  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(355)  
<223> n = A,T,C or G

<400> 401  
actgtttcca tgttatgttt ctacacattg ctacctcagt gctcctggaa acttagcttt 60  
tgatgtctcc aagtagtcca ccttcattta actctttgaa actgtatcat ctttgccaag 120  
taagagtggg ggcctatttc agctgctttg acaaaatgac tggctcctga cttaacgttc 180  
tataaatgaa tgtgtggaag caaagtgtcc atgggtggcg cgaagaagan aaagatgtgt 240  
tttgttttgg actctctgtg gtcccttcca atgctgnggg tttccaacca ggggaagggt 300  
cccttttgca ttgccaagtg ccataacccat gagcactact ctaccatggn tctgc 355

<210> 402  
<211> 407  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(407)  
<223> n = A,T,C or G

<400> 402  
atggggcaag ctggataaag aaccaagacc cactggagta tgcgtgtcttc aagaaaccca 60  
tctcacatgc ggtggcatac ataggctcaa aataaaggaa tggagaaaaa tatttcaagc 120  
aaatggaaaa cagaaaaaag caggtgttgc actcctactt tctgacaaaa cagactatgc 180  
gaataaagat aaaaaagaga aggacattac aaaggtggtc ctgacctttg ataaatctca 240  
ttgcttgata ccaacctggg ctgttttaat tgcccaaacc aaaaggataa tttgctgagg 300  
ttgtggagct tctccctgc agagagtccc tgatctccca aaatttggtt gagatgtaag 360  
gntgattttg ctgacaactc cttttctgaa gttttactca tttccaa 407

<210> 403  
<211> 303  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(303)  
<223> n = A,T,C or G

<400> 403  
cagtatttat agccnaactg aaaagctagt agcaggcaag tctcaaatcc aggcaccaa 60  
tcctaagcaa gagccatggc atgggtgaaa tgcaaaagga gagtctggcc aatctacaaa 120  
tagagaacaa gacctactca gtcataaaca aaaaggcaga caccaacatg gatctcatgg 180  
gggattggat attgtaatta tagagcagga agatgacagt gatcgtcatt tggcacaaca 240  
tcttaacaac gaccgaaacc cattatttac ataaacctcc attcggtaac catgttgaaa 300  
gga 303

<210> 404  
<211> 225  
<212> DNA  
<213> Homo sapiens

<400> 404  
aagtgtact tttaaaaatt tagtggattt tgaaaattct tagaggaaag taaaggaaaa 60  
attgttaatg cactcattta cctttacatg gtgaaagtgc tctcttgatc ctacaaacag 120  
acattttcca ctctgtgttc catagtgtgt aagtgtatca gatgtgttgg gcatgtgaat 180  
ctccaagtgc ctgtgtaata aataaagtat ctttatttca ttcac 225

<210> 405  
<211> 334  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(334)  
<223> n = A,T,C or G

<400> 405  
gagctgttat actgtgagtt ctactaggaa atcatcaaatt ctgagggttg tctggaggac 60  
ttcaatacac ctcccccat agtgaatcag cttccagggg gtccagtccc tctccttact 120  
tcatccccat cccatgccaa aggaagaccc tccctccttg gctcacagcc ttctctaggc 180  
ttcccagtgc ctccaggaca gagtgggtta tgttttcagc tccatccttg ctgtgagtgt 240  
ctgggtgcggg tgtgctcca gcttctgctc agtgcttcat ggacagtgtc cagcccatgt 300  
cactctccac tctctcanng tggatccac ccct 334

<210> 406  
<211> 216  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(216)  
<223> n = A,T,C or G

<400> 406  
tttcatacct aatgaggag ttganatnac atnnaaccag gaaatgcatg gatctcaang 60  
gaaacaaaca cccaataaac tcggagtggc agactgacaa ctgtgagaca tgcacttgct 120  
acnaaacaca aatttnatgt tgcacccttg tttctacacc tgtgggttat gacaaagaca 180  
actgccaaag aatnttcaag aaggaggact gccant 216

<210> 407  
<211> 413  
<212> DNA  
<213> Homo sapiens

<400> 407  
gctgacttgc tagtatcatc tgcattcatt gaagcacaag aacttcatgc cttgactcat 60  
gtaaatgcaa taggattaaa aaataaattt gatatcacat ggaaacagac aaaaaatatt 120  
gtacaacatt gcacccagtg tcagattcta cacctggcca ctcaggaagc aagagttaat 180  
cccagaggtc tatgtcctaa tgtgttatgg caaatggatg tcatgcacgt accttcattt 240

```

ggaaaaattgt catttggtcca tgtgacagtt gatacttatt cacatttcat atgggcaacc 300
tgccagacag gagaaagtct tcccatgtta aaagacattt attatcttgt tttcctgtca 360
tgggagttcc agaaaaagtt aaaacagaca atgggccagg ttctgtagta aag          413

```

<210> 408

<211> 183

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(183)

<223> n = A,T,C or G

<400> 408

```

ggagctngcc ctcaattcct ccatntctat gttancatat ttaatgtctt ttgnnattaa 60
tncttaacta gttaatcctt aaagggctan ntaatcctta actagtcctt ccattgtgag 120
cattatcctt ccagtatctn ccttctnttt tatttactcc ttctgggcta cccatgtact 180
ntt                                     183

```

<210> 409

<211> 250

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(250)

<223> n = A,T,C or G

<400> 409

```

cccacgcatg ataagctctt tatttctgta agtcctgcta ggaaatcatc aaatctgacg 60
gtgggtttggg ggacctgaac aaacctcctg taattaatca gctttcagtt tctcccccta 120
gtccctcctt caacaacata ggaggatcct ccccttcttt ctgctcacgg ccttatctag 180
gcttcccagt gccccagga cagcgtgggc tatgtttaca ggcctcctt gctggggggg 240
ggccttatgc                                     250

```

<210> 410

<211> 306

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(306)

<223> n = A,T,C or G

<400> 410

```

ggctggtttg caagaatgaa atgaatgatt ctacagctag gacttaacct tgaaatggaa 60
agtcttgcaa tccatttgc aggatccgtc tgtgcacatg cctctgtaga gagcagcatt 120
cccagggacc ttggaaacag ttggcactgt aaggtgcttg ctccccaaga cacatcctaa 180
aaggtgttgt aatggtgaaa accgcttcct tctttattgc cccttcttat ttatgtgaac 240
nactgggttg ctttttttgn atctttttta aactggaaag ttcaattgng aaaatgaata 300
tcntgc                                     306

```

<210> 411  
<211> 261  
<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc\_feature  
<222> (1)...(261)  
<223> n = A,T,C or G

<400> 411  
agagatattt cttaggtnaa agttcataga gttcccatga actatatgac tggccacaca 60  
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120  
tttaaattgc tgaaatggaa cagatttcaa aaaaaaaccc cacaatctag ggtgggaaca 180  
aggaaggaaa gatgtgaata ggctgatggg caaaaaacca atttaccat cagttccagc 240  
cttctctcaa ggngaggcaa a 261

<210> 412  
<211> 241  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(241)  
<223> n = A,T,C or G

<400> 412  
gttcaatgtt acctgacatt tctacaacac ccactcacc gatgtattcg ttgccagtg 60  
ggaacatacc agcctgaatt tggaaaaaat aattgtgttt ctgcccagg aaatactacg 120  
actgactttg atggctccac aaacataacc cagtgtaaaa acagaagatg tggaggggag 180  
ctgggagatt tctactgggtg cattgaattc caaaactacc cangcaatta ccagccaac 240  
a 241

<210> 413  
<211> 231  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(231)  
<223> n = A,T,C or G

<400> 413  
aactcttaca atccaagtga ctcatctgtg tgcttgaatc ctttccactg tctcatctcc 60  
ctcatccaag ttcttagtac cttctctttg ttgtgaagga taatcaaact gaacaacaaa 120  
aagtttactc tcctcatttg gaacctaaaa actctcttct tcctgggtct gagggctcca 180  
agaatccttg aatcanttct cagatcattg gggacaccan atcaggaacc t 231

<210> 414  
<211> 234  
<212> DNA  
<213> Homo sapiens

<400> 414  
actgtccatg aagcactgag cagaagctgg aggcacaacg caccagacac tcacagcaag 60  
gatggagctg aaaacataac ccactctgtc ctggaggcac tgggaagcct agagaaggct 120  
gtgagccaag gagggagggt cttcctttgg catgggatgg ggatgaagta aggagaggga 180  
ctggaccccc tggaagctga ttcactatgg ggggaggtgt attgaagtcc tcca 234

<210> 415  
<211> 217  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(217)  
<223> n = A,T,C or G

<400> 415  
gcataggatt aagactgagt atcttttcta cattctttta acttttctaag gggcacttct 60  
caaaacacag accaggtagc aaatctccac tgctctaagg ntctcaccac cactttctca 120  
cacctagcaa tagtagaatt cagtcctact tctgaggcca gaagaatggg tcagaaaaat 180  
antggattat aaaaaataac aattaagaaa aataatc 217

<210> 416  
<211> 213  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(213)  
<223> n = A,T,C or G

<400> 416  
atgcatatnt aaagganact gcctcgcttt tagaagacat ctggnctgct ctctgcatga 60  
ggcacagcag taaagctctt tgattcccag aatcaagaac tctccccttc agactattac 120  
cgaatgcâag gtggtaatt gaaggccact aattgatgct caaatagaag gatattgact 180  
atattggaac agatggagtc tctactacaa aag 213

<210> 417  
<211> 303  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(303)  
<223> n = A,T,C or G

<400> 417  
nagtcttcag gcccatcagg gaagttcaca ctggagagaa gtcatacata tgtactgtat 60  
gtgggaaagg ctttactctg agttcaaata ttcaagccca tcagagagtc cacactggag 120  
agaagccata caaatgcaat gagtgtggga agagcttcag gagggattcc cattatcaag 180  
ttcatctagt ggtccacaca ggagagaaac cctataaatg tgagatatgt gggaagggct 240  
tcantcaaag ttcgtatctt caaatccatc ngaaggncca cagtatanan aaacctttta 300  
agt 303



<210> 418  
 <211> 328  
 <212> DNA  
 <213> Homo sapiens  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(328)  
 <223> n = A,T,C or G

<400> 418  
 tttttggcgg tgggtggggca gggacggggac angagtctca ctctgttgcc caggctggag 60  
 tgcacaggca tgatctcggc tcactacaac ccctgcctcc catgtccaag cgattcttgt 120  
 gcctcagcct tccctgtagc tagaattaca ggcacatgcc accacaccca gctagttttt 180  
 gtatttttag tagagacagg gtttcacat gttggccagg ctgggtctca actcctnacc 240  
 tcagnggtca ggctgggtct aaactcctga cctcaagtga tctgcccacc tcagcctccc 300  
 aaagtgctan gattacaggc cgtgagcc 328

<210> 419  
 <211> 389  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(389)  
 <223> n = A,T,C or G

<400> 419  
 cctcctcaag acggcctgtg gtccgcctcc cggcaaccaa gaagcctgca gtgccatag 60  
 acccctgagc catggactgg agcctgaaag gcagcgtaca ccctgctcct gatcttctgt 120  
 cttgtttcct ctctgtggct ccattcatag cacagtgtt gcactgaggc ttgtgcaggc 180  
 cgagcaaggc caagctggct caaagagcaa ccagtcaact ctgccacggc gtgccaggca 240  
 ccggttctcc agccaccaac ctactcgtc cccgcaaatg gcacatcagt tcttctacce 300  
 taaaggtagg accaaagggc atctgctttt ctgaagtcct ctgctctatc agccatcacg 360  
 tggcagccac tcnggctgtg tcgacgcgg 389

<210> 420  
 <211> 408  
 <212> DNA  
 <213> Homo sapiens

<400> 420  
 gttcctccta actcctgccca gaaacagctc tcctcaacat gagagctgca cccctcctcc 60  
 tggccagggc agcaagcctt agccttggtc tcttgtttct gctttttttc tggctagacc 120  
 gaagtgtact agccaaggag ttgaagtttg tgactttggt gtttcggcat ggagaccgaa 180  
 gtcccattga cacctttccc actgacccca taaaggaatc ctcatggcca caaggatttg 240  
 gccaaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300  
 gatatagaaa attcttgaat gagtccata aacatgaaca ggtttatatt cgaagcacag 360  
 acgttgaccg gactttgatg aagtgctatg acaaacctgg caagcccc 408

<210> 421  
 <211> 352  
 <212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(352)

<223> n = A,T,C or G

<400> 421

```
gctcaaaaat ctttttactg atnggcatgg ctacacaatc attgactatt acggaggcca 60
gaggagaatg aggcctggcc tgggagccct gtgcctacta naagcacatt agattatcca 120
ttcactgaca gaacagggtct tttttgggtc cttcttctcc accacnatat acttgcatgc 180
ctccttcttg aagattcttt ggcagttgtc tttgtcataa cccacagggtg tagaaacaag 240
ggtgcaacat gaaatttctg ttcgtagca agtgcattgc tcacaagttg gcangtctgc 300
cactccgagt ttattgggtg tttgtttcct ttgagatcca tgcatttctt gg 352
```

<210> 422

<211> 337

<212> DNA

<213> Homo sapiens

<400> 422

```
atgccaccat gctggcaatg cagcgggagg tcgaaggcct gcatatccag cccaagctgg 60
cgatgatcga cggcaaccgt tgcccgaagt tgccgatgcc agccgaagcg gtggtcaagg 120
gcgatagcaa ggtgccggcg atcgcggcgg cgtcaatcct ggccaagggtc agccgtgac 180
gtgaaatggc agctgtcgaa ttgatctacc cgggttatgg catcggcggg cataagggtc 240
atccgacacc ggtgcacctg gaagccttgc agcggctggg gccgacgccg attcaccgac 300
gtttcttccg ccggtacggc tggcctatga aaattat 337
```

<210> 423

<211> 310

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(310)

<223> n = A,T,C or G

<400> 423

```
gctcaaaaat ctttttactg atatggcatg gctacacaat cattgactat tagaggccag 60
aggagaatga ggcctggcct gggagccctg tgccactan aagncatta gattatccat 120
tcactgacag aacagggtctt ttttgggtcc ttcttctcca ccacgatata cttgcagtcc 180
tccttcttga agattctttg gcagttgtct ttgtcataac ccacagggtg anaaacaagg 240
gtgcaacatg aaatttctgt ttcgtagcaa gtgcattgtc cacagttgtc aagtctgccc 300
tccgagttta 310
```

<210> 424

<211> 370

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(370)

<223> n = A,T,C or G

&lt;400&gt; 424

```

gctcaaaaat ctttttactg ataggcatgg ctacacaatc attgactatt agaggccaga 60
ggagaatgag gcctggcctg ggagccctgt gcctactaga agcacattag attatccatt 120
cactgacaga acaggtcttt tttgggtcct tcttctccac cacgatatac ttgcagtcct 180
ccttcttgaa gattctttgg cagttgtctt tgtcataacc cacaggtgta gaaacatcct 240
ggttgaatct cctggaactc cctcattagg tatgaaatag catgatgcat tgcataaagt 300
cacgaagggtg gcaaagatca caacgctgcc cagganaaca ttcattgtga taagcaggac 360
tccgtcgacg                                     370

```

&lt;210&gt; 425

&lt;211&gt; 216

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(216)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 425

```

aattgctatn ntatttttg ccactcaaaa taattaccaa aaaaaaaaaa tnttaaata 60
taacaacnca acatcaaggn aaananaaca ggaatggntg acntgcata aatnggccga 120
anattatcca ttatnttaag ggttgacttc agntacagc acacagacaa acatgcccag 180
gaggntntca ggaccgctcg atgtntntg aggagg                                     216

```

&lt;210&gt; 426

&lt;211&gt; 596

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 426

```

cttcagtgga ggataaccct gttgccccgg gccgagggtc tccattaggc tctgattgat 60
tggcagtcag tgatggaagg gtgttctgat cattccgact gcccgaaggg tcgctggcca 120
gctctctgtt ttgctgagtt ggcagtagga cctaatttgt taattaagag tagatggtga 180
gctgtccttg tattttgatt aacctaatgg ccttcccagc acgactcgga ttcagctgga 240
gacatcacgg caacttttaa tgaaatgatt tgaagggcca ttaagaggca cttcccgtta 300
ttaggcagtt catctgcact gataacttct tggcagctga gctggctgga gctgtggccc 360
aaacgcacac ttggcttttg gttttgagat acaactctta atcttttagt catgcttgag 420
ggtggatggc cttttcagct ttaacccaat ttgcaactgc ttggaagtgt agccaggaga 480
atacactcat atactcgtgg gcttagaggc cacagcagat gtcattggtc tactgcctga 540
gtcccgtctg tcccattcca ggaccttcca tcggcgagta cctgggagcc cgtgct      596

```

&lt;210&gt; 427

&lt;211&gt; 107

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(107)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 427

```

gaagaattca agtttaggtt attcaaaggg cttacngaga atcctanacc caggncaccag 60

```

cccgaggagca gccttanaga gctcctgttt gactgcccgg ctcagng 107

<210> 428  
<211> 38  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(38)  
<223> n = A,T,C or G

<400> 428  
gaacttcena anaangactt tattcactat ttacatt 38

<210> 429  
<211> 544  
<212> DNA  
<213> Homo sapiens

<400> 429  
ctttgctgga cggaataaaa gtggacgcaa gcacgacctc ctgatgaggg cgctgcattt 60  
attgaagagc ggctgcagcc ctgcggttca gattaaaatc cgagaattgt atagacgccg 120  
atatccacga actccttgaag gactttctga tttatrcaca atcaaatcat cgggttttcag 180  
tttgatgggt ggctcatcac ctgtagaacc tgacttggcc gtggctggaa tccactcgtt 240  
gccttcactc tcaagtacac ctactcacc atcctctcct gtgggttctg tgctgettca 300  
agatactaag cccacatttg agatgcagca gccatctccc ccaattcttc ctgtccatcc 360  
tgatgtgcag ttaaaaaatc tgccctttta tgatgtcctt gatgttctca tcaagcccac 420  
gagtttagtt caaagcagta ttcagcgatt tcaagagaag ttttttatit ttgctttgac 480  
acctcaacaa gttagagaga tatgcatatc cagggatttt ctgccaggtg gtaggagaga 540  
ttat 544

<210> 430  
<211> 507  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(507)  
<223> n = A,T,C or G

<400> 430  
cttatcncaa tggggctccc aaacttggct gtgcagtgga aactccgggg gaattttgaa 60  
gaacactgac acccatcttc caccgcgaca ctctgattta attgggctgc agtgagaaca 120  
gagcatcaat ttaaaaagct gcccagaatg ttntcctggg cagcgttggt atctttgccn 180  
ccttcgtgac tttatgcaat gcacatgct atttcatacc taatgagggg gttccaggag 240  
attcaaccag gatgtttcta cncctgtggg ttatgacaaa gacaactgcc aaagaatntt 300  
caagaaggag gactgcaagt atatcggtgt ggagaagaag gacccaaaaa agacctgttc 360  
tgtcagtgaa tggataatct aatgtgcttc tagtaggcac agggctccca ggccaggcct 420  
cattctcctc tggcctctaa tagtcaatga ttgtgtagcc atgcctatca gtaaaaagat 480  
ttttgagcaa aaaaaaaaaa aaaaaaa 507

<210> 431  
<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(392)

<223> n = A,T,C or G

<400> 431

```
gaaaattcag aatggataaa aacaaatgaa gtacaaaata tttcagattt acatagcgat 60
aaacaagaaa gcacttatca ggaggactta caaatggaag tacactctan aaccatcatc 120
tatcatggct aaatgtgaga tttagcacagc tgtattattt gtacattgca aacacctaga 180
aagagatggg aaacaaaatc ccaggagttt tgtgtgtgga gtectgggtt ttccaacaga 240
catcattcca gcattctgag attagggnga ttggggatca ttctggagtt ggaatgttca 300
acaaaagtga tgttgttagg taaaatgtac aacttctgga tctatgcaga cattgaaggt 360
gcaatgagtc tggcttttac tctgctgttt ct 392
```

<210> 432

<211> 387

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(387)

<223> n = A,T,C or G

<400> 432

```
ggtatccnta cataatcaaa tatagctgta gtacatgttt tcattggngt agattaccac 60
aaatgcaagg caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg 120
ngtagtccaa gctctcgna gtccagccac tngaaacat gctcccttta gattaacctc 180
gtggacnctn ttgttgnatt gtctgaactg tagngccctg tattttgctt ctgtctgnga 240
attctgttgc ttctggggca ttcccttgng atgcagagga ccaccacaca gatgacagca 300
atctgaattg ntccaatcac agctgcgatt aagacatact gaaatcgtac aggaccggga 360
acaacgtata gaacactgga gtcccttt 387
```

<210> 433

<211> 281

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(281)

<223> n = A,T,C or G

<400> 433

```
ttcaactagc anagaanact gcttcagggn gtgtaaaatg aaaggcttcc acgcagttat 60
ctgattaaag aacactaaga gagggacaag gctagaagcc gcaggatgtc tacactatag 120
caggcnctat ttgggttggc tggaggagct gtggaaaaca tggagagatt ggcgctggag 180
atcgccgtgg ctattcctcn ttgntattac accagnagag ntctctgtnt gccactgggt 240
tnnaaaaccg ntatacaata atgatagaat aggacacaca t 281
```

<210> 434

<211> 484

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 434

```
ttttaaaata agcatttagt gctcagtcct tactgagtag tctttctctc ccttcctctg 60
aatttaattc tttcaacttg caatttgcaa ggattacaca tttcactgtg atgtatattg 120
tggtgcaaaa aaaaaaaagt gtctttgttt aaaattactt ggtttgtaga tccatcttgc 180
tttttcccca ttggaactag tcattaaccc atctctgaac tggtagaaaa acatctgaag 240
agctagtcta tcagcatctg acaggtagat tggatgggtc tcagaacctt ttcacccaga 300
cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca taacaaacc 360
tgctccaatc tgccacataa aagtctgtga cttgaagttt agtcagcacc ccacccaaac 420
tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataaag taccatgtc 480
ttta 484
```

&lt;210&gt; 435

&lt;211&gt; 424

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 435

```
gcgcgcgtca gagcaggta ctttctgcct tccagtcctt ccttcaagga agcccatgt 60
gggtagcttt caatatcgca gggtcttact cctctgcctc tataagctca aaccaccaa 120
cgatcgggca agtaaacccc ctccctcgcc gacttcggaa ctggcgagag ttcagcgag 180
atgggcctgt ggggaggggg caagatagat gagggggagc ggcattggtc ggggtgacc 240
cttgagagga ggaaaaggc cacaagaggg gctgccaccg ccactaacgg agatggcct 300
ggtagagacc tttgggggtc tggaacctct ggactcccca tgctctaact ccacactct 360
gctatcagaa acttaactt gaggattttc tctgtttttc actcgcaata aattcagagc 420
aaac 424
```

&lt;210&gt; 436

&lt;211&gt; 667

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(667)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 436

```
accttgggaa nactctcaca atataaaggg tcgtagactt tactccaaat tccaaaaagg 60
tcctggccat gtaatcctga aagttttccc aaggtagcta taaaatcctt ataaggggtg 120
agcctcttct ggaattcttc tgatttcaaa gtctcactct caagttcttg aaaacgaggg 180
cagttcctga aaggcaggta tagcaactga tcttcagaaa gaggaactgt gtgcaccggg 240
atgggctgcc agagtaggat aggattccag atgctgacac cttctggggg aaacaggggt 300
gccaggtttg tcatagcact catcaaagtc cggtcacagt ctgtgcttcg aatataaacc 360
tgttcatgtt tataggactc attcaagaat tttctatata tcttcttat atactctcca 420
agttcataat gctgctccat gccagctgg gtgagttggc caaatccttg tggccatgag 480
gattccttta tggggtcagt gggaaagggt tcaatgggac ttcgggtctc atgccgaaac 540
accaaagtca caaacttcaa ctcttggt agtacacttc ggtctagcca gaaaaaagg 600
agaaacaaga agccaaggct aaggcttgct gccctgccag gaggaggggt gcagctctca 660
tgttgag 667
```

&lt;210&gt; 437

&lt;211&gt; 693

<212> DNA

<213> Homo sapiens

<400> 437

```
ctacgtctca accctcattt ttaggtaagg aatcttaagt ccaaagatat taagtgactc 60
acacagccag gtaaggaaag ctggattggc acactaggac tctaccatac cgggttttgt 120
taaagctcag gttaggaggc tgataagctt ggaaggaaact tcagacagct ttttcagatc 180
ataaaaagata attccttagcc catgttcttc tccagagcag acctgaaatg acagcacagc 240
aggtaactcct ctattttcac cccctctgct tctactctct ggcagtcaga cctgtgggag 300
gccatgggag aaagcagctc tctggatggt tgtacagatc atggactatt ctctgtggac 360
catttctcca ggttacccta ggtgtcacta ttggggggac agccagcatc tttagctttc 420
atttgagttt ctgtctgtct tcagtagagg aaacttttgc tcttcacact tcacatctga 480
acacctaaact gctgttgctc ctgaggtggt gaaagacaga tatagagctt acagtattta 540
tcctatttct aggcactgag ggctgtgggg taccttgtgg tgccaaaaca gatcctgttt 600
taaggacatg ttgcttcaga gatgtctgta actatctggg ggctctgttg gctctttacc 660
ctgcatcatg tgctctcttg gctgaaaatg acc                                     693
```

<210> 438

<211> 360

<212> DNA

<213> Homo sapiens

<400> 438

```
ctgcttatca caatgaatgt tctcctgggc agcgttgtga tctttgccac cttcgtgact 60
ttatgcaatg catcatgcta ttccatacct aatgagggag ttccaggaga ttcaaccagg 120
atgtttctac acctgtgggt tatgacaaaag acaactgcc aagaatcttc aagaaggagg 180
actgcaagta tatctgggtg agaagaagga ccaaaaaaag acctgttctg tcagtgaatg 240
gataatctaa tgtgcttcta gtaggcacag ggctcccag ccaggccctca ttctcctctg 300
gcctctaata gtcaataatt gtgtagccat gcctatcagt aaaaagattt ttgagcaaac 360
```

<210> 439

<211> 431

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(431)

<223> n = A,T,C or G

<400> 439

```
gttcctnnta actcctgcc aaaaacagctc tcctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggct tcttgtttct gctttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgacttttgt gtttcggcat ggagaccgaa 180
gtcccattga cacccttccc actgaccca taaaggaatc ctcatggcca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtccata aacatgaaca gggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgtcga cgcggccgcg 420
aatcttagtag t                                     431
```

<210> 440

<211> 523

<212> DNA

<213> Homo sapiens

&lt;400&gt; 440

```
agagataaaag cttaggtcaa agttcataga gtcccatga actatatgac tggccacaca 60
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaagtgc tgaaatggaa cagatttcaa aaaaaaaccc cacaatctag ggtgggaaca 180
aggaaggaaa gatgtgaata ggctgatggg caaaaaacca atttacccat cagttccagc 240
cttctctcaa ggagaggcaa agaaaggaga tacagtggag acatctggaa agttttctcc 300
actggaaaac tgctactatc tgtttttata tttctgttaa aatatatgag gctacagaac 360
taaaaattaa aacctctttg tgtcccttgg tcttggaaca tttatgttcc ttttaaagaa 420
acaaaaatca aactttacag aaagatttga tgtatgtaat acatatagca gctcttgaag 480
tatatatatc atagcaaata agtcctctga tgagaacaag cta 523
```

&lt;210&gt; 441

&lt;211&gt; 430

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 441

```
gttcctccta actcctgcc aaaaacagctc tcctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggtt tcttggttct gcttttttcc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgactttggt gtttcggcat ggagaccgaa 180
gtccatttga cacctttccc actgacccca taaaggaatc ctcatggcca caaggatttg 240
gccaaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtccata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgtcga cgcggccgcg 420
aatttagtag 430
```

&lt;210&gt; 442

&lt;211&gt; 362

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 442

```
ctaaggaatt agtagtgttc ccatcacttg tttggagtgt gctattctaa aagattttga 60
tttcctggaa tgacaattat attttaactt tgggtgggga aagagttata ggaccacagt 120
cttcacttct gatacttgta aattaatctt ttattgcact tgttttgacc attaagctat 180
atgttttagaa atggtcattt tacggaaaaa ttagaaaaat tctgataata gtgcagaata 240
aatgaattaa tgttttactt aatttatatt gaactgtcaa tgacaaataa aaattctttt 300
tgatattttt ttgttttcat ttaccagaat aaaaactaag aattaaaagt ttgattacag 360
tc 362
```

&lt;210&gt; 443

&lt;211&gt; 624

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(624)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 443

```
tttttttttt gcaacacaat atacatcaca gtgaaatgtg taatccttgc aaattgcaag 60
ttgaaagaat taaattcaga ggaggggaga gaaagagtac tcagtaggga ctgagcacta 120
aatgcttatt ttaaaagaaa tgtaaagagc agaaagcaat tcaggctacc ctgccttttg 180
tgctggctag tactccgggc ggtgtcagca gcacgtggca ttgaacattg caatgtggag 240
```



```

cccaaaccac agaaaatggg gtgaaattgg ccaactttct attaacttgg cttcctgttt 300
tataaaatat tgtgaataat atcacctact tcaaagggca gttatgaggc ttaaataaac 360
taacgcctac aaaacactta aacatagata acatagggtgc aagtactatg tatctgggtac 420
atggtaaaca tccttattat taaagtcaac gctaaaatga atgtgtgtgc atatgctaata 480
agtacagaga gagggcactt aaaccaacta agggcctgga gggaagggtt cctggaaaaga 540
ngatgcttgt gctgggtcca aatcttggtc tactatgacc ttggccaaat tatttaaact 600
ttgtccctat ctgctaaaca gatc                                     624

```

<210> 444

<211> 425

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(425)

<223> n = A,T,C or G

<400> 444

```

gcacatcatt nntcttgcatt tctttgagaa taagaagatc agtaaatagt tcagaagtgg 60
gaagctttgt ccaggcctgt gtgtgaaccc aatgttttgc ttagaaatag aacaagtaag 120
ttcattgcta tagcataaca caaaatttgc ataagtgggtg gtcagcaaat ccttgaatgc 180
tgcttaaatgt gagagggttg taaaatcctt tgtgcaacac tctaactccc tgaatgtttt 240
gctgtgctgg gacctgtgca tgccagacaa ggccaagctg gctgaaagag caaccagcca 300
cctctgcaat ctgccacetc ctgctggcag gatttgtttt tgcatcctgt gaagagccaa 360
ggaggcacca gggcataagt gagtagactt atggtcgacg cggccgcgaa tttagragta 420
gtaga                                     425

```

<210> 445

<211> 414

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(414)

<223> n = A,T,C or G

<400> 445

```

catgtttatg nttttggatt actttgggca cctagtgttt ctaaatcgtc tatcattctt 60
ttctgttttt caaaagcaga gatggccaga gtctcaacaa actgtatctt caagtctttg 120
tgaaattctt tgcattgtggc agattatttg atgtagtctt ctttaactag catataaatc 180
tgggtgtgtt cagataaatg aacagcaaaa tgtggtggaa ttaccatttg gaacattgtg 240
aatgaaaaat tgtgtctcta gattatgtaa caaataacta tttcctaacc attgatcttt 300
ggatttttat aatcctactc acaaatgact aggccttctc tcttgtattt tgaagcagt 360
tgggtgctgg attgataaaa aaaaaaaaaa tgcacgcggc cgcaattta gtag 414

```

<210> 446

<211> 631

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(631)

<223> n = A,T,C or G

<400> 446

```

acaaattaga anaaagtgcc agagaacacc acataccttg tccggaacat tacaatggct 60
tctgcatgca tgggaagtgt gagcattcta tcaatatgca ggagccatct tgcagggtgtg 120
atgctgggta tactggacaa cactgtgaaa aaaaggacta cagtgttcta tacgttggtc 180
ccggctcctgt acgatttcag tatgtcttaa tcgcagctgt gattggaaca attcagattg 240
ctgtcatctg tgtgggtggtc ctctgcatca caagggccaa acttttaggta atagcattgg 300
actgagattt gtaaactttc caaccttcca ggaaatgccc cagaagcaac agaattcaca 360
gacagaagca aaatacaggg cactacagtt cagacaatac aacaagagcg tccacgaggt 420
taatctaaag ggagcatgtt tcacagtggc tggactaccg agagcttgga ctacacaata 480
cagtattata gacaaaagaa taagacaaga gatctacaca tgttgccctg catttgtggt 540
aatctacacc aatgaaaaca tgtactacag ctatatgtga ttatgtatgg atatatttga 600
aatagtatac attgtcttga tgttttttct g 631

```

<210> 447

<211> 585

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(585)

<223> n = A,T,C or G

<400> 447

```

ccttgggaaa antntcacia tataaagggt cgtagacttt actccaaatt ccaaaaagggt 60
cctggccatg taatcctgaa agttttccca aggtagctat aaaatcctta taagggtgca 120
gcctcttctg gaattcctct gatttcaaag tctcactctc aagtctctga aaacgagggc 180
agttcctgaa aggcaggtat agcaactgat cttcagaaaag aggaactgtg tgcaccggga 240
tgggctgcca gtagtaggata ggattccaga tgctgacacc ttctggggga aacagggctg 300
ccagggttgt catagcactc atcaaagtcc ggtcaacgctc tgtgcttcca atataaacct 360
gttcatgttt ataggactca ttcaagaatt ttctatatct ctttcttata tactctccaa 420
gttcataatg ctgctccatg cccagctggg tgagttggcc aaatccttgt ggccatgagg 480
attcctttat ggggtcagtg ggaaagggtg caatgggact tcggtctcca tgccgaaaca 540
ccaaagtcac aaacttcaac tccttggtga gtacacttcg gtcta 585

```

<210> 448

<211> 93

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(93)

<223> n = A,T,C or G

<400> 448

```

tgctcgtggg tcattctgan nnccgaactg acctgcccag ccctgccgan ggccnccat 60
ggctccctag tgccctggag agganggggc tag 93

```

<210> 449

<211> 706

<212> DNA

<213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(706)  
 <223> n = A,T,C or G

<400> 449  
 ccaagttcat gctntgtgct ggacgctgga caggggggcaa aagcnnttgc tcgtgggtca 60  
 ttctgancac cgaactgacc atgccagccc tgccgatggc cctccatggc tccctagtgc 120  
 cctggagagg aggtgtctag tcagagagta gtcctggaag gtggcctctg ngaggagcca 180  
 cggggacagc atcctgcaga tggtcgggcg cgtcccatc gccattcagg ctgcgcaact 240  
 gttgggaagg gcgatacggg cgggcctctt cgctattacg ccagctggcg aaagggggat 300  
 gtgctgcaag gcgattaagt tgggtaacgc caggggtttt ccagtcncga cgttgtaaaa 360  
 cgatggccag tgaattgaat ttaggtgacn ctatagaaga gctatgacgt cgcatagcag 420  
 cgtacgtaag cttggatcct ctgagcggc cgccactac tactaaattc gcggcgcgct 480  
 cgacgtggga tccnactga gagagtggag agtgacatgt gctggacnct gtccatgaag 540  
 cactgagcag aagctggagg cacaacgcnc cagacactca cagctactca ggaggctgag 600  
 aacaggttga acctgggagg tggaggttgc aatgagctga gatcaggccn ctgcncacca 660  
 gcatggatga cagagtgaat ctccatctta aaaaaaaaaa aaaaaa 706

<210> 450  
 <211> 493  
 <212> DNA  
 <213> Homo sapiens

<400> 450  
 gagacggagt gtcactctgt tggccaggct ggagtgcagc aagacactgt ctaagaaaaa 60  
 acagttttta aaggtaaaac aacataaaaa gaaatatacct atagtggaaa taagagagtc 120  
 aaatgaggct gagaacttta caaagggatc ttacagacat gtccccaata tcaactgcatg 180  
 agcctaagta taagaacaac ctttggggag aaaccatcat ttgacagtga ggtacaattc 240  
 caagtcaggc agtgaaatgg gtggaattaa actcaaatta atcctgccag ctgaaacgca 300  
 agagacactg tcagagagtt aaaaagttag ttctatccat gaggtgattc cacagtcttc 360  
 tcaagtcaac acatctgtga actcacagac caagttctta aaccactgtt caaactctgc 420  
 tacacatcag aatcacctgg agagctttac aaactcccat tgccgagggt cgacgcggcc 480  
 gcgaatttag tag 493

<210> 451  
 <211> 501  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(501)  
 <223> n = A,T,C or G

<400> 451  
 gggcgcgtcc cattcgccat tcaggctgcg caactgttgg gaagggcgat cggcgcgggc 60  
 ctcttcgcta ttacgccagc tggcgaaagg gggatgtgct gcaaggcgat taagttgggt 120  
 aacgccaggg ttttcccagt cncgacgttg taaaacgacg gccagtgaat tgaatttagg 180  
 tgacnctata gaagagctat gacgtcgcat gcacgcgtac gtaagcttgg atcctctaga 240  
 gcggccgcct actactacta aattcgcggc cgcgtcgacg tgggatccnc actgagagag 300  
 tggagagtga catgtgctgg acnctgtcca tgaagcactg agcagaagct ggaggcacaa 360  
 cgcncacagc actcacagct actcaggagg ctgagaacag gttgaacctg ggaggtggag 420  
 gttgcaatga gctgagatca ggcnctgcn cccagcatg gatgacagag tgaaactcca 480

tcttaaaaaa aaaaaaaaaa a

501

<210> 452

<211> 51

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(51)

<223> n = A,T,C or G

<400> 452

agacggtttc accnttacaa cnccttttag gatgggnntt ggggagcaag c

51

<210> 453

<211> 317

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(317)

<223> n = A,T,C or G

<400> 453

tacatcttgc tttttcccca ttggaactag tcattaaccc atctctgaac tggtagaaaa 60  
acatctgaag agctagtcta tcagcatctg gcaagtgaat tggatgggtc tcagaaccat 120  
ttcacccana cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca 180  
taacaaaccc tgctccaatc tgtcacataa aagtctgtga cttgaagttt antcagcacc 240  
cccaccaaac tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataagg 300  
tacctatgtc tttatta 317

<210> 454

<211> 231

<212> DNA

<213> Homo sapiens

<400> 454

ttcgaggtag aatcaactct cagagtgtag tttccttcta tagatgagtc agcattaata 60  
taagccacgc cagctcttg aaggagtctt gaattctcct ctgtcactc agtagaacca 120  
agaagaccaa attcttctgc atcccagctt gcaacaaaa ttgttcttct aggtctccac 180  
ccttctttt tcagtgttcc aaagctctc acaatttcat gaacaacagc t 231

<210> 455

<211> 231

<212> DNA

<213> Homo sapiens

<400> 455

taccaaagag ggcataataa tcagtctcac agtaggggtc accatcctcc aagtgaaaaa 60  
cattgttccg aatgggcttt ccacaggcta cacacacaaa acaggaaaca tgccaagttt 120  
gtttcaacgc attgatgact tctccaagga tcttcttttg gcatcgacca cattcagggg 180  
caaagaattt ctcatagcac agctcacaat acagggtctc tttctcctct a 231

<210> 456  
<211> 231  
<212> DNA  
<213> Homo sapiens

<400> 456  
ttggcaggta ccccttacaaa gaagacacca taccttatgc gttattaggt ggaataatca 60  
ttccattcag tattatcggt attattcttg gagaaaccct gtctgtttac tgtaaccttt 120  
tgcactcaaa ttcctttatc aggaataact acatagccac tatttacaaa gccattggaa 180  
cctttttatt tgggtgcagct gctagtcagt ccctgactga cattgccaag t 231

<210> 457  
<211> 231  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(231)  
<223> n = A,T,C or G

<400> 457  
cgagggtaccc aggggtctga aaatctctnn ttctantagtc gatagcaaaa ttgttcatca 60  
gcattcctta atatgatctt gctataatta gatttttctc cattagagtt catacagttt 120  
tatttgattt tattagcaat ctctttcaga agacccttga gatcattaag ctttgtatcc 180  
agttgtctaa atcgatgcct catttctctt gaggtgtcgc tggcttttgc g 231

<210> 458  
<211> 231  
<212> DNA  
<213> Homo sapiens

<400> 458  
aggctctggtt cccccactt ccaactccct ctactctctc taggactggg ctgggccaag 60  
agaagagggg tggttaggga agccgttgag acctgaagcc ccacctctca ccttccttca 120  
acaccctaac cttgggtaac agcatttga attatcattt gggatgagta gaatttccaa 180  
ggtcctgggt taggcatttt ggggggccag accccaggag aagaagattc t 231

<210> 459  
<211> 231  
<212> DNA  
<213> Homo sapiens

<400> 459  
ggtaccgagg ctcgctgaca cagagaaacc ccaacgcgag gaaaggaatg gccagccaca 60  
ccttcgcgaa acctgtggtg gccaccagt cctaacggga caggacagag agacagagca 120  
gccctgcact gttttccctc caccacagcc atcctgtccc tcattggctc tgtgctttcc 180  
actatacaca gtcaccgtcc caatgagaaa caagaaggag caccctccac a 231

<210> 460  
<211> 231  
<212> DNA  
<213> Homo sapiens

<400> 460

```
gcagggtataa catgctgcaa caacagatgt gactaggaac ggccggtgac atggggaggg 60
cctatcaccc tattcttggg ggctgcttct tcacagtgat catgaagcct agcagcaa 120
cccacctccc cacacgcaca cggccagcct ggagcccaca gaagggtcct cctgcagcca 180
gtggagcttg gtccagcctc cagtcacccc ctaccaggct taaggataga a 231
```

&lt;210&gt; 461

&lt;211&gt; 231

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 461

```
cgagggttga gaagctctaa tgtgcagggg agccgagaag caggcggcct agggagggtc 60
gcgtgtgctc cagaagagtg tgtgcatgcc agaggggaaa caggcgcctg tgtgtcctgg 120
gtgggggttca gtgaggagtg ggaaattggt tcagcagaac caagccgtg ggtgaataag 180
agggggattc catggcactg atagagccct atagtctcag agctgggaat t 231
```

&lt;210&gt; 462

&lt;211&gt; 231

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 462

```
aggtaccctc attgtagcca tgggaaaatt gatgttcagt ggggatcagt gaattaaatg 60
gggtcatgca agtataaaaa ttaaaaaaaa aagacttcat gcccaatctc atatgatgtg 120
gaagaactgt tagagagacc aacagggtag tgggttagag atttccagag tcttacattt 180
tctagaggag gtatttaatt tcttctcact catccagtgt tgtatttagg a 231
```

&lt;210&gt; 463

&lt;211&gt; 231

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 463

```
tactccagcc tgggtgacaga gcgagaccct atcacccccc cccaccccac caaaaaaaaa 60
actgagtaga cagggtgcct cttggcatgg taagtcttaa gtccccctcc agatctgtga 120
catttgacag gtgtcttttc ctctggacct cggtgtcccc atctgagtga gaaaaggcag 180
tggggagggtg gatcttccag tcgaagcggg atagaagccc gtgtgaaaag c 231
```

&lt;210&gt; 464

&lt;211&gt; 231

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 464

```
gtactctaag attttatcta agttgccttt tctgggtggg aaagtttaac cttagtgact 60
aaggacatca catatgaaga atgtttaagt tggagggtggc aacgtgaatt gcaaacaggg 120
cctgtctcag tgactgtgtg cctgtagtcc cagctactcg ggagtctgtg tgaggccagg 180
ggtgccagcg caccagctag atgctctgta acctctaggc cccattttcc c 231
```

&lt;210&gt; 465

&lt;211&gt; 231

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 465

```

catgttgttg tagctgtggc aatgctggct gcattctcaga cagggttaac ttcagctcct 60
gtggcaaat agcaacaaat tctgacatca tatttatggt ttctgtatct ttgttgatga 120
aggatggcac aatttttgct tgtgttcata atatactcag attagttcag ctccatcaga 180
taaaactggag acatgcagga cattagggta gtgttgtagc tctggtaatg a 231

```

&lt;210&gt; 466

&lt;211&gt; 231

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 466

```

cagggtacctc tttccattgg atactgtgct agcaagcatg ctctccgggg tttttttaat 60
ggccttcgaa cagaacttgc cacataccca ggtataatag tttctaacat ttgcccagga 120
cctgtgcaat caaatattgt ggagaattcc ctagctggag aagtcacaaa gactatagga 180
aataatggag accagtccca caagatgaca accagtcggt gtgtgcggct g 231

```

&lt;210&gt; 467

&lt;211&gt; 311

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 467

```

gtacaccctg gcacagtcca atctgaactg gttcggcact catctttcat gagatggatg 60
tggcggcttt tctccttttt catcaagact cctcagcagg gagccagac cagcctgcac 120
tgtgccttaa cagaaggctc tgagattcta agtgggaatc atttcagtga ctgtcatgtg 180
gcacgggtct ctgcccaagc tcgtaatgag actatagcaa ggcggctgtg ggacgtcagt 240
tgtgacctgc tgggcctccc aatagactaa caggcagtcg cagttggacc caagagaaga 300
ctgcagcaga c 311

```

&lt;210&gt; 468

&lt;211&gt; 3112

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 468

```

cattgtgttg ggagaaaaac agaggggaga tttgtgtggc tgcagccgag ggagaccagg 60
aagatctgca tgggtgggaag gacctgatga tacagagttt gataggagac aattaaaggc 120
tggaaaggcac tggatgcctg atgatgaagt ggactttcaa actggggcac tactgaaacg 180
atgggatggc cagagacaca ggagatgagt tggagcaagc tcaataacaa agtgggttcaa 240
cgaggacttg gaattgcatg gagctggagc tgaagttag cccaattgtt tactagttag 300
gtgaatgtgg atgattggat gatcatttct catctctgag cctcagggtc cccatccata 360
aaatgggata cacagtatga tctataaagt gggatatagt atgatctact tcaactgggt 420
atltgaagga tgaattgaga taatttattt cagggtgcct gaacaatgcc cagattagta 480
catttgggtg aactgagaaa tggcataaca ccaaatataa tatatgtcag atgttactat 540
gattatcatt caatctcata gttttgtcat ggcccaattt atcctcactt gtgctcaac 600
aaattgaact gttaacaaag gaatctctgg tcctgggtaa tggctgagca ccaatgagca 660
tttccattcc agttggcttc ttgggtttgc tagctgcac actagtcac ttaataaat 720
gaagttttaa catttctcca gtgatttttt tatctcacct ttgaagatac tatgttatgt 780
gattaaataa agaacttgag aagaacaggt ttcattaaac ataaaatcaa tgtagacgca 840
aattttctgg atgggcaata cttatgttca caggaaatgc tttaaaatat gcagaagata 900
attaaatggc aatggacaaa gtgaaaaact tagacttttt tttttttttt ggaagtatct 960
ggatgttctt tagtcactta aaggagaact gaaaaatagc agtgagttcc acataatcca 1020
acctgtgaga ttaaggctct ttgtggggaa ggacaaagat ctgtaaattt acagtttctt 1080
tccaaagcca acgtcgaatt ttgaaacata tcaaagctct tcttcaagac aaataatcta 1140
tagtacatct ttcttatggg atgcacttat gaaaaatggg ggctgtcaac atctagtcac 1200

```

```

tttagctctc aaaatgggtc attttaagag aaagttttag aatctcatat ttattcctgt 1260
ggaaggacag cattgtggct tggactttat aaggctctta tccaactaaa taggtgagaa 1320
ataagaaagg ctgctgactt taccatctga ggccacacat ctgctgaaat ggagataatt 1380
aacatcacta gaaacagcaa gatgacaata taatgtctaa gtagtgacat gtttttgac 1440
atttccagcc cctttaaata tccacacaca caggaagcac aaaaggaagc acagagatcc 1500
ctgggagaaa tggccggccg ccactctggg tcatcgatga gcctcgccct gtgctgggtc 1560
ccgcttgtga gggaaggaca tttagaaaatg aattgatgtg ttccctaaag gatgggcagg 1620
aaaacagatc ctggttggtga tttttatttg aacgggatta cagatttgaa atgaagtcac 1680
aaagtgagca ttaccaatga gaggaaaaca gacgagaaaa tcttgatggc ttcacaagac 1740
atgcaacaaa caaatggaa tactgtgatg acatgaggca gccaaagctgg ggaggagata 1800
accacggggc agagggtcag gattctggcc ctgctgccta aactgtgcgt tcataaccaa 1860
atcatttcat atttctaacc ctcaaaacaa agctgttgta atatctgatc tctacgggtc 1920
cttctggggc caacattctc catatatcca gccacactca tttttaatat ttagttccca 1980
gatctgtact gtgacctttc tacactgtag aataacatta ctcatcttgt tcaaagacct 2040
ttcgtgttgc tgcctaataa gtagctgact gtttttccta aggagtgttc tggcccagg 2100
gatctgtgaa caggctggga agcatctcaa gatcttcca gggttatact tactagcaca 2160
cagcatgac attacggagt gaattatcta atcaacatca tctcagtggt ctttgcccat 2220
actgaaattc atttccact tttgtgcca tctcaagac ctcaaatgt cattccatta 2280
atatcacagg attaactttt tttttaacc tggagaatt caatgttaca tgcagctatg 2340
ggaatttaac tacatatttt gttttccagt gcaaagatga ctaagtcctt tatccctccc 2400
ctttgtttga tttttttcc agtataaagt taaaatgctt agccttgta tggagctgta 2460
tacagccaca gcctctccc atccctccag ccttatctgt catcaccatc aaccctccc 2520
atgcacctaa acaaatctc acttgtaatt ccttgaacat gtcaggcata cattattcct 2580
tctgcttgag aagctcttcc ttgtctctta aatctagaat gatgtaaagt ttgaaataag 2640
ttgactatct tacttcatgc aaagaaggga cacatatgag attcatcatc acatgagaca 2700
gcaaatacta aaagtgtaat ttgattataa gagtttagat aaatatatga aatgcaagag 2760
ccacagaggg aatgtttatg gggcacgttt gtaagcctgg gatgtgaagc aaaggcagg 2820
aacctcatag tatcttatat aatatacttc atttctctat ctctatcaca atatccaaca 2880
agcttttcac agaattcatg cagtgcacaa ccccaaagg aacctttatc catttcatgg 2940
tgagtgcgct ttagaatttt ggcaaatcat actggtcact tatctcaact ttgagatgtg 3000
tttgtccttg tagttaattg aaagaaatag ggcactcttg tgagccactt tagggttcac 3060
tcctggcaat aaagaattta caaagagcaa aaaaaaaaaa aaaaaaaaaa aa 3112

```

&lt;210&gt; 469

&lt;211&gt; 2229

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 469

```

agctctttgt aaattcttta ttgccaggag tgaacctaa agtggctcac aagagtgtcc 60
tatttctttc aattaactac aaggacaaac acatctcaaa gttgagataa gtgaccagta 120
tgatttgcca aaattctaaa gcgcactcac catgaaatgg ataaaggtta cctttgggga 180
tttgactgct atgaattctg tgaaaagctt gttggatatt gtgatagaga tagagaaatg 240
aagtatatta tataagatac tatgagggtc cctgcctttg ctccacatcc caggcttaca 300
aacgtgcccc ataaacattc cctctgtggc tcttgcatct catatatctt tctaaactct 360
tataatcaaa tacactttta gtatttgctg tctcatgtga tgatgaatct catatgtgtc 420
ccttctttgc atgaagtaag atagtcaact tattcaaac ttacatcat tctagattta 480
agagacaagg aagagcttct caggcagaag gaataatgta tgccatgacat gttcaaggaa 540
ttacaagtta gattttgttt aggtgcatgg gaggggttga tgggtgatgac agataaggct 600
ggaggggatgg ggagaggctg tggctgtata cagcctcagt acaaggctaa gcattttaac 660
tttatactgg aaaaaaaatc aaacaaaggg gagggataaa ggacttagtc atctttgcac 720
tggaatacaaa aatatgtaat taaattccca tagctgcatg taacattgaa ttcttcagg 780
ttaaaaaaaa agttaatcct gtgatattaa tggaatgaca ttttgaggtc ttgagaatgg 840
gcacaaaagt gggaaatgaa ttccagtatg ggcaaagaca ctgaggatga tgttgattag 900
ataattcact ccgtaatgat catgctgtgt gctagtaagt ataaccctgg aaagatcttg 960

```



```

agatgcttcc cagcctgttc acagatcccc tgggccagaa cactccttag gaaaaacagt 1020
cagctacata ttaggcagca acacgaaggg tctttgaaca aaatgagtaa tgttattcta 1080
cagtgtagaa aggtcacagt acagatctgg gaactaaata ttaaaaatga gtgtggctgg 1140
atatatggag aatgttgggc ccagaaggaa ccgtagagat cagatattac aacagctttg 1200
ttttgagggc tagaaatatg aaatgatttg gttatgaacg cacagttagg gcagcagggc 1260
cagaatcctg accctctgcc ccgtgggtat ctccctccca gcttggctgc ctcatgtcat 1320
cacagtattc ctttttgttt gttgcatgtc ttgtgaagcc atcaagattt tctcgtctgt 1380
tttcctctca ttggtaatgc tcactttgtg acttcatttc aaatctgtaa tcccgttcaa 1440
ataaatatcc acaacaggat ctgttttcct gcccatcctt taaggaaacac atcaattcat 1500
tttctaattg ccttccctca caagcgggac caggcacagg gcgaggctca tcgatgaccc 1560
aagatggcgg ccgggcattt ctcccagggg tctctgtgct tctttttgtg ctccctgtgt 1620
gtgtggatat ttaaaggggc tggaaatgtg caaaaacatg tcactactta gacattatat 1680
tgtcatcttg ctgtttctag tgatgttaat tatctccatt tcagcagatg tgtggcctca 1740
gatggtaaa gtcagcagct tctttatttc tcacctggaa atacatacga ccatttgagg 1800
agacaaatgg caaggtgtca gcataccctg aacttgagtt gagagctaca cacaatatta 1860
ttggtttccg agcatcacia acaccctctc tgtttcttca ctgggcacag aattttaata 1920
cttatttctg tgggctgttg gcaggaacaa atgaagcaat ctacataaag tcactagtgc 1980
agtgcctgac acacaccatt ctcttgaggt cccctctaga gatccacag gtcatatgac 2040
ttcttgggga gcagtggctc acacctgtaa tcccagcact ttgggaggct gaggcagggt 2100
ggtcacctga ggtcaggagt tcaagaccag cctggccaat atggtgaaac cccatctcta 2160
ctaaaaatc aaaaattagc tgggcgtgct ggtgcatgcc tgtaatccca gcccacac 2220
aatggaatt
2229

```

&lt;210&gt; 470

&lt;211&gt; 2426

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 470

```

gtaaattctt tattgccagg agtgaaccct aaagtggctc acaagagtgc cctatttctt 60
tcaattaact acaaggacaa acacatctca aagttgagat aagtgaccag tatgatttgc 120
caaaattcta aagcgcactc accatgaaat ggataaaggc tacctttggg gatttgcact 180
gcatagaattc tgtgaaaagc ttgttgata ttgtgata gaagagaaa tgaagtatat 240
tatataagat actatgaggc tccctgcctt tgcttcacat cccaggctta caaacgtgcc 300
ccataaacat tccctctgtg gctcttgcac ttcatatatt tatctaaact cttataatca 360
aattacactt ttagtatttg ctgtctcatg tgatgatgaa tctcatatgt gtcccttctt 420
tgcataagat aagatagtca acttattcaa aactttacat cattctagat ttaagagaca 480
aggaagagct tctcaggcag aaggaataat gtatgcctga catgttcaag gaattacaag 540
ttagattttg tttaggtgca tgggaggggt tgatgggtgat gacagataag gctggaggga 600
tggggagagg ctgtggctgt atacagcctc agtacaaggc taagcatttt aactttatac 660
tggaaaaaaa atcaaacaaa ggggagggat aaaggactta gtcattcttg cactggaaaa 720
caaaatatgt aattaaattc ccatagctgc atgtaacatt gaattcttcc aggttaaaaa 780
aaaaagttaa tctgtgata ttaatggaat gacattttga ggtcttgaga atgggcacaa 840
aagtgggaaa tgaatttcag tatgggcaaa gacactgagg atgatgttga ttagataatt 900
cactccgtaa tgatcatgct gtgtgctagt aagtataacc ctggaaagat cttgagatgc 960
tcccagcct gttcacagat cccctgggac agaacactcc ttaggaaaaa cagtcagcta 1020
catattaggc agcaacacga aggtcttttg aacaaaatga gtaatgttat tctacagtgt 1080
agaaaggctc cagtacagat ctgggaacta aatattaaaa atgagtgttg ctggatatat 1140
ggagaatgtt gggcccagaa ggaaccgtag agatcagata ttacaacagc tttgttttga 1200
gggttagaaa tatgaaatga tttggttatg aacgcacagt ttaggcagca gggccagaat 1260
cctgaccctc tgccccgtgg ttatctcttc cccagcttgg ctgcctcatg tcatcacagt 1320
attccatttt gtttgttgca tgtcttgtga agccatcaag attttctcgt ctgttttctt 1380
ctcattggta atgctcactt tgtgacttca tttcaaatct gtaatcccgt tcaaatataat 1440
atccacaaca ggaatctgtt tcttgcctat cctttaagga acacatcaat tcattttcta 1500
atgtccttcc ctcaaacgcg ggaccaggca cagggcgagg ctcatcgatg acccaagatg 1560

```

```

gcggccgggc atttctccca gggatctctg tgcctccttt tgtgcttccct gtgtgtgtgg 1620
atattttaaag gggctggaaa tgtgcaaaaa catgtcacta cttagacatt atattgtcat 1680
cttgctgttt ctagtgatgt taattatctc catttcagca gatgtgtggc ctcagatggg 1740
aaagtcagca gcctttctta tttctcacct ggaaatacat acgaccattt gaggagacaa 1800
atggcaagggt gtcagcatac cctgaacttg agttgagagc tacacacaat attattggtt 1860
tccgagcatc acaaacaccc tctctgtttc ttcactgggc acagaatttt aatacttatt 1920
tcagtgggct gttggcagga acaaatgaag caatctacat aaagtcacta gtgcagtgcc 1980
tgacacacac cattctcttg aggtccccctc tagagatccc acaggtcata tgacttcttg 2040
gggagcagtg gctcacacct gtaatcccag cactttggga ggctgaggca ggtgggtcac 2100
ctgaggtcag gaggccaaga ccagcctggc caatatggtg aaaccccatc tctactaaaa 2160
atacaaaaat tagctgggcg tgctggtgca tgcctgtaat cccagctact tgggaggtcg 2220
aggcaggaga attgctggaa catgggaggc ggagggtgca gtgagctgta attgtgccat 2280
tgacttcgaa cctgggcgac agagtggaa cctgtttcca aaaaacaaac aaacaaaaaa 2340
ggcatagtca gatacaacgt ggggtgggatg tgtaaataga agcaggatat aaagggcatg 2400
gggtgacggg tttgccaac acaatg

```

2426

&lt;210&gt; 471

&lt;211&gt; 812

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 471

```

gaacaaaaat agtaatgtta ttctacagt tagaaaaggc acagtacaga tctgggaact 60
aaatattaaa aatgagtgtg gctggatata tggagaatgt tgggcccaga aggaaccgta 120
gagatcagat attacaacag ctttgttttg agggtagaa atatgaaatg atttggttat 180
gaacgcacag tttaggcagc agggccagaa tcccgaccct ctgccccgtg gttatctcct 240
ccccagcttg gctgcctcat gtcacacag tattccattt tgtttgttgc atgtcttgtg 300
aagccatcaa gattttctcg tctgttttcc tctcattggt aatgctcact ttgtgacttc 360
atttcaaatc tgtaatcccc ttcaataaaa tatccacaac aggatctgtt ttctgcccc 420
tcctttaagg aacacatcaa ttcatcttct aatgtccttc cctcacaagc gggaccaggc 480
acagggcgag gctcatcgat gaccaagat ggcggccggg catttctccc agggatctct 540
gtgcttcctt ttgtgcttcc tgtgtgtgtg gatatttaa ggggctggaa atgtgcaaaa 600
acatgtcact acttagacat tatattgtca tcttgctgtt tctagtgatg ttaattatct 660
ccatttcagc agatgtgtgg cctcagatgg taaagtcagc agcctttctt atttctcacc 720
tctgtatcat caggctcttc ccaccatgca gatcttctcg gtctccctcg gctgcagcca 780
cacaatctc ccctctgttt ttctgatgcc ag

```

812

&lt;210&gt; 472

&lt;211&gt; 515

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(515)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 472

```

acggagactt attttctgat attgtctgca tatgtatgtt ttttaagagc tggaaatagt 60
cttatgactt tcctatcatg cttattaata aataatacag cccagagaag atgaaaatgg 120
gttcagaat tattggctct tgcagcccgg tgaatctcag caagaggaa caccaactga 180
caatcaggat attgaacctg gacaagagag, agaaggaaca cctccgatcg aagaacgtaa 240
agtagaagggt gattgccagg aaatggatct ggaaaagact cggagtgagc gtggagatgg 300
ctctgatgta aaagagaaga ctccacctaa tcctaagcat gctaagacta aagaagcagg 360
agatgggcag ccataagtta aaaagaagac aagctgaagc tacacacatg gctgatgtca 420

```

cattgaaaat gtgactgaaa atttgaaaat tctctcaata aagtttgagt tttctctgaa 480  
gaaaaaaaaa naaaaaaaaa aaanaaaan aaaaaa 515